

NATURA-LAX- polyethylene glycol 3350 powder, for solution
Chain Drug Marketing Association

QC PEG 489

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17g (cap filled to the indicated "17 GRAMS" line)

Purpose

Osmotic Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast feeding ask a health professional before use.

Keep out of reach of children. In case of overdose , get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cup marked to contain 17 grams of powder when filled

to the indicated "17 GRAMS" line

- adults and children 17 years of age and older:
- use once a day
- fill to indicated "17 GRAMS" line in cap which is marked to indicate the correct dose 17 grams
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20° - 25°C (68° - 77°F)
- tamper-evident: do not use if foil seal under cap printed with "SEALED for YOUR PROTECTION" is missing, open or broken.

Inactive ingredients

none

Questions or comments?

1-877-288-1495

Package label

QC QUALITY CHOICE

NDC 63868-002-30

*Compare to the Active Ingredients in MIRALAX®

Natura-LAX
Osmotic Laxative

Polyethylene Glycol 3350 Powder for Solution

Dissolves in Any Beverage
Relieves Occasional Constipation (irregularity)
Softens Stool
Unflavored Powder

30 Once-Daily Doses Net Wt 17.9 OZ (510 g)

Sugar-Free
*This product is not manufactured or distributed by the owner of the registered trademark Miralax®.

Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

133763-01/QC644421

6 35515 98747 0

Exp. Date: Lot No.:

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool.

Drug Facts Active ingredient (in each dose) Polyethylene Glycol 3350, 17 grams (cap filled to the indicated "17 GRAMS" line) ... Osmotic Laxative	Purpose	Drug Facts (continued) Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Use ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days		Directions ■ do not take more than directed unless advised by your doctor ■ the bottle cap is a measuring cup marked to contain 17 grams of powder when filled to the indicated "17 GRAMS" line ■ adults and children 17 years of age and older: ■ use once a day ■ fill to indicated "17 GRAMS" line in cap which is marked to indicate the correct dose 17 grams ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor
Warnings Allergy alert: Do not use if you are allergic to polyethylene glycol Do not use if you have kidney disease, except under the advice and supervision of a doctor Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome Ask a doctor or pharmacist before use if you are taking a prescription drug When using this product you may have loose, watery, more frequent stools Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week If pregnant or breast-feeding, ask a health professional before use.		Other information ■ store at 20° - 25°C (68° - 77°F) ■ tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken Inactive ingredients none
		Questions or comments? 1-877-288-1495

7116-0510-Q6-BL Rev 01/2022

NATURA-LAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-002-14	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2020	
2	NDC:63868-002-30	510 g in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090812	05/01/2014	

Labeler - Chain Drug Marketing Association (011920774)**Registrant** - Geri-Care Pharmaceutical Corp (611196254)