

BRILLIA- lapine s-100 immune globulin 12 hpc, 30 hpc, 50 hpc pill Hadaf LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Brillia (Children's)

Active ingredients

Lapine S-100 immune globulin 12C, 30C, and 50C

Inactive Ingredients

Lactose monohydrate, Magnesium stearate, Microcrystalline cellulose

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Uses

- reduce feelings of anxiety, excitability, and stress
- reduce feelings of irritability
- reduce feelings of irritability
- improve concentration of attention
- enhance clarity

Directions

- Children (5-18 years old) to hold 1-2 tablets in the mouth until completely dissolved. If necessary, the tablets can be taken dissolved in 1 tablespoon of drinking water
- Should be taken 2-3 times daily for 3 months
- Recommended to stop for 1 month (if symptoms do not return) after each 3-month regimen
- Take no later than 2 hours before bedtime as this product has activating properties

Purpose

Improve emotional regulation, hyperactivity, and attention

Warnings

- **Ask a doctor or pharmacist before use if you are** lactose-intolerant
- **Stop use and ask a doctor** if symptoms persist or worsen
- **If pregnant or breast-feeding**, ask a health professional before use.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control right away.
- **Allergic (hypersensitivity) reactions may occur** in very rare cases.
- **Do not use if sensitivity to Brillia** or any of its ingredients exists.





Enhance clarity +
 Improve concentration +
 Reduce feelings of: -
 Anxiety & stress
 Excitability
 Irritability

SHINE BRIGHTER

FOR CHILDREN

Brillia®



Safe & non-drowsy



Easy-dissolve tablets



Taste-free, which means it's child-friendly!

Brillia®

Drug Facts

Active Ingredients
 Lapine S-100 immune globulin 12C }
 Lapine S-100 immune globulin 30C }
 Lapine S-100 immune globulin 50C }

Purpose
 Improve emotional regulation, hyperactivity and attention

Uses

- Reduce feelings of anxiety, excitability and stress
- Reduce feelings of irritability
- Reduce feelings of hyperactivity
- Improve concentration of attention
- Enhance clarity

Warnings
 Ask a doctor or pharmacist before use if you are lactose-intolerant.

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Allergic (hypersensitivity) reactions may occur in very rare cases.

Do not use if known sensitivity to Brillia or any of its ingredients exists.

Drug Facts (continued)

Directions

- Children (5-18 years old) to hold 1-2 tablets in the mouth until completely dissolved. If necessary, the tablets can be taken dissolved in 1 tablespoon of drinking water.
- Should be taken 2-3 times daily for 3 months.
- Recommended to stop for 1 month (if symptoms do not return) after each 3-month regimen.
- Take no later than 2 hours before bedtime as this product has activating properties.

Other Information

- Store in original package below 25°C or 77°F.
- Do not use if blister pack is torn or broken.

Inactive ingredients
 Lactose monohydrate, Magnesium stearate, Microcrystalline cellulose.

To report serious or adverse events, call 1-888-411-6952.

Questions or comments?
 1-888-411-6952 or email info@DiscoverBrillia.com
 Made in Lithuania. Distributed by Hadaf, LLC:
 6929 N. Hayden Road, Suite C4-469
 Scottsdale, AZ 85250-7970

info@DiscoverBrillia.com

LOT NO:
 EXP. DATE:



111304-3
 PST-3853 EST-4145

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72123-002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LAPINE S-100 IMMUNE GLOBULIN (UNII: A4FH976KAQ) (LAPINE S-100 IMMUNE GLOBULIN - UNII:A4FH976KAQ)	LAPINE S-100 IMMUNE GLOBULIN	50 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND (round)	Size	9mm
Flavor		Imprint Code	light;bulb
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72123-002-01	3 in 1 BOX	01/19/2018	
1		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/19/2018	

Labeler - Hadaf LLC (094114708)**Establishment**

Name	Address	ID/FEI	Business Operations
Santonika Uab		520214047	manufacture(72123-002)