

**CORINZ- cetylpyridinium chloride rinse**  
**Sage Products, LLC**

-----  
**Corinz®**

**Drug Facts**

<b>Active ingredient:</b>	<b>Purpose</b>
CORINZ ANTISEPTIC CLEANSING AND MOISTURIZING ORAL RINSE:	
Cetylpyridinium chloride 0.05%	Antiseptic Rinse

**Use**

Helps reduce chance of infection in minor oral irritation.

**Warnings**

**Stop use and ask a doctor if:**

- Sore mouth symptoms do not improve in 7 days.
- Swelling, rash or fever develops.
- Irritation, pain or redness persists or worsens.

**Keep out of reach of children.**

If more than used for antisepsis is accidentally swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Use up to 4 times daily or as directed by a dentist or doctor.
- Adults and children 3 years and older: rinse mouth with 1/2 Tbsp. for approx. one minute. Instruct to expectorate.
- Children under 3 years of age: consult a dentist or doctor.

**Inactive ingredients**

citric acid, glycerin, hydroxyethylcellulose, menthol, spearmint flavor, potassium sorbate, polysorbate 20, polysorbate 80, sodium saccharin, Water, xylitol.

**Questions?**

800-323-2220.

NOT MADE WITH NATURAL RUBBER LATEX • MADE IN U.S.A.

Sage  
Self oral care

## Toothbrush with Corinz® Antiseptic Cleansing & Moisturizing Oral Rinse

Detach from box before use.  
Single use only. Consult Instructions  
for Use. Not made with natural  
rubber latex. Non-Sterile.

Contents: • (1) Suction toothbrush with sodium  
bicarbonate • 0.25 fl oz. / 7 mL Corinz • (1) Spittoon  
Sage Products LLC, Cary IL

PS194

### Drug Facts for Corinz:

## Drug Facts

### Active ingredient Purpose

Cetylpyridinium chloride  
0.05%.....Antiseptic Rinse

### Use

Helps reduce chance of infection  
in minor oral irritation.

### Warnings

#### Stop use and ask a doctor if:

- Sore mouth symptoms do not improve in 7 days.
- Swelling, rash or fever develops.
- Irritation, pain or redness persists or worsens.

#### Keep out of reach of children.

If more than used for antiseptics is accidentally swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Use up to 4 times daily or as directed by a dentist or doctor.
- Adults and children 3 years and older: rinse mouth with 1/2 Tbsp. for approximately one minute. Instruct to expectorate.
- Children under 3 years of age: consult a dentist or doctor.

### Inactive ingredients

Water, glycerin, xylitol, spearmint flavor, potassium sorbate, polysorbate 20, polysorbate 80, hydroxyethylcellulose, citric acid, sodium saccharin, menthol.

### Questions?

800-323-2220

**Corinz<sup>®</sup>**  
 Antiseptic Cleansing and  
 Moisturizing Oral Rinse

Active Ingredient:  
 Cetylpyridinium  
 chloride 0.05%



**Burst packet  
 before opening  
 outer package**

Do not remove  
 from package

0.25 fl. oz./7 mL

R54398

**Corinz<sup>®</sup>**  
 Antiseptic Cleansing and  
 Moisturizing Oral Rinse

Active Ingredient:  
 Cetylpyridinium  
 chloride 0.05%



**Burst packet  
 before opening  
 outer package**

Do not remove  
 from package

0.25 fl. oz./7 mL

 **LOT**

**stryker**


**Corinz<sup>®</sup>**  
 Antiseptic Cleansing  
 and Moisturizing  
 Oral Rinse

1.5 fl. oz./44 mL

**Reorder #6142**

<b>Drug Facts</b>	<b>Purpose</b> Antiseptic Rinse
<b>Active ingredient</b> Cetylpyridinium chloride 0.05% .....	<b>Use</b> Helps reduce chances of infection in minor oral irritation
<b>Warnings</b> <b>Stop use and ask a doctor if:</b> ■ Sore mouth symptoms do not improve in 7 days ■ Swelling, rash or fever develops ■ Irritation, pain or redness persists or worsens	<b>Keep out of reach of children.</b> If more than used for antiseptis is accidentally swallowed, get medical help or contact a Poison Control Center right away.
<b>Directions</b> ■ Use up to 4 times daily or as directed by a dentist or doctor ■ Adults and children 3 years and older: rinse mouth with 1/2 Tbsp. for approx. one minute. Instruct to expectorate. ■ Children under 3 years of age: consult a dentist or doctor	<b>Inactive ingredients</b> Water, glycerin, xylitol, spearmint flavor, potassium sorbate, polysorbate 20, polysorbate 80, hydroxyethylcellulose, citric acid, sodium saccharin, menthol
<b>Questions?</b> Call toll free 800-323-2220	

Manufactured by: U.S. Patents: stryker.com/patents  
 Sage Products LLC Not made with natural rubber latex  
 3909 Three Oaks Rd. For single patient use only  
 Cary, IL 60013 U.S.A.  
 800 323 2220  
 stryker.com  
 R6157B



6 18029 80111 1

## CORINZ

cetylpyridinium chloride rinse

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:53462-375

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETYLPIRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P) (CETYLPIRIDINIUM - UNII:CUB7JJOJV3)	CETYLPIRIDINIUM CHLORIDE	0.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>HYDROXYETHYL CELLULOSE (4000 MPAS AT 1%)</b> (UNII: ZYD53NBL45)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53462-375-60	7 mL in 1 PACKET; Type 0: Not a Combination Product	01/20/2015	
2	NDC:53462-375-07	7 mL in 1 CUP; Type 0: Not a Combination Product	07/22/2019	
3	NDC:53462-375-30	44 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/07/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	01/20/2015	

**Labeler** - Sage Products, LLC (054326178)

**Registrant** - Sage Products, LLC (054326178)