

**TINTED MOISTURIZER MATTE BROAD SPECTRUM SPF 45- octinoxate, octisalate, titanium dioxide, zinc oxide cream**  
**Goodier Cosmetics LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Tinted Moisturizer Matte Broad Spectrum**

**1.7oz Revision Intellishade® Matte**

**Intellishade®  
Matte**

anti-aging  
tinted moisturizer  
with sunscreen

Broad-Spectrum  
SPF 45

NET WT 1.7 OZ | 48 g

**Active ingredient ..... Purpose**

Octinoxate 5.5% ..... Sunscreen  
Octisalate 3.5% ..... Sunscreen  
Titanium Dioxide 4% ..... Sunscreen  
Zinc Oxide 3% ..... Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly

use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months:

Ask a doctor

### **Inactive ingredients**

Water (Aqua), Cyclopentasiloxane, Caprylic/Capric Triglyceride, Cetearyl Oliviate, Sorbitol, Glycerin, Sorbitan Oliviate, Butylene Glycol, Dimethicone, Aloe Barbadensis Leaf Juice, Isodecyl Neopentanoate, Diisopropyl Sebacate, Sorbitan Stearate, Tetrahexyldecyl Ascorbate, Glyceryl Stearate, Tocopherol, Allantoin, Lauryl Lactate, Squalane, Yeast Extract (Faex), Plankton Extract, Betula Alba (White Birch) Bark Extract, Camellia Sinensis (Green Tea) Leaf Extract, Palmitoyl Dipeptide-5 Diaminobutyroyl Hydroxythreonine, Silica, Lecithin, Cetyl Alcohol, PEG-100 Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyltaurate Copolymer, Polysorbate 60, Palmitoyl Tripeptide-5, Epigallocatechin Gallate, Ubiquinone, Jojoba Bean Meal, Glyceryl Isostearate, Tetradecyl Aminobutyroylvalylaminobutyric Urea Trifluoroacetate, Tocopheryl Acetate, Polyhydroxystearic Acid, Boron Nitride, Phenoxyethanol, Chlorphenesin, Hydroxyethylcellulose, Xanthan Gum, Magnesium Chloride, Triethoxycaprylylsilane, Sorbic Acid, Benzoic Acid, Iron Oxides.

### **Other information**

- protect this product from excessive heat and direct sun

Dist. by Revision, LP  
Irving, TX 75063 Made in U.S.A.

### **8oz Revision Intellishade® Matte**

PROFESSIONAL

**Intellishade®  
Matte**

anti-aging  
tinted moisturizer

with sunscreen

Broad-Spectrum  
SPF 45

NET WT 8 OZ | 227 g

**Active ingredient ..... Purpose**

Octinoxate 5.5% ..... Sunscreen  
Octisalate 3.5% ..... Sunscreen  
Titanium Dioxide 4% ..... Sunscreen  
Zinc Oxide 3% ..... Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly

use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months:

Ask a doctor

**Inactive ingredients**

Water (Aqua), Cyclopentasiloxane, Caprylic/Capric Triglyceride, Cetearyl Oliviate, Sorbitol, Glycerin, Sorbitan Oliviate, Butylene Glycol, Dimethicone, Aloe Barbadensis Leaf Juice, Isodecyl

Neopentanoate, Diisopropyl Sebacate,  
Sorbitan Stearate, Tetrahexyldecyl Ascorbate, Glyceryl Stearate, Tocopherol, Allantoin,  
Lauryl Lactate, Squalane,  
Yeast Extract (Faex), Plankton Extract, Betula Alba (White Birch) Bark Extract, Camellia  
Sinensis  
(Green Tea) Leaf Extract, Palmitoyl Dipeptide-5 Diaminobutyroyl Hydroxythreonine, Silica,  
Lecithin,  
Cetyl Alcohol, PEG-100 Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyltaurate  
Copolymer,  
Polysorbate 60, Palmitoyl Tripeptide-5, Epigallocatechin Gallate, Ubiquinone, Jojoba Bean  
Meal, Glyceryl Isostearate,  
Tetradecyl Aminobutyroylvalylaminobutyric Urea Trifluoroacetate, Tocopheryl Acetate,  
Polyhydroxystearic Acid,  
Boron Nitride, Phenoxyethanol, Chlorphenesin, Hydroxyethylcellulose, Xanthan Gum,  
Magnesium Chloride,  
Triethoxycaprylylsilane, Sorbic Acid, Benzoic Acid, Iron Oxides.

### **Other information**

- protect this product from excessive heat and direct sun

Dist. by Revision, LP  
Irving, TX 75063 Made in U.S.A.

relentless innovation  
ADVANCED RESULTS™

REVISION.  
SKINCARE

Intellishade®  
Matte

anti-aging tinted  
daily moisturizer  
with sunscreen

Broad-Spectrum  
SPF 45

Intellishade®  
Matte  
Broad-Spectrum SPF 45

Make Intellishade® part of  
your daily skincare routine and  
outsmart the signs of aging™.

- Gives all skin types a  
flawless, matte finish
- Breakthrough peptides  
reduce the appearance  
of fine lines and wrinkles
- Moisturizes and blends  
naturally with the color  
of your skin
- Minimizes the appearance  
of pores
- Provides broad-spectrum  
UVA and UVB protection

Matches every skin tone,  
every time®.

NET WT 1.7 OZ | 48 g

### Drug Facts

#### Active ingredient Purpose

Octinoxate 5.5% ..... Sunscreen  
Octisalate 3.5% ..... Sunscreen  
Titanium Dioxide 4% .... Sunscreen  
Zinc Oxide 3% ..... Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun  
protection measures (see *Directions*),  
decreases the risk of skin cancer  
and early skin aging caused by  
the sun

#### Warnings

For external use only

Do not use on damaged or broken skin  
When using this product keep out of  
eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If  
swallowed, get medical help or contact  
a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before  
sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if  
swimming or sweating
- Sun Protection Measures.  
Spending time in the sun  
increases your risk of skin cancer  
and early skin aging. To decrease  
this risk, regularly use a sunscreen  
with a Broad-Spectrum SPF value  
of 15 or higher and other sun  
protection measures including:
  - limit time in the sun, especially  
from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants,  
hats, and sunglasses
  - children under 6 months:  
Ask a doctor

#### Inactive ingredients

Water (Aqua), Cyclopentasiloxane,  
Caprylic/Capric Triglyceride, Cetearyl  
Olivate, Hydrogenated Starch Hydrolyzate,  
Glycerin, Sorbitan Olivate, Butylene  
Glycol, Dimethicone, Aloe Barbadensis  
Leaf Juice, Isodecyl Neopentanoate,  
Disopropyl Sebacate, Sorbitan Stearate,  
Tetrahydroxyethyl Ascorbate, Glyceryl  
Stearate, Tocopherol, Allantoin, Lauryl ▶

### Drug Facts (continued)

Lactate, Squalane, Yeast Extract (Fasek),  
Plankton Extract, Betula Alba (White  
Birch) Bark Extract, Camellia Sinensis  
(Green Tea) Leaf Extract, Palmitoyl  
Dipeptide-5 Diaminobutyryl  
Hydroxythreonine, Silica, Lecithin,  
Cetyl Alcohol, PEG-100 Stearate,  
Hydroxyethyl Acrylate/Sodium  
Acryloyldimethylsulfate Copolymer,  
Polysorbate 60, Palmitoyl Tripeptide-5,  
Epigallocatechin Gallate, Ubiquinone,  
Jojoba Bean Meal, Glyceryl Isostearate,  
Tetradecyl Aminobutyrylvalylamino-  
butyric Urea Trifluoroacetate, Tocopheryl  
Acetate, Polyhydroxyesteric Acid,  
Boron Nitride, Phenoxyethanol,  
Chlorphenesin, Hydroxyethylcellulose,  
Xanthan Gum, Magnesium Chloride,  
Triethoxycaprylylsilane, Sorbic Acid,  
Benzoic Acid, Iron Oxides.

#### Other information

- protect this product from  
excessive heat and direct sun

52-10590-3



Dist. by Revision, LLC - IMC6  
Irving, TX 75063 Made in U.S.A.

1.7oz IM



PROFESSIONAL

### Intellishade® Matte

anti-aging  
tinted moisturizer  
with sunscreen

Broad-Spectrum  
SPF 45

NET WT 8 OZ | 227 g

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Octinoxate 5.5% .....	Sunscreen
Octisalate 3.5% .....	Sunscreen
Titanium Dioxide 4% .....	Sunscreen
Zinc Oxide 3% .....	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
<b>For external use only</b>	
<b>Do not use</b> on damaged or broken skin	
<b>When using this product</b> keep out of eyes. Rinse with water to remove.	
<b>Stop use and ask a doctor</b> if rash occurs	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• apply liberally 15 minutes before sun exposure</li> <li>• reapply at least every 2 hours</li> <li>• use a water resistant sunscreen if swimming or sweating</li> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>• wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>• children under 6 months: Ask a doctor</li> </ul> </li> </ul>	
<b>Inactive ingredients</b>	
Water (Aqua), Cyclopentasiloxane, Caprylic/Capric Triglyceride, Cetearyl Oliviate, Hydrogenated Starch Hydrolysate, Glycerin, Sorbitan Oliviate, Butylene Glycol, Dimethicone, Aloe Barbadensis Leaf Juice, Isodecyl Neopentanoate, Diisopropyl Sebacate, Sorbitan Stearate, Tetrahexyldecyl Ascorbate, Glyceryl Stearate, Tocopherol, Allantoin, Lauryl Lactate, Squalane, Yeast Extract (Faex), Flankton Extract, Betula Alba (White Birch) Bark Extract, Camellia Sinensis (Green Tea) Leaf Extract, Palmitoyl Dipeptide-5 Diaminobutyryl Hydroxythreonine, Silica, Lecithin, Cetyl Alcohol, PEG-100 Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyltaurate Copolymer, Polysorbate 60, Palmitoyl Tripeptide-5, Epigallocatechin Gallate, Ubiquinone, Jojoba Bean Meal, Glyceryl Isostearate, Tetradecyl Aminobutyrylvalylaminobutyric Urea Trifluoroacetate, Tocopheryl Acetate, Polyhydroxystearic Acid, Boron Nitride, Phenoxyethanol, Chlorphenesin, Hydroxyethylcellulose, Xanthan Gum, Magnesium Chloride, Triethoxycaprylsilane, Sorbic Acid, Benzoic Acid, Iron Oxides.	
<b>Other information</b>	
• protect this product from excessive heat and direct sun	

Professional use only. Not for resale. For questions, call 800.385.6652. Dist. by Revision, LLC - IMP3 Irving, TX 75063 Made in U.S.A.

QC Verified: \_\_\_\_\_ Date: \_\_\_\_\_

**REVISION.**

**Intellishade®  
SPF 45**

**Matte**

Anti-aging  
tinted moisturizer  
with sunscreen  
for all skin types.  
Apply evenly to face.

Not for resale  
Dist. by Revision, LP  
Irving, TX 75063  
IMS2

QC Verified: \_\_\_\_\_ Date: \_\_\_\_\_

# TINTED MOISTURIZER MATTE BROAD SPECTRUM SPF 45

octinoxate, octisalate, titanium dioxide, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10477-7603
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5.5 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3.5 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>LAURYL LACTATE</b> (UNII: G5SU0BFK7O)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>YEAST</b> (UNII: 3NY3SM6B8U)	
<b>BETULA PUBESCENS BARK</b> (UNII: 3R504894L9)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>PALMITOYL TRIPEPTIDE-5</b> (UNII: 2A3916MQHO)	
<b>EPIGALLOCATECHIN GALLATE</b> (UNII: BQM438CTEL)	
<b>UBIDECARENONE</b> (UNII: EJ27X76M46)	



<b>SIMMONDSIA CHINENSIS SEED</b> (UNII: D24K2Q1F6H)
<b>GLYCERYL ISOSTEARATE</b> (UNII: HYE7O27HAO)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>HYDROXYETHYL CELLULOSE (2000 CPS AT 1%)</b> (UNII: S38J6RZN16)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10477-7603-1	1 in 1 CARTON	06/22/2013	
1		48 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10477-7603-2	227 g in 1 TUBE; Type 0: Not a Combination Product	06/22/2013	
3	NDC:10477-7603-3	3 g in 1 TUBE; Type 0: Not a Combination Product	06/22/2013	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/22/2013	

**Labeler** - Goodier Cosmetics LLC (007317209)

**Registrant** - Goodier Cosmetics LLC (007317209)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 10/2021

Goodier Cosmetics LLC