

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin-b sulfate, pramoxine hydrochloride ointment

Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Triple Antibiotic Ointment (Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate)

Drug Facts

Active ingredients (in each gram)

Bacitracin Zinc USP, 500 units

Neomycin 3.5 mg

Polymyxin B sulfate USP, 10,000 units

Pramoxine hydrochloride USP, 10 mg

Purpose

First aid antibiotic

Pain reliever

Uses

First aid to help prevent infection and for the temporary relief of pain in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites

- serious burns

Stop use and ask a doctor if

- you need to use for longer than one week
- condition persists or gets worse
- rash or other allergic reaction develops
- symptoms persist for more than one week, or clear up and occur again with a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 2 years of age and older
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- Store at 15°-30°C (59°-86°F)
- Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient

white petrolatum

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal display panel

Compare to Neosporin® + Pain Relief active ingredients††

Triple Antibiotic Ointment +

Pain Relief

BACITRACIN ZINC / NEOMYCIN

SULFATE / POLYMYXIN BSULFATE /

PRAMOXINE HCl

FIRST AID ANTIBIOTIC /

PAIN-RELIEVING OINTMENT

TRIPLE ANTIBIOTIC

MAXIMUM STRENGTH

- First aid antibiotic
- Pain-relieving ointment

NET WT OZ (g)

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Package label

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc USP, 500 units
 Neomycin 3.5 mg
 Polymyxin B sulfate USP, 10,000 units
 Pramoxine hydrochloride USP, 10 mg

Purposes

..... First aid antibiotic
 Pain reliever

Uses First aid to help prevent infection and for the temporary relief of pain in minor ■ cuts ■ scrapes ■ burns

Drug Facts (continued)

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients ■ in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if

- you need to use longer than one week

Drug Facts (continued)

- condition persists or gets worse
- rash or other allergic reaction develops
- symptoms persist for more than one week, or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions

- adults and children 2 years of age and older
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Drug Facts (continued)

Other information

- store at 15°-30°C (59°-86°F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient white petrolatum

Drug Facts (continued)

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

¹Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
²This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Neosporin®.

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com

ITEM 866545 W10437-1021-L



©2021 Walgreen Co. PRODUCT OF INDIA 3



how2recycle.info

PLD-C692B FC007805
 Code: G0/DRUGS/362 AEE3A02

Walgreens

Compare to the active ingredients in
 Neosporin® + Pain Relief^{PT}



Triple Antibiotic Ointment Pain Reliever

BACITRACIN ZINC / NEOMYCIN SULFATE /
 POLYMYXIN B SULFATE / PRAMOXINE HCl
 FIRST AID ANTIBIOTIC / PAIN-RELIEVING OINTMENT

Maximum Strength

Triple An

• First aid antibiotic • Pain-relieving oin

NET WT 0.5 OZ (14 g)



WALGREENS Triple Antibiotic Ointment Pain Relief

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin-b sulfate, pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2900
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2900-05	1 in 1 CARTON	11/27/2020	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	11/27/2020	

