

TRAVEL EASE- meclizine hcl tablet, chewable
CHAIN DRUG MARKETING ASSOCIATION INC

Quality Choice 44-404

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- alcohol, sedatives, and tranquilizers may increase drowsiness
- drowsiness may occur
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, FD&C red #40 aluminum lake, flavor, lactose anhydrous, magnesium stearate, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 63868-163-16

QC
QUALITY
CHOICE®

*Compare to the
Active Ingredient in
BONINE® Chewable Tablets

Travel Ease

Meclizine HCl 25 mg Chewable Tablets | Antiemetic

Motion Sickness Relief

Prevents Motion Sickness

Up To 24 Hours of Protection

**Chew or crush tablets
completely before swallowing.**

Raspberry Flavored

16 Tablets (25 mg Each)

actual size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF
BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Insight Pharmaceuticals LLC, owner of the registered trademark Bonine® Chewable Tablets.

50844 REV1218A40421

Distributed by C.D.M.A., Inc.©

43157 W 9 Mile Rd

Novi, MI 48375

www.qualitychoice.com

Questions: 248-449-9300

100%
QC
Satisfaction
Guaranteed

NDC 63868-163-16

QC QUALITY CHOICE

Travel Ease

Meclizine HCl 25 mg Chewable Tablets | Antiemetic

Motion Sickness Relief
Prevents Motion Sickness
Up To 24 Hours of Protection

NDC 63868-163-16

QC QUALITY CHOICE

Travel Ease

Meclizine HCl 25 mg Chewable Tablets | Antiemetic

Motion Sickness Relief
Prevents Motion Sickness
Up To 24 Hours of Protection

Chew or crush tablets completely before swallowing.

Raspberry Flavored

16 Tablets (25 mg Each) **actual size**

LEBG296G4 (E1042)

100% SATISFACTION GUARANTEED


Distributed by C.D.M.A., Inc.©
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Questions: 248-449-9300

*This product is not manufactured or distributed by Insight Pharmaceuticals LLC, owner of the registered trademark Bonine® Chewable Tablets.
50844 REV1218A40421

■ use caution when driving a motor vehicle or operating machinery

9

Questions or comments: 1-800-426-9391



KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active Ingredient
(in each chewable tablet)
Medicine HCl 25 mg.....Antiemetic

Purpose
for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings
Do not use for children under 12 years of age unless directed by a doctor.
Ask a doctor before use if you have difficulty in urination due to enlargement of the prostate gland ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
When using this product ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ drowsiness may occur ■ avoid alcoholic beverages

Other information
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from heat and humidity ■ see end flap for expiration date and lot number

Inactive ingredients corn starch, FD&C red #40 aluminum lake, flavor, lactose anhydrous, magnesium stearate, saccharin sodium, silicon dioxide

Directions
■ dosage should be taken one hour before travel starts ■ chew or crush tablets completely before swallowing; do not swallow tablets whole ■ adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) night away.

NO VARNISH

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Quality Choice 44-404

TRAVEL EASE

meclizine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-163
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ANHYDROUS LACTOSE (UNII: 3S5Y5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SILICON DIOXIDE (UNII: ETJ7Z6XB4)	

Product Characteristics

Color	pink	Score	2 pieces
--------------	------	--------------	----------

Shape	ROUND	Size	9mm	
Flavor	RASPBERRY	Imprint Code	44;404	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-163-16	2 in 1 CARTON	05/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M009	05/29/2002		

Labeler - CHAIN DRUG MARKETING ASSOCIATION INC (011920774)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63868-163) , pack(63868-163)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(63868-163)

Revised: 8/2023

CHAIN DRUG MARKETING ASSOCIATION INC