

**CAREONE CLOTRIMAZOLE- clotrimazole cream**  
**American Sales Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CAREONE™**  
**Clotrimazole USP 1%**

***Drug Facts***

**Active ingredient**

Clotrimazole 1%

**Purpose**

Antifungal

**Uses**

- cures most athlete's foot, jock itch and ringworm
- relieves itching, burning, cracking, scaling and discomfort which accompany these conditions

**Warnings**

**For external use only**

**Do not use** on children under 2 years of age unless directed by a doctor.

**When using this product** avoid contact with eyes.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails

**Other information**

- To open: unscrew cap, use the pointed end of cap to puncture seal.
- store between 20° - 25°C (68° - 77°F)

- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

benzyl alcohol (1%), cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate 60, purified water, sorbitan monostearate

**Questions?**

Call **1-866-923-4914**

DISTRIBUTED BY:  
FOODHOLD U.S.A.  
LLC LANDOVER,  
MD 20785

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

NDC 41520-305-02

CAREone<sup>®</sup>

Compare to the  
active ingredient  
in Lotrimin<sup>®</sup> AF\*

Antifungal Cream  
Clotrimazole Cream USP, 1% • Antifungal

Cures Most Athlete's Foot

OUR PHARMACISTS

RX

RECOMMEND

NET WT 1 OZ (28.4 g)

Relieves Itching, Burning, Cracking & Scaling •

NDC 41520-305-02

CAREone®

Compare to the active ingredient in Lotrimin® AF\*

# Antifungal Cream

Clotrimazole Cream USP, 1% • Antifungal

CAREone®

## Antifungal Cream

Clotrimazole Cream USP, 1% • Antifungal

LPK-4882-2  
0219-2  
36

Cures Most Athlete's Foot



## Clotrimazole Cream USP, 1% Antifungal

NET WT 1 OZ (28.4 g)

Relieves Itching, Burning, Cracking & Scaling •

T30



**Drug Facts (continued)**  
**Inactive ingredients:** benzyl alcohol (1%), cetostearyl alcohol, cetylalcohols, 2-octyldodecanol, polyorbate 60, purified water, sorbitan monooleate  
**Questions?** Call 1-866-923-4914

NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

\* All trademarks are property of their respective owners. This product is not filled with the midesoverol Lotrimin® AF. For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with eyes. Stop use and ask a doctor if • this condition occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch). Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** • wash affected area and dry thoroughly • apply a thin layer over affected area twice daily (morning and night) • supervise children in the use of this product • for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily • for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks • if condition persists longer, ask a doctor • this product is not effective on the scalp or nails • To open unrecrow cap, use the pointed end of cap to puncture seal. • store between 20° - 25°C (68° - 77°) • see carton for tube exp. for lot number and expiration date. Quality guaranteed or your money back. DISTR. BU. TED. BY: FOODPHOLD U.S.A., LLC, L.A. MD. 20785 PR. CO. CT. CF. C. AND. DA. 1-877-845-9849 © 2018 Akdd Delhaze Licensing Smtl

**Drug Facts**  
**Active ingredient** Clotrimazole 1%, Antifungal  
**Purpose** • cures most athlete's foot, jock itch and ringworm • relieves itching, burning, cracking, scaling and discomfort which accompany these conditions  
**Warnings** For external use only. Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with eyes.  
**Stop use and ask a doctor if** • this condition occurs • there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions** • wash affected area and dry thoroughly • apply a thin layer over affected area twice daily (morning and night) • supervise children in the use of this product • for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily • for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks • if condition persists longer, ask a doctor • this product is not effective on the scalp or nails • To open unrecrow cap, use the pointed end of cap to puncture seal. • store between 20° - 25°C (68° - 77°) • see carton for tube exp. for lot number and expiration date. Quality guaranteed or your money back.

### CAREONE CLOTRIMAZOLE

clotrimazole cream

#### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:41520-305

Route of Administration

TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	10 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetyl esters wax (UNII: D072FFP9GU)	
octyldodecanol (UNII: 461N1O614Y)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0K00R)	
sorbitan monostearate (UNII: NVZ4I0H58X)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-305-02	1 in 1 CARTON	08/31/1993	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333C	08/31/1993	

**Labeler** - American Sales Company (809183973)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41520-305)

Revised: 4/2019

American Sales Company