# CAMO CC CREAM SPF30 MEDIUM 375 N- octinoxate, titanium dioxide, zinc oxide cream

e.l.f. Cosmetics, Inc

-----

### Camo CC Cream SPF30 Medium 375 N

### **Drug Facts**

### **Active ingredients**

Octinoxate 7.5% Titanium Dioxide 4.45% Zinc Oxide 13.72%

### **Purpose**

Sunscreen

### Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

For external use only.

### Do not use

on damaged or broken skin.

### When using this product:

keep out of eyes. Rinse with water to remove.

### Stop use and ask a doctor if:

rash occurs.

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.
- Use water resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sun screen with a Broad Spectrum SPF value of 15

or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m. wear long- sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: ask a doctor. **Sun Protection Measures:** 

### Other Information

• Protect the product in this container from excessive heat and direct sun.

### **Inactive Ingredients**

Water (Aqua), Dimethicone, Cylopentasiloxane, Butylene Glycol, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butyloctyl Salicylate, POlyglyceryl-4 Isostearate, Methyl Methacrylate Crosspolymer, Cyclohexasiloxane, Acrylates/Polytrimethylsiloxymethacrylate Copolymer, Hexyl Laurate, Magnesium Sulfate, Phenoxyethanol, Triethoxycaprylylylsilane, Disteardimonium Hectorite, Hydrated Silica, Aluminium Hydroxide, Propylene Carbonate, Dimethicone/Methicone Copolymer, Caprylyl Glycol, Ethylhexylglycerin, Disodium Edta, Tocopheryl Acetate, Sodium Hyaluronate, Niacinamide, Panthenol, Ascorbyl Palmitate, Soluble Collagen, Canola Oil, Glycerin, Daucu Carota Sativa (Carrot) See Oil, Carbomer, Daucus Carota Sativa (Carrot) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Beta-Carotene, Poly-sorbate 20, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, 1,2-Hexanediol Titanium Dioxide (CI 77891), Yellow Iron Oxide(CI 77492), Red Iron Oxide (CI 77499)

**May Contain:** 

Questions or comments?


1-888-315-9814

### **Package Labeling:**









-MEDIUM 375 Nwith neutral (N) pink undertones

Ditch your basic foundation! This color correcting cream is the only product you need to achieve a natural looking complexion but with full coverage. A multitasking dream cream infused with collagen, peptitides and niacinamide known to plump, hydrate and smooth the appearance of your skin while protecting with SPF 30.

DIRECTIONS: Apply 1-2 pumps of the CC Cream to clean skin using our e.l.f. Complexion Duo Brush to achieve an airbrushed finish. Wear as a moisturizer and full coverage foundation depending on your needs.

elfcosmetics.com #eyeslipsface

### Drug Facts

Active ingredients	Purpose
Octinoxate 7.5%	Sunscreen
Titanium Dioxide 4.45%	Sunscreen
Zinc Oxide 13.72%	Sunscreen

### Use

- Helps prevent sunburn
   If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

### Warning

For external use only. Do not use on damaged or broken skin. • When using this product: keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if: rash occurs. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

 Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours • Use water resistant sunscreen if swimming or sweating. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin ading no decrease this risk, regularly use a sunscreen abord Spectrum SPF value of 15 or higher and other sun protection measures including limit time in sun especials. sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m., wear long-sleeved shirts, parits, hats and sunglasses. Children under 6 months of age: ask a doctor.

### Other Information

Protect the product in this container from excessive heat and direct sun

### Inactive Ingredients

Mater (Aqua), Dimetricone, Octobertasiovane, Butylene Glycol, Phenyl Timetrilicone, Cedy PEG/PPG-10/1 Dimetricone, Butylene Glycol Dicapnylate/Dicaprate, Butylocoty, Salicylate, Polyglyceryl-4 isostearate, Methyl Methacrylate Orossoplymer, Cyclohexasillovane, Acytolate/Polytrinetylisoloymetheoxylate Opolymer, Heayl Laurate Magnesium Suffate, Phenoxyethanol, Tirethoxycapylyslare, Disteardimonium Hectorite, Hydrated Silica, Aluminum Hydroxide, Propylene Carbonale, Dimetricone/Methodoc Copolymer, Capnyl

### **COLOR CORRECTING FULL-COVERAGE NATURAL FINISH**

**Skin-loving ingredients** Collagen, Peptides & Niacinamide

CAMO CC CREAM

# CAMO CC CREAM

Gyota, Enymexygyoemi, Discoulm EDIA, Roodynery Abaela; Sodium Hyaluronate, Niacinamide, Panthenol, Ascorbyl Palmitate, Sobible Collagen, Caroda Oli, Gyoerin, Daucus Carota Sativa (Carrot) Seed Oli, Carbomer, Daucus Carota Sativa (Carrot) Root Ediract, Helianthus Annuus (Sunflower) Seed Oli, Beta Carotene, Poly-sorbate 2D, Palmitoy (Tripoptide 1, Palmitoy (Terzogotide 7, 1,2-Hax-anediol **May Contain:** Titanium Dioxide (Cl 77891), Yellow Iron Oxide (Cl 77492), Red Iron Oxide (Cl 77491), Black Iron Oxide (Cl 77499)

Questions or comments? 1-888-315

DIST. E.L.F. COSMETICS, INC. OAKLAND, CA 94607. MADE IN CHINA. DESIGNED IN THE U.S.A.



NET WT 1.05 OZ (30 g)



ell

CAMO CC CREAM

**COLOR CORRECTING FULL-COVERAGE** NATURAL FINISH

Collagen, Peptides & Niacinamide

**Broad Spectrum SPF 30** Sunscreen


DIRECTIONS: Apply 1-2 pumps of the CC Cream to clean skin using our e.l.f. Complexion Duo Brush to achieve an airbrushed finish. Wear as a moist-urizer and full-coverage foundation depending on your needs. Apply lib-erally 15 minutes before sun exposure. Reapply at least every 2 hours.


ACTIVE INGREDIENTS: OCTINOXATE 7.5%, TITANIUM DIOXIDE 4.45%, ZINC OXIDE 13.72%

FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT: KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF: RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTED PICHT AWAY. CENTER RIGHT AWAY.

> DIST. E.L.F. COSMETICS, INC. OAKLAND, CA 94607. MADE IN CHINA. DESIGNED IN THE U.S.A. NET WT 1.05 OZ (30 g) 84919

MEDIUM 375 N





### **CAMO CC CREAM SPF30 MEDIUM 375 N**

octinoxate, titanium dioxide, zinc oxide cream

D	4	1	:
Pro	auct	Inform	iation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:76354-919

Route of Administration TOPICAL

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) ZINC CATION 137.2 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
CYCLOMETHICONE 5 (UNII: OTHT5PCIOR)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)		
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		
CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
HEXYL LAURATE (UNII: 4CG9F9W01Q)		
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)		

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)  DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)  HYDRATED SILICA (UNII: Y607T4G8P9)  ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)  PROPYLENE CARBONATE (UNII: 8D08K3S51E)  CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HYDRATED SILICA (UNII: Y607T4G8P9)  ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)  PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: W/9CM0067Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CANOLA OIL (UNII: 331KBJ17RK)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARROT SEED OIL (UNII: 595AO13F11)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
CARROT (UNII: L56Z1JK48B)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
BETA CAROTENE (UNII: 01YAE03M7J)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76354-919- 01	1 in 1 BOX	09/01/2020	
1		30 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2020	

## Labeler - e.l.f. Cosmetics, Inc (093902816)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
Zhejiang Ayan Biotech Co.,Ltd.		544377996	manufacture(76354-919)

Revised: 11/2023 e.l.f. Cosmetics, Inc