

AIR- air gas
PURITY CYLINDER GASES INC

AIR

AIR, COMPRESSED USP

UN1002

MEDICAL AIR

WARNING: For breathing support when used by properly trained personnel. For medical applications, Rx only. Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Do not handle until all safety precautions have been read and understood. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 132259-10-0 DO NOT REMOVE THIS LABEL.

PURITY CYLINDER GASES, INC.

2580 28TH ST SW, WYOMING, MI 49519

616-532-2375



AIR, COMPRESSED

UN1002

MEDICAL AIR USP

WARNING: For breathing support when used by properly trained personnel. For medical

applications, Rx only. Administration of Medical Air may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. SUPPORTS COMBUSTION. Do not handle until all safety precautions have been read and understood. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS 132259-10-0 DO NOT REMOVE THIS PRODUCT LABEL.

PURITY CYLINDER GASES, INC.

2580 28TH ST SW, WYOMING, MI 49519

616-532-2375



AIR			
air gas			
Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10927-104
Route of Administration	RESPIRATORY (INHALATION)		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	AIR (UNII: K21NZZ5Y0B) (AIR - UNII:K21NZZ5Y0B)	AIR	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10927-104-02	6654 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/1938	
2	NDC:10927-104-05	585 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/1938	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205804	10/20/1938	

Labeler - PURITY CYLINDER GASES INC (065878860)

Establishment

Name	Address	ID/FEI	Business Operations
PURITY CYLINDER GASES INC		120042374	manufacture(10927-104)

Revised: 10/2023

PURITY CYLINDER GASES INC