# CHILDRENS ACETAMINOPHEN- acetaminophen suspension Preferred Pharmaceuticals Inc.

-----

#### Perrigo Children's Acetaminophen Drug Facts

#### Active ingredient (in each 5 mL)

Acetaminophen 160 mg

### **Purpose**

Pain reliever/fever reducer

#### Uses

temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child has ever had an allergic reaction to this product or any of its ingredients

### Ask a doctor before use if your child has

liver disease

### Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin

### When using this product

do not exceed recommended dose (see overdose warning)

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

#### **Directions**

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*	
under 24	under 2 years	ask a doctor	
24-35	2-3 years	5 mL	
36-47	4-5 years	7.5 mL	
48-59	6-8 years	10 mL	
60-71	9-10 years	12.5 mL	

The state of the s	-	1
72-95	11 years	15 mL

<sup>\*</sup>or as directed by a doctor

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

#### Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not use if printed neckband is broken or missing

#### **Inactive ingredients**

anhydrous citric acid, butylparaben, calcium sulfate, carrageenan, D&C red #33, FD&C blue #1, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, tribasic sodium phosphate

#### Questions or comments?

1-800-719-9260

### **Principal Display Panel**

Compare to Children's Tylenol® Oral Suspension active ingredient

Children's

Acetaminophen

160 mg per 5 mL

Pain Reliever - Fever Reducer

Oral Suspension

For Ages 2 to 11 Years

Aspirin Free

Ibuprofen Free

Alcohol Free


Dosage Cup Included

Grape Flavor

4 FL OZ (118 mL)

NDC 68788-8397-1

### Relabeled By: Preferred Pharmaceuticals Inc.



### **CHILDRENS ACETAMINOPHEN**

acetaminophen suspension

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-8397(NDC:45802-201)	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	160 mg in 5 mL		

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SODIUM PHOSPHATE, TRIBASIC (UNII: A752Q30A6X)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics				
Color	PURPLE (viscous)	Score		
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:68788- 8397-1	1 in 1 CARTON	03/01/2023			
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	343	03/01/2023		

# Labeler - Preferred Pharmaceuticals Inc. (791119022)

# **Registrant - Preferred Pharmaceuticals Inc. (791119022)**

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Preferred Pharmaceuticals Inc.		791119022	RELABEL(68788-8397)		

Revised: 3/2024 Preferred Pharmaceuticals Inc.