

**BLISTEX ENHANCEMENT SERIES (LIP VIBRANCE, DEEP RENEWAL AND ULTRA-RICH HYDRATION)- dimethicone, octinoxate, oxybenzone, avobenzone, and octocrylene**  
**Blistex Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Blistex® Enhancement Series® (Lip Vibrance®, Deep Renewal® and Ultra-Rich Hydration™)**

**LIP VIBRANCE®**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Dimethicone 2.0% (w/w)	Lip protectant
Octinoxate 7.5% (w/w)	Sunscreen
Oxybenzone 2.5% (w/w)	Sunscreen

**Uses**

- temporarily protects and helps relieve chapped or cracked lips
- helps prevent sunburn

**Warnings**

**Skin Cancer/Skin Aging Alert**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

arachidyl alcohol, arachidyl glucoside, behenyl alcohol, bis-diglyceryl polyacyladipate-2, butylene

glycol, butyrospermum parkii (shea butter), D&C red no. 6, D&C red no. 7, ethylhexyl palmitate, flavors, hydrogenated polyisobutene, iron oxides, isostearoyl hydrolyzed silk, mica, microcrystalline wax, mineral oil, ozokerite, panthenyl ethyl ether, paraffin, pentaerythrityl tetraethylhexanoate, petrolatum, phenoxyethanol, phenyl trimethicone, polybutene, polyethylene, PPG-5-ceteth-20, ricinus communis (castor) seed oil, saccharin, silica dimethyl silylate, sodium hyaluronate, titanium dioxide, tocopheryl acetate, vitis vinifera (grape) seed oil

## DEEP RENEWAL®

### *Drug Facts*

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 3.0% (w/w)	Sunscreen
Dimethicone 2.0% (w/w)	Lip protectant
Octinoxate 7.5% (w/w)	Sunscreen
Octocrylene 2.7% (w/w)	Sunscreen
Oxybenzone 2.5% (w/w)	Sunscreen

### **Uses**

- temporarily protects and helps relieve chapped or cracked lips
- helps prevent sunburn

### **Warnings**

#### **For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long sleeve shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

atelocollagen, beeswax, butylene glycol, dipalmitoyl hydroxyproline, ethylhexyl palmitate, flavor,

jojoba esters, lanolin alcohol, microcrystalline wax, octyldodecanol, pentaerythrityl tetraisostearate, petrolatum, phenoxyethanol, polybutene, polyethylene, PTFE, ricinus communis (castor) seed oil, saccharin, silica dimethyl silylate, sodium chondroitin sulfate, sodium hyaluronate, sorbic acid, squalane, tetrahexyldecyl ascorbate, tocopheryl acetate, ubiquinone

## ULTRA-RICH HYDRATION™

### *Drug Facts*

<b>Active ingredients</b>	<b>Purpose</b>
Dimethicone 2.0% (w/w)	Lip protectant
Octinoxate 6.8% (w/w)	Sunscreen
Oxybenzone 3.0% (w/w)	Sunscreen

### Uses

- temporarily protects and helps relieve chapped or cracked lips
- helps prevent sunburn

### Warnings

#### **Skin Cancer/Skin Aging Alert**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

#### **For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

aloe barbadensis leaf extract, alumina, arachidyl alcohol, arachidyl glucoside, beeswax, behenyl alcohol, bis-diglyceryl polyacyladipate-2, blue 1 lake, butyrospermum parkii (shea butter), ceresin, cetyl dimethicone, cetyl palmitate, chamomilla recutita (matricaria) flower extract, flavors, helianthus annuus (sunflower) seed oil, hydrogenated castor oil, hydrogenated polyisobutene, isopropyl myristate, isostearoyl hydrolyzed silk, jojoba esters, microcrystalline wax, olea europaea (olive) fruit oil, paraffin, pentaerythrityl tetraethylhexanoate, petrolatum, phenoxyethanol, phenyl trimethicone,

polyhydroxystearic acid, saccharin, silica, theobroma cacao (cocoa) seed butter, titanium dioxide, tocopheryl acetate, triticum vulgare (wheat) germ oil

**PRINCIPAL DISPLAY PANEL - 3 Stick Blister Pack**

NDC 10157-9861-1

**Blis tex®**

**LIP PROTECTANT/SUNSCREEN**

**ENHANCEMENT SERIES®**

*soft • beautiful • youthful*

**BUY 2 GET 1 FREE**

**NEW!**

**BROAD SPECTRUM**

**SPF15**

**SPF15**

**SPF15**

3 Sticks Net Wt. 0.13 oz. (3.69 g) Ea.

NDC 10157-9861-1

# Blistex

LIP PROTECTANT/SUNSCREEN

## ENHANCEMENT SERIES®

*soft • beautiful • youthful*

### BUY 2 GET 1 FREE

**NEW!**

SPF15

SPF15

BROAD SPECTRUM  
SPF15

3 Sticks Net Wt. 0.13 oz. (3.69 g) Ea.

## LIP VIBRANCE. Beautiful, buildable color and shimmer that really lasts, plus shea butter, grape seed oil and vitamin E.

<b>Drug Facts</b>		Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	<b>Inactive ingredients</b> arachidyl alcohol, arachidyl glucoside, behenyl alcohol, bis-diglyceryl polyacyladipate-2, butylene glycol, butyrospermum parkii (shea butter), D&C red no. 6, D&C red no. 7, ethylhexyl palmitate, flavors, hydrogenated polyisobutene, iron oxides, isostearyl hydrolyzed silk, mica, microcrystalline wax, mineral oil, ozokerite, panthenyl ethyl ether, paraffin, pentaerythrityl tetraethylhexanoate, petrolatum, phenoxyethanol, phenyl trimethicone, polybutene, polyethylene, PPG-5-ceteth-20, ricinus communis (castor) seed oil, saccharin, silica dimethyl silylate, sodium hyaluronate, titanium dioxide, tocopheryl acetate, vitis vinifera (grape) seed oil
<b>Active ingredients</b> Dimethicone 2.0% (w/w) Octinoxate 7.5% (w/w) Oxybenzone 2.5% (w/w)	<b>Purpose</b> Lip protectant Sunscreen Sunscreen		
<b>Uses</b> • temporarily protects and helps relieve chapped or cracked lips • helps prevent sunburn		<b>Directions</b> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • children under 6 months of age: Ask a doctor	<b>Other information</b> • protect the product in this container from excessive heat and direct sun
<b>Warnings</b> <b>Skin Cancer/Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. For external use only			

## DEEP RENEWAL. The anti-aging lip treatment with coenzyme Q-10, clinically proven to visibly reduce fine lines and wrinkles in just four weeks.

<b>Drug Facts</b>		of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	<b>Other information</b> • protect the product in this container from excessive heat and direct sun
<b>Active ingredients</b> Avobenzone 3.0% (w/w) Dimethicone 2.0% (w/w) Octinoxate 7.5% (w/w) Octocrylene 2.7% (w/w) Oxybenzone 2.5% (w/w)	<b>Purpose</b> Sunscreen Lip protectant Sunscreen Sunscreen Sunscreen		
<b>Uses</b> • temporarily protects and helps relieve chapped or cracked lips • helps prevent sunburn		<b>Directions</b> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long sleeve shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor	<b>Inactive ingredients</b> atelocollagen, beeswax, butylene glycol, dipalmitoyl hydroxyproline, ethylhexyl palmitate, flavor, jojoba esters, lanolin alcohol, microcrystalline wax, octyldodecanol, pentaerythrityl tetraiscostearate, petrolatum, phenoxyethanol, polybutene, polyethylene, PTFE, ricinus communis (castor) seed oil, saccharin, silica dimethyl silylate, sodium chondroitin sulfate, sodium hyaluronate, sorbic acid, squalane, tetrahexyldecyl ascorbate, tocopheryl acetate, ubiquinone
<b>Warnings</b> For external use only Do not use on damaged or broken skin When using this product keep out			

## ULTRA-RICH HYDRATION™ Inner: Deeply Hydrates With 80% Moisturizers Outer: Smooths & Seals With Lush Protectants

<b>Drug Facts</b>		When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	<b>Inactive ingredients</b> aloe barbadensis leaf extract, alumina, arachidyl alcohol, arachidyl glucoside, beeswax, behenyl alcohol, bis-diglyceryl polyacyladipate-2, blue 1 lake, butyrospermum parkii (shea butter), ceresin, cetyl dimethicone, cetyl palmitate, chamomilla recutita (matricaria) flower extract, flavors, helianthus annuus (sunflower) seed oil, hydrogenated castor oil, hydrogenated polyisobutene, isopropyl myristate, isostearyl hydrolyzed silk, jojoba esters, microcrystalline wax, olea europaea (olive) fruit oil, paraffin, pentaerythrityl tetraethylhexanoate, petrolatum, phenoxyethanol, phenyl trimethicone, polyhydroxystearic acid, saccharin, silica, theobroma cacao (cocoa) seed butter, titanium dioxide, tocopheryl acetate, triticum vulgare (wheat) germ oil
<b>Active ingredients</b> Dimethicone 2.0% (w/w) Octinoxate 6.8% (w/w) Oxybenzone 3.0% (w/w)	<b>Purpose</b> Lip protectant Sunscreen Sunscreen		
<b>Uses</b> • temporarily protects and helps relieve chapped or cracked lips • helps prevent sunburn		<b>Directions</b> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • children under 6 months of age: Ask a doctor	<b>Other information</b> • protect the product in this container from excessive heat and direct sun
<b>Warnings</b> <b>Skin Cancer/Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. For external use only Do not use on damaged or broken skin			

Card is 100% Recyclable SATISFACTION GUARANTEED Blistex



©2014 Blistex Inc., P.O. Box 5362, Oak Brook, IL 60522-5362 #010008

# BLISTEX ENHANCEMENT SERIES (LIP VIBRANCE, DEEP RENEWAL AND ULTRA-RICH HYDRATION)

dimethicone, octinoxate, oxybenzone, avobenzone, and octocrylene kit

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10157-9861
--------------	----------------	--------------------	----------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10157-9861-1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 CYLINDER	3.69 g
Part 2	1 CYLINDER	3.69 g
Part 3	1 CYLINDER	3.69 g

## Part 1 of 3

### BLISTEX LIP VIBRANCE

dimethicone, octinoxate and oxybenzone stick

## Product Information

Route of Administration	TOPICAL
-------------------------	---------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dimethicone (UNII: 92RU3N3Y1O) (Dimethicone - UNII:92RU3N3Y1O)	Dimethicone	2 g in 100 g
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	7.5 g in 100 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	2.5 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
arachidyl alcohol (UNII: 1QR1QRA9BU)	
ceresin (UNII: Q1LS2UJO3A)	
paraffin (UNII: I9O0E3H2ZE)	
microcrystalline wax (UNII: XOF597Q3KY)	
petrolatum (UNII: 4T6HI2BN9U)	

mineral oil (UNII: T5L8T28FGP)
arachidyl glucoside (UNII: 6JVVW35JOOJ)
docosanol (UNII: 9G1OE216XY)
butylene glycol (UNII: 3XUS85K0RA)
shea butter (UNII: K49155WL9Y)
D&C red no. 7 (UNII: ECW0LZ41X8)
D&C red no. 6 (UNII: 481744A14O)
ethylhexyl palmitate (UNII: 2865993309)
phenoxyethanol (UNII: HIE492ZZ3T)
mica (UNII: V8A1AW0880)
panthenyl ethyl ether (UNII: F4WMF8NX3B)
pentaerythrityl tetraethylhexanoate (UNII: XJ7052W897)
high density polyethylene (UNII: UG00KM4WR7)
PPG-5-ceteth-20 (UNII: 4AAN25P8P4)
ferric oxide red (UNII: 1K09F3G675)
titanium dioxide (UNII: 15FIX9V2JP)
phenyl trimethicone (UNII: DR0K5NOJ4R)
grape seed oil (UNII: 930MLC8XGG)
castor oil (UNII: D5340Y2I9G)
sandalwood (UNII: 3641YW25N2)
saccharin (UNII: FST467XS7D)
.alpha.-tocopherol acetate (UNII: 9E8X80D2L0)
silica dimethyl silylate (UNII: EU2PSP0G0W)
hyaluronate sodium (UNII: YSE9PPT4TH)
Polybutene (1400 MW) (UNII: 1NA5AO9GH7)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		3.69 g in 1 CYLINDER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part347	05/31/2013	

**Part 2 of 3**

**BLISTEX DEEP RENEWAL**  
avobenzone, octinoxate, octocrylene, oxybenzone, and dimethicone stick

Product Information	
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Dimethicone</b> (UNII: 92RU3N3Y1O) (Dimethicone - UNII:92RU3N3Y1O)	Dimethicone	2 g in 100 g
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	7.5 g in 100 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	2.5 g in 100 g
<b>Avobenzene</b> (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	3 g in 100 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	2.7 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>butylene glycol</b> (UNII: 3XUS85K0RA)	
<b>dipalmitoyl hydroxyproline</b> (UNII: E6AHA53N1H)	
<b>ethylhexyl palmitate</b> (UNII: 2865993309)	
<b>lanolin alcohols</b> (UNII: 884C3FA9HE)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>pentaerythrityl tetraisoostearate</b> (UNII: 9D7IK5483F)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>polytetrafluoroethylene</b> (UNII: E1NC1JVS3O)	
<b>castor oil</b> (UNII: D5340Y2I9G)	
<b>saccharin</b> (UNII: FST467XS7D)	
<b>silica dimethyl silylate</b> (UNII: EU2PSP0G0W)	
<b>hyaluronate sodium</b> (UNII: YSE9PPT4TH)	
<b>sorbic acid</b> (UNII: X045WJ989B)	
<b>squalane</b> (UNII: GW89575KF9)	
<b>tetrahexyldecyl ascorbate</b> (UNII: 9LBV3F07AZ)	
<b>Polybutene (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>MARINE COLLAGEN, SOLUBLE</b> (UNII: 8JC99XGU4W)	
<b>CHONDRO ITIN SULFATE SODIUM (SHARK)</b> (UNII: Q75WVO004L)	
<b>UBIDECARENONE</b> (UNII: EJ27X76M46)	
<b>SIMMONDSIA CHINENSIS SEED WAX</b> (UNII: 47X6Y9FJJ2)	
<b>.alpha.-tocopherol acetate</b> (UNII: 9E8X80D2L0)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		3.69 g in 1 CYLINDER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part347	11/01/2012	

## Part 3 of 3

### BLISTEX ULTRA-RICH HYDRATION

dimethicone, octinoxate, and oxybenzone stick

#### Product Information

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dimethicone (UNII: 92RU3N3Y1O) (Dimethicone - UNII:92RU3N3Y1O)	Dimethicone	2 g in 100 g
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	6.8 g in 100 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	3 g in 100 g

#### Inactive Ingredients

Ingredient Name	Strength
yellow wax (UNII: 2ZA36H0S2V)	
PENTAERYTHRITYL TETRAETHYLHEXANOATE (UNII: XJ7052W897)	
PETROLATUM (UNII: 4T6H12BN9U)	
PARAFFIN (UNII: I9O0E3H2ZE)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
microcrystalline wax (UNII: XOF597Q3KY)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
DOCOSANOL (UNII: 9G1OE216XY)	
ARACHIDYL GLUCOSIDE (UNII: 6JVV35JOOJ)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WHEAT GERM OIL (UNII: 14C97E680P)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
SUNFLOWER OIL (UNII: 3W1JG795Y)	
CHAMOMILE (UNII: FGL3685T2X)	
ceresin (UNII: Q1LS2UJO3A)	
COCOA BUTTER (UNII: 512OYT1CRR)	
SACCHARIN (UNII: FST467XS7D)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		3.69 g in 1 CYLINDER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part347	05/30/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	09/01/2014	

**Labeler** - Blistex Inc. (005126354)**Establishment**

Name	Address	ID/FEI	Business Operations
Blistex Inc.		005126354	MANUFACTURE(10157-9861)

Revised: 6/2014

Blistex Inc.