

**ALLERGY RELIEF- diphenhydramine hcl tablet, film coated
DOLGENCORP, LLC**

Allergy Relief

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - itching of the nose or throat
 - sneezing
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- protect from moisture

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Principal Display Panel

Since 1903

Rexall®

Allergy Relief

Diphenhydramine HCl, 25 mg

Antihistamine

Relief of

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

Actual
Size

**365
Tablets**


**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING**

50844 REV0721D32951

Visit us at: Rexall.com or call 1-866-4-REXALL

MANUFACTURED FOR OLD EAST MAIN CO.

100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 USA



Relief of


- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

**365
Tablets**

Do Not Print/No Varnish Area
Lot # & Exp Date

Drug Facts	Purpose
Active ingredient (in each tablet) Diphenhydramine HCl 25 mg.....Antihistamine	
Uses	<ul style="list-style-type: none"> temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose itchy, watery eyes itching of the nose or throat sneezing
	<ul style="list-style-type: none"> temporarily relieves these symptoms due to the common cold: runny nose sneezing
Warnings	<p>Do not use</p> <ul style="list-style-type: none"> to make a child sleepy with any other product containing diphenhydramine, even one used on skin <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> glaucoma a breathing problem such as emphysema or chronic bronchitis difficulty in urination due to enlargement of the prostate gland

A0092



N 3 50844 32951 6

PEEL HERE FOR MORE DRUG FACTS

Adhesive Area

STOP PEELING

Do Not Print/No Varnish Area
Lot # & Exp Date

Drug Facts (continued)	<p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</p> <p>When using this product:</p> <ul style="list-style-type: none"> marked drowsiness may occur avoid alcoholic beverages alcohol, sedatives, and tranquilizers may increase drowsiness use caution when driving a motor vehicle or operating machinery excitability may occur, especially in children <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>						
Directions	<ul style="list-style-type: none"> do not take more than directed take every 4 to 6 hours, or as directed by a doctor do not take more than 6 times in 24 hours <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults and children 12 years and over</td> <td style="width: 50%;">1 to 2 tablets</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>1 tablet</td> </tr> <tr> <td>children under 6 years</td> <td>do not use</td> </tr> </table>	adults and children 12 years and over	1 to 2 tablets	children 6 to under 12 years	1 tablet	children under 6 years	do not use
adults and children 12 years and over	1 to 2 tablets						
children 6 to under 12 years	1 tablet						
children under 6 years	do not use						
Other information	<ul style="list-style-type: none"> each tablet contains: calcium 30 mg store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) use by expiration date on package protect from moisture 						
Inactive ingredients	<p>com starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide</p>						

Rexall 44-329

ALLERGY RELIEF

diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-329
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-329-12	1 in 1 CARTON	06/27/2023	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:55910-329-51	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/02/1990	
3	NDC:55910-329-08	1 in 1 CARTON	03/02/1990	02/15/2021
3		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/02/1990	

Labeler - DOLGENCORP, LLC (068331990)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55910-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-329) , pack(55910-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(55910-329)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55910-329)

Revised: 6/2024

DOLGENCORP, LLC