

RENEWAL DAILY MOISTURIZER SENSITIVE SKIN - zinc oxide lotion
RITE AID CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENTS

TITANIUM DIOXIDE 5.0%

ZINC OXIDE 3.0%

PURPOSE

SUNSCREEN

SUNSCREEN

USES

TO HELP MOISTURIZE, RELIEVE AND PROTECT SKIN.

WARNINGS

FOR EXTERNAL USE ONLY.

WHEN USING THIS PRODUCT

AVOID CONTACT WITH EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.

STOP USING THIS PRODUCT AND ASK DOCTOR IF

IRRITATION OR REDNESS DEVELOPS AND LASTS.

KEEP OUT OF REACH OF CHILDREN

Enter section text here

DIRECTIONS

APPLY LIBERALLY ON FACE, NECK AND OTHER EXPOSED AREAS EVERY MORNING AFTER CLEANSING. REAPPLY IF EXCESS PERSPIRATION OR PRODUCT WEARS OCCURS. PERFECT ALONE OR UNDER MAKEUP OR OVER A SERUM. FOR SUNSCREEN BENEFITS, APPLY PRIOR TO SUN EXPOSURE.

QUESTIONS/COMMENTS?

1-866-695-3030

INACTIVE INGREDIENTS

WATER, C12-15 ALKYL BENZOATE, CARTHAMUS TINCTORIUS (SAFFLOWER)

OLEOSOMES, ETHYLHEXYL ISONONANOATE, STYRENE/ACRYLATES COPOLYMER, DIMETHICONE, SILICA, ETHYHEXYL HYDROXYSTEARATE, GLYCERIN, GLYCERYL STEARATE, CETYL ALCOHOL, PEG-100 STEARATE, ETHYLHEXYLGLYCERIN, POLYHYDROXYSTEARIC ACID, PHENOXYETHANOL, ALUMINA, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, PEG-75 STEARATE, PENTYLENE GLYCOL, BISABOLOL, CAPRYLYL GLYCOL, ISOHEXADECANE, CHLORPHENESIN, ALUMINUM STEARATE, DISODIUM EDTA, PPG-12/SMDI COPOLYMER, CETETH-20, STEARETH-20, DIPROPYLENE GLYCOL DIBENZOATE, TRIETHOXYCAPRYLYLSILANE, POLYSORBATE 60, PPG-15 STEARYL ETHER BENZOATE, BHT.

Drug Facts	
Active ingredients	Purpose
Titanium Dioxide 5.0%	Sunscreen
Zinc Oxide 3.0%	Sunscreen
Uses ■ To help moisturize, relieve and protect skin.	
Warnings	
For external use only.	
When using this product ■ avoid contact with eyes. If contact occurs, rinse thoroughly with water.	
Stop using this product and ask doctor if ■ Irritation or redness develops and lasts.	
Keep out of reach of children ■ In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.	
Directions ■ Apply liberally on face, neck and other exposed areas every morning after cleansing. Reapply if excess perspiration or product wear occurs. Perfect alone or under makeup or over a serum. For sunscreen benefits, apply prior to sun exposure.	
Questions/comments? 1-866-695-3030	
Inactive ingredients: Water (Aqua), C12-15 Alkyl Benzoate, Carthamus Tinctorius (Safflower) Oleosomes, Ethylhexyl Isononanoate, Styrene/Acrylates Copolymer, Dimethicone, Silica, Ethylhexyl Hydroxystearate, Glycerin, Glyceryl Stearate, Cetyl Alcohol, PEG-100 Stearate, Ethylhexylglycerin, Polyhydroxystearic Acid, Phenoxyethanol, Alumina, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, PEG-75 Stearate, Pentylene Glycol, Bisabolol, Caprylyl Glycol, Isohexadecane, Chlorphenesin, Aluminum Stearate, Disodium EDTA, PPG-12/SMDI Copolymer, Ceteth-20, Steareth-20, Dipropylene Glycol Dibenzoate, Triethoxycaprylylsilane, Polysorbate 60, PPG-15 Stearyl Ether Benzoate, BHT.	

DISTRIBUTED BY: RITE AID
30 HUNTER LANE, CAMP HILL, PA 17011
MADE IN CANADA

*This product is not manufactured or distributed by Neutrogena Corporation, distributor of Healthy Defense® Daily Moisturizer.



IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

*Compare to Neutrogena® Healthy Defense® Daily Moisturizer



RENEWAL
TM

daily moisturizer
 SENSITIVE SKIN

**SPF 50
 SUNSCREEN**

Superior Broad Spectrum
 UVA/UVB Protection

Lightweight, Non-Greasy,
 Fragrance Free

Naturally Sourced
 Sunscreen



RENEWAL DAILY MOISTURIZER SENSITIVE SKIN

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-3420
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 mL in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CARTHAMUS TINCTORIUS (SAFFLOWER) OLEOSOMES (UNII: 9S60Q72309)	
ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYL HYDROXYSTEARATE (UNII: B7I80BVV5E)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PEG-75 STEARATE (UNII: OT38R0N74H)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
.ALPHA.-BISABOLOL, (+/-)- (UNII: 36HQN158VC)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CETETH-20 (UNII: I835H2IHHX)	
STEARETH-20 (UNII: L0Q8IK9E08)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3420-2	50 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	07/21/2011	

Labeler - RITE AID CORPORATION (014578892)

Registrant - APOLLO HEALTH AND BEAUTY CARE (201901209)

Establishment

Name	Address	ID/FEI	Business Operations
APOLLO HEALTH AND BEAUTY CARE		201901209	manufacture

Revised: 7/2011

RITE AID CORPORATION