

CLEAR FOUNDATION SUNSCREEN BROAD SPECTRUM SPF 45- titanium dioxide, zinc oxide stick
Eai-jr 286, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Vertra Clear Foundation Sunscreen Face Stick Broad Spectrum SPF 45

Active Ingredients Purpose

Titanium Dioxide 14% Sunscreen

Zinc Oxide 6% Sunscreen

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun
- Higher SPF gives more sunburn protection
- Retains SPF after 80 minutes activity in the water, sweating, or perspiring.
- Provides high protection against sunburn

Keep out of reach of children:

☐If product is swallowed, get medical help or contact a Poison Control Center right away.

Warnings

For external use only

Do not use ☐ on damaged or broken skin

When using this product:☐ keep out of eyes

Rinse with water to remove

Directions

apply liberally and evenly 15 minutes before sun exposure and and at least every 2 hours

reapply: after 80 minutes of swimming or sweating

children under 6 months of age: ask a doctor

Sun Protection Measures. ☐Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeve shirts, pants, hats, and sunglasses

immediately after towel drying

Stop use and ask a doctor ☐if:

rash or irritation develops and lasts

Inactive Ingredients

Water, Dimethicone, Caprylic/Capric Triglyceride, Alumina, Lecithin, Stearic Acid, Isostearic Acid, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Squalane, Paraffin, Ceresin, Isononoyl Isononanoate, Microcrystalline Wax, Glycerin, Isopentyldiol, Polyethylene, HDI/Trimethylol Hexyllactone Crosspolymer, Polyglyceryl-6 Polyricinoleate, PEG-10 Dimethicone, Phenxyethanol, Sodium Chloride, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Distearidonium Hectorite, Triethoxycaprylylsilane, Disodium EDTA, Silica, Tocopherol.

Vertra Elemental Resistance
 Foundation Sunscreen Face Stick
 Broad Spectrum SPF 45
 Water Resistant (80 Minutes)
 Color: Clear
 11g NET WT. 0.39



45

SUNSCREEN FACE STICK
 BROAD SPECTRUM SPF 45
 COLOR: CLEAR



vertra
 PREMIUMSUNCARE

Drug Facts

Active Ingredients
 TITANIUM DIOXIDE 14% } **Purpose**
 ZINC OXIDE 6% } Sunscreen

Uses
 • Helps prevent sunburn.
 • If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.
 • Higher SPF gives more sunburn protection.
 • Retains SPF after 80 minutes activity in the water, sweating or perspiring.
 • Provides high protection against sunburn.

Warnings
 Do not use:
 • On damaged or broken skin
 When using this product:
 • Keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if:
 • Rash or irritation develops and lasts.
 For external use only.
 Keep out of reach of children:
 • If product is swallowed, get medical help or contact a Poison Control Center right away.

Distributed by: Vertra, EAI-JR286, Inc.
 Torrance, CA 90502
 Made in USA
 Questions or comments:
 hello@vertra.com
 www.vertra.com

Drug Facts cont.

Directions
 • Apply liberally and generously 15 minutes before sun exposure and at least every 2 hours.
 • Children under 6 months of age: ask a doctor.
 • Sun Protection Measures
 Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • Limit your time in the sun, especially from 10 a.m. – 2 p.m..
 • Wear long-sleeved shirts, pants, hats, and sunglasses
 • Reapply:
 • After 80 minutes of swimming or sweating
 • Immediately after towel drying
 • At least every 2 hours

Other Information
 • Protect this product in this container from excessive heat and direct sun

- Oxybenzone Free
- Octinoxate Free
- Reef Safe
- Paraben Free
- Water Resistant (80 Minutes)
- Smooth, non-greasy application

vertra
 PREMIUMSUNCARE

vertra
 PREMIUMSUNCARE

Inactive Ingredients
 Water, Dimethicone, Caprylic/Capric Triglyceride, Alumina, Lecithin, Stearic Acid, Isostearic Acid, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Squalane, Paraffin, Ceresin, Isononyl Isononanoate, Microcrystalline Wax, Glycerin, Isopentylidol, Polyethylene, HDI/Trimethylol Hexylactone Crosspolymer, Polyglyceryl-6 Polyricinoleate, PEG-10 Dimethicone, Phenoxethanol, Sodium Chloride, Lauryl PEG-9 Polydimethylsiloxethyl Dimethicone, Distardimonium Hectorite, Triethoxycaprylsilane, Disodium EDTA, Silica, Tocopherol*



Vertra Elemental Resistance is proud to be the Official Sunscreen provider for the Hawaiian Lifeguard Association

SPF
45

PREMIUM
 MINERAL BASED
 SUNSCREEN
 FACE STICK

ReefSafe

BROAD SPECTRUM SPF 45
 WATER RESISTANT (80 MINUTES)
 COLOR: CLEAR
 11g NET WT. 0.39 OZ.




LOT#:
 EXPIRES:

Vertra
ELEMENTAL RESISTANCE

SPF45

**SUNSCREEN FACE STICK
BROAD SPECTRUM SPF 45
WATER RESISTANT (80 MINUTES)
11g NET WT. 0.39 OZ.**



Active Ingredients

ZINC OXIDE 22%

Purpose: SUNSCREEN


Warnings

For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes • Keep out of reach of children

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply every 80 minutes of swimming or sweating
- Do not use on children under 6 months of age

Vertra, EAI-JR286, Inc.
Torrance, CA 90502
Made in USA



CLEAR FOUNDATION SUNSCREEN BROAD SPECTRUM SPF 45

titanium dioxide, zinc oxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:710 14-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	14 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PARAFFIN (UNII: I9O0E3H2ZE)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
LOW DENSITY POLYETHYLENE (UNII: J245LN42AD)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ISO STEARIC ACID (UNII: X33R8U0062)	
WATER (UNII: 059QF0KO0R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM OXIDE (UNII: LM26O6933)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CERESIN (UNII: Q1LS2UJO3A)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SQUALANE (UNII: GW89575KF9)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:710 14-012-01	11 g in 1 BOX; Type 0: Not a Combination Product	04/15/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/15/2018	

Labeler - Eai-jr 286, Inc (827896718)

Establishment

Name	Address	ID/FEI	Business Operations
Northwest Cosmetic Laboratories LLC		929572014	manufacture(71014-012)

Revised: 3/2020

Eai-jr 286, Inc