CHILDRENS 24 HOUR ALLERGY- cetirizine hcl solution Meijer Distribution Inc

Meijer Distribution, Inc. Children's 24 Hour Allergy Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- · alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- · if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened, or if printed neckband is broken or missing
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

meijer_®

Compare to Children's Zyrtec® active ingredient

For Ages 2 Years and Older

CHILDREN'S

24 hour allergy

Cetirizine Hydrochloride Oral Solution 1 mg/mL

Antihistamine

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF:

Sneezing; Runny Nose;

Itchy; Watery Eyes; Itchy Throat or Nose

Grape Flavor

Dye Free | Sugar Free

Alcohol Free

Dosing Cup Included

4 FL OZ (118 mL)







Dye Free | Sugar Free Alcohol Free



Dosing cup should be washed and left to air dry after each use.

Drug Facts

Active ingredient (in each 5 mL) Cetirizine HCl 5 mg....... Purpose Antihistamin

Uses

USES:

Imporarily releves these symptoms due to hay fever
or other upper respiratory ellergies:

Impury nose I sneazing

Inchy, watery eyes

Inching of the nose or throat

Warnings

War Intrigs

Do not use if you have ever had an ellergic reaction to this product or any of its ingredients or to an antihistarnine containing hydroxydine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a disease. Your de different dose.

different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

diversiness may cocur

a excid alcoholic drinks

alcohol, sedatives, and tranquilizers may increase drossiness.

- be careful when driving a motor vehicle or

operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant developes elemented help right away. If pregnant de breast-feeding:

If breast-feeding: not recommended

If pregnant: ask a health professional before use. Keep out of reach of children. In case of everdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued) Directions use only with enclosed dosing cup
find right dose on chart below
mL = milliter 5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours. adults and children 6 years and over adults 65 years and over children 2 to under 5 mL once daily; do not take more than 5 mL in 24 hours. 2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours. 6 years of age children under 2 years of age consumers with liver or kidney disease ask a doctor

- Other information

 store between 20° to 25°C (68° to 77°F)

 do not use if carton is opened, or if printed neckband is broken or missing

 see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments?

*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544







LOT NO.

EXP.

1 47526 BE C4

CHILDRENS 24 HOUR ALLERGY

cetirizine hcl solution

HUMAN OTC DRUG NDC:41250-475 **Product Type** Item Code (Source) **Route of Administration** ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZ INE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-475- 26	1 in 1 CARTON	12/02/2015	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41250-475- 34	1 in 1 CARTON	12/02/2015	
2		236 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204226	12/02/2015	

Labeler - Meijer Distribution Inc (006959555)

Revised: 10/2023 Meijer Distribution Inc