

DEVROM- bismuth subgallate tablet, chewable
The Parthenon Co., Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Devrom®

Drug Facts

Active ingredient (in each tablet)

Bismuth subgallate 200 mg

Purpose

Internal Deodorant

Use

for eliminating or reducing odor from flatulence (gas) and stool (feces).

Warnings

If pregnant or breast-feeding, ask a health professional before use. When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur. In case of overdose, get medical help or contact a Poison Control Center right away.

Keep out of reach of children.

Directions

Adults and children 12 years and over: 1 to 2 tablets up to four times daily. Do not exceed 8 tablets in 24 hours. Children under 12 years: ask a doctor.

Other Information

This product cannot be expected to be effective in the reduction of odor due to faulty personal hygiene. Does not contain gluten, lactose, or salicylates.

Inactive ingredients

magnesium stearate, microcrystalline cellulose, natural banana flavor. starch, talc, xylitol.

Questions?

1-800-453-8898

distributed by

The Parthenon Company, Inc.

PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle Label

Devrom®

(200 mg bismuth subgallate)

Internal Deodorant
100 chewable tablets



Drug Facts	
Active ingredient (in each tablet) Bismuth subgallate 200 mg	Purpose Internal Deodorant
Use For eliminating or reducing odor from flatulence (gas) and stool (feces).	
Warnings If pregnant or breast-feeding , ask a health professional before use. When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur. In case of overdose, get medical help or contact a Poison Control Center right away.	
Keep out of reach of children.	
Directions Adults and children 12 years and over: 1 to 2 tablets up to four times daily. Do not exceed 8 tablets in 24 hours. Children under 12 years: ask a doctor.	
Other information This product cannot be expected to be effective in the reduction of odor due to faulty personal hygiene. Does not contain gluten, lactose, or salicylates.	
Inactive ingredients magnesium stearate, microcrystalline cellulose, natural banana flavor, starch, talc, xylitol.	

Questions? 1-800-453-8898. Store in a cool, dry place. Do not use if outer safety seal or printed inner safety seal is broken.

Manufactured for and distributed by
The Parthenon Company, Inc.
1-800-453-8898 • www.devrom.com



DEVROM

bismuth subgallate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49309-001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBGALLATE (UNII: YIW503M7V) (BISMUTH CATION - UNII: ZS9CD118YE)	BISMUTH SUBGALLATE	200 mg

Inactive Ingredients

Ingredient Name	Strength
magnesium stearate (UNII: 70097M6I30)	
microcrystalline cellulose (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
talc (UNII: 7SEV7J4R1U)	
xylitol (UNII: VCQ006KQ1E)	

Product Characteristics

Color	YELLOW	Score	no score
Shape	ROUND	Size	11mm
Flavor	BANANA	Imprint Code	D
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49309-001-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part357I	12/01/2018	

Labeler - The Parthenon Co., Inc. (073014607)

Revised: 12/2018

The Parthenon Co., Inc.