

**ALLERGIES NORTHEAST U.S.- adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, agraphis, allium cepa, arum triph, arundo mauritanica, collinsonia, cortisone aceticum, euphrasia, galphimia, histaminum hydrochloricum, kali mur, nat mur, rna, rumex crisp, sabadilla, salvia, tanacetum, trifolium prat, vinca liquid  
King Bio Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Allergies Northeast U.S.**

### **Warnings**

**Stop use and ask your doctor if** symptoms persist or worsen.

**If pregnant or breast-feeding,** take only on advice of a healthcare professional.

**Keep out of reach of children.**

Reference image: Northeast.jpg

**Keep out of reach of children.**

Reference image: Northeast.jpg

### **Directions**

Initially, depress pump until primed.

Spray one dose directly into mouth.

**Adults: 3 sprays 3 times per day.**

**Children (6 - 12): 2 sprays 3 times per day.**

**Consult a physician for use in children under 6 years of age.**

Use additionally as needed, up to 6 times per day.

Reference image: Northeast.jpg

**Tamper resistant for your protection.** Use only if seal is intact. This product has not been clinically tested.

King Bio, Inc. FDA Reg. #1053442  
3 Westside Dr. Asheville, NC 28806 USA

Questions? Call 866.298.2740

Reference image: Northeast.jpg

### **Active ingredients**

Adenosinum cyclophosphoricum, Adrenalinum, Adrenocorticotrophin (30X, 100X), Agraphis, Allium cepa, Arum triph, Arundo mauritanica, Collinsonia, Cortisone aceticum, Euphrasia, Galphimia, Histaminum hydrochloricum, Kali mur, Nat mur, RNA, Rumex crisp, Sabadilla, Salvia, Tanacetum, Trifolium prat, Vinca.

Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, 5LM potencies.

Reference image: Northeast.jpg

### **Uses**

For temporary relief of symptoms: red, itchy, watery eyes, sore throat, cough, runny nose, sneezing, congestion, headaches, hoarseness, & fatigue.

Reference image: Northeast.jpg

### **Inactive ingredients**

Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), Polylysine, Purified Water, Shagbark Hickory (Carya ovata) Bark Extract, Steviol (Steviol glycosides).

Reference image: Northeast.jpg

Uses for temporary relief of symptoms:

red, itchy, watery eyes

sore throat

cough

runny nose

sneezing

congestion

headaches

hoarseness

fatigue

Reference image: Northeast.jpg

**Drug Facts (continued)**

**Warnings**

- Stop use and ask your doctor if symptoms persist or worsen.
- If pregnant or breast-feeding, take only on advice of a healthcare professional.
- Keep out of reach of children.

**Directions**

- Initially, depress pump until primed.
- Spray one dose directly into mouth.
- Adults: 3 sprays 3 times per day.
- Children (6 - 12): 2 sprays 3 times per day.
- Consult a physician for use in children under 6 years of age.
- Use additionally as needed, up to 6 times per day.

**Tamper resistant for your protection.** Use only if seal is intact. This product has not been clinically tested.

King Bio, Inc. FDA Reg. #1053442  
3 Westside Dr. Asheville, NC 28806 USA  
Questions? Call 866.298.2740



**Allergies:  
Northeast U.S.™**

**Allergy**

**High Potency Homeopathic Formula  
for Professional Use Only**

Pure Water Base, Gluten Free  
Less than 1% Alcohol  
**2 fl oz (59 mL)**

**Drug Facts**

**Active ingredients** Adenosinum cyclophosphoricum, Adrenalinum, Adrenocorticotrophin (30X, 100X), Agraphis, Allium cepa, Arum triph, Arundo mauritanica, Collinsonia, Cortisone aceticum, Euphrasia, Galphimia, Histaminum hydrochloricum, Kali mur, Nat mur, RNA, Rumex crisp, Sabadilla, Salvia, Tanacetum, Trifolium prat, Vinca.

Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, 5LM potencies.

**Uses** for temporary relief of symptoms: red, itchy, watery eyes, sore throat, cough, runny nose, sneezing, congestion, headaches, hoarseness, & fatigue.

**Inactive ingredients** Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), Polylysine, Purified Water, Shagbark Hickory (Carya ovata) Bark Extract, Steviol (Steviol glycosides).

## ALLERGIES NORTHEAST U.S.

adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, agraphis, allium cepa, arum triph, arundo mauritanica, collinsonia, cortisone aceticum, euphrasia, galphimia, histaminum hydrochloricum, kali mur, nat mur, rna, rumex crisp, sabadilla, salvia, tanacetum, trifolium prat, vinca liquid

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:57955-2712 |
| <b>Route of Administration</b> | ORAL           |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength               | Strength           |
|---|---------------------------------|--------------------|
| <b>ADENOSINE CYCLIC PHOSPHATE</b> (UNII: E0399OZS9N) (ADENOSINE CYCLIC PHOSPHATE - UNII:E0399OZS9N)           | ADENOSINE CYCLIC PHOSPHATE      | 12 [hp_X] in 59 mL |
| <b>EPINEPHRINE</b> (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)   | EPINEPHRINE                     | 12 [hp_X] in 59 mL |
| <b>CORTICOTROPIN</b> (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)                                     | CORTICOTROPIN                   | 30 [hp_X] in 59 mL |
| <b>HYACINTHOIDES NON-SCRIPTA WHOLE</b> (UNII: 5F658PFU56) (HYACINTHOIDES NON-SCRIPTA WHOLE - UNII:5F658PFU56) | HYACINTHOIDES NON-SCRIPTA WHOLE | 12 [hp_X] in 59 mL |
| <b>ONION</b> (UNII: 492225Q21H) (ONION - UNII:492225Q21H)   | ONION                           | 12 [hp_X] in 59 mL |
| <b>ARISAEMA TRIPHYLLUM ROOT</b> (UNII: DM64K844DM) (ARISAEMA TRIPHYLLUM                                       | ARISAEMA TRIPHYLLUM             | 12 [hp_X]          |

|   |                                |                       |
|---|--------------------------------|-----------------------|
| ROOT - UNII:DM64K844DM)   | ROOT                           | in 59 mL              |
| <b>ARUNDO PLINIANA ROOT</b> (UNII: ZXE7LB03WC) (ARUNDO PLINIANA ROOT - UNII:ZXE7LB03WC)                     | ARUNDO PLINIANA ROOT           | 12 [hp_X]<br>in 59 mL |
| <b>COLLINSONIA CANADENSIS ROOT</b> (UNII: O2630F3XDR) (COLLINSONIA CANADENSIS ROOT - UNII:O2630F3XDR)       | COLLINSONIA CANADENSIS ROOT    | 12 [hp_X]<br>in 59 mL |
| <b>CORTISONE ACETATE</b> (UNII: 883WKN7W8X) (CORTISONE - UNII:V27W9254FZ)                                   | CORTISONE ACETATE              | 12 [hp_X]<br>in 59 mL |
| <b>EUPHRASIA STRICTA</b> (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)                           | EUPHRASIA STRICTA              | 12 [hp_X]<br>in 59 mL |
| <b>GALPHIMIA GLAUCA FLOWERING TOP</b> (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E) | GALPHIMIA GLAUCA FLOWERING TOP | 12 [hp_X]<br>in 59 mL |
| <b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)                           | HISTAMINE DIHYDROCHLORIDE      | 12 [hp_X]<br>in 59 mL |
| <b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)                           | POTASSIUM CATION               | 12 [hp_X]<br>in 59 mL |
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)                                  | SODIUM CHLORIDE                | 12 [hp_X]<br>in 59 mL |
| <b>SACCHAROMYCES CEREVISIAE RNA</b> (UNII: J17GBZ5VGX) (SACCHAROMYCES CEREVISIAE RNA - UNII:J17GBZ5VGX)     | SACCHAROMYCES CEREVISIAE RNA   | 12 [hp_X]<br>in 59 mL |
| <b>RUMEX CRISPUS ROOT</b> (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)                         | RUMEX CRISPUS ROOT             | 12 [hp_X]<br>in 59 mL |
| <b>SCHOENOCAULON OFFICINALE SEED</b> (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)   | SCHOENOCAULON OFFICINALE SEED  | 12 [hp_X]<br>in 59 mL |
| <b>SAGE</b> (UNII: 065C5D077J) (SAGE - UNII:065C5D077J)   | SAGE                           | 12 [hp_X]<br>in 59 mL |
| <b>TANACETUM VULGARE TOP</b> (UNII: D52957JQ8M) (TANACETUM VULGARE TOP - UNII:D52957JQ8M)                   | TANACETUM VULGARE TOP          | 12 [hp_X]<br>in 59 mL |
| <b>TRIFOLIUM PRATENSE FLOWER</b> (UNII: 4JS0838828) (TRIFOLIUM PRATENSE FLOWER - UNII:4JS0838828)           | TRIFOLIUM PRATENSE FLOWER      | 12 [hp_X]<br>in 59 mL |
| <b>PERVINCA MINOR WHOLE</b> (UNII: WGM46PQF02) (PERVINCA MINOR WHOLE - UNII:WGM46PQF02)                     | PERVINCA MINOR WHOLE           | 12 [hp_X]<br>in 59 mL |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)                 |          |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)       |          |
| <b>CITRUS AURANTIUM FRUIT OIL</b> (UNII: 59JDQ5VT0T)    |          |
| <b>ORANGE PEEL</b> (UNII: TI9T76XD44)                   |          |
| <b>CITRUS RETICULATA FRUIT OIL</b> (UNII: 25P9H3QU5E)   |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                         |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                      |          |
| <b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT) |          |
| <b>LONICERA JAPONICA FLOWER</b> (UNII: 4465L2WS4Y)      |          |
| <b>POLYEPSILON-LYSINE (4000 MW)</b> (UNII: WB0M8X4TWR)  |          |
| <b>CARYA OVATA BARK</b> (UNII: X765CF609L)              |          |
| <b>STEVIOLE</b> (UNII: 4741LYX6RT)                      |          |

## Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:57955-2712-2 | 59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | 05/18/2022           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 05/18/2022           |                    |

**Labeler** - King Bio Inc. (617901350)

**Registrant** - King Bio Inc. (617901350)

## Establishment

| Name          | Address | ID/FEI    | Business Operations                                   |
|---------------|---------|-----------|---|
| King Bio Inc. |         | 617901350 | manufacture(57955-2712) , api manufacture(57955-2712) |

Revised: 11/2024

King Bio Inc.