

**PROVITA HOOFSURE ENDURANCE XL- formic acid solution, concentrate**  
**Provita Eurotech Ltd**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Provita Hoofsure Endurance XL**

Hoofsure Endurance is a scientifically proven proprietary blend of organic acids, essential oils and wetting agents specifically designed and formulated to both clean and care for hooves. It is safe, non-toxic, biodegradable and does not contain copper, formaldehyde or antibiotics.

Hoofsure Endurance is intended for use as part of a hoof maintenance program in conjunction with your veterinarian. Hoof health is dependent on good nutrition, hygiene, management and herd health care. Footbathing is a control measure and not a treatment. To optimize hoof health, a treat and control protocol is recommended. Lameness should be identified, footbathed regularly and treated with an appropriate product such as Provita Konquest gel and Provita Combat spray.

**Ingredients**

Organic Acids (Acetic and Formic), Water, Ethanol, Alkoxylated Cetyl Alcohol, Laureth-4, Tea-tree Oil, E124, E133

**Disposal**

Hoofsure Endurance is environmentally friendly. After use, spent footbath can be disposed of by landfill or flushing to a slurry lagoon in accordance with local regulations.

**Precautions**

Do not use in galvanised footbaths.

Care must be taken when handling undiluted product.

Wear suitable protective clothing and eye protection.

Do not breathe vapour.

Contains Formic Acid.

Causes burns.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Keep out of reach of children.

See Health and Safety Data Sheet.

**Directions for Use**

**DAIRY CATTLE For footbath use:** For optimum results footbath at every milking, every day. Mix Hoofsure Endurance 1:100 (equivalent to a 1% solution - e.g. half gallon of Hoofsure Endurance with 50 gal clean water in a 50 gal footbath). When required, a 2% or above dilution rate may be used. Place footbath in return alley, not in parlor. Wash dirt and manure off feet prior to walking through the footbath. Ideally, use a pre-wash bath.

**Number of cow passes before filling fresh footbath (approximate):**

---

| <b>Footbath Capacity</b> | <b>Number of Cow Passes *</b> |
|--------------------------|-------------------------------|
| 25 gals                  | up to 250                     |
| 50 gals                  | up to 500                     |
| 100 gals                 | up to 1000                    |

\* Ensure footbath solution is at 5" depth or above at all times. Check depth of solution every 200 cows and top up, as necessary, using a top up solution (mix ½ gallon of Hoofsure Endurance with 5 gallons of water and add to the footbath. Use of heavily soiled footbaths can become a source of infection or re-infection.

**For topical application:** After inspection or trimming, administer a 25% solution of Hoofsure Endurance (i.e. 4 oz Provita Hoofsure Endurance mixed with 20 oz of clean water). Using a sprayer, apply to the hoof once per day for up to 3 weeks.

**BEEF CATTLE For footbath use:** Footbath every 4-6 weeks. Mix Hoofsure Endurance 5:100 (equivalent to a 5% solution - e.g. 5 gallons of Hoofsure Endurance with 100 gal clean water in a 100 gal footbath). Wash dirt and manure off feet prior to walking through the footbath. A 100 gal footbath can have 1000 cow passes before needing filled fresh.

\*Ensure footbath solution is at 5" depth or above at all times. Check depth of solution every 200 cows and top up, as necessary, using a top up solution (mix ½ gallon of Hoofsure Endurance with 5 gallons of water and add to the footbath. Use of heavily soiled footbaths can become a source of infection or re-infection.

**For topical application:** After inspection or trimming, administer a 25% solution of Hoofsure Endurance (i.e. 4 oz Provita Hoofsure Endurance mixed with 20 oz of clean water). Using a sprayer, apply to the hoof.

**SHEEP For footbath use:** Footbath every 2-4 weeks. Mix Hoofsure Endurance 1:100 (equivalent to a 1% solution - e.g. half gallon of Hoofsure Endurance with 50 gal clean water in a 50 gal footbath). When required, a 2% dilution rate may be used. Walk sheep through footbath 3 times or allow sheep to stand in the solution for a short period. A 50 gal footbath can have up to 1000 sheep passes before needing filled fresh.

**Number of sheep passes before filling fresh footbath (approximate):**

| <b>Footbath Capacity</b> | <b>Number of Sheep Passes *</b> |
|--------------------------|---------------------------------|
| 25 gal                   | up to 500                       |
| 50 gal                   | up to 1000                      |

\* Ensure footbath solution is at 3" depth or above at all times. Check depth of solution every 100 sheep and top up, as necessary, using a top up solution (mix ½ gallon of Hoofsure Endurance with 5 gallons of water and add to the footbath).

**For topical application:** After inspection or trimming, administer a 25% solution of Hoofsure Endurance (i.e. 4 oz Provita Hoofsure Endurance mixed with 20 oz of clean water). Using sprayer, apply to the hoof.

**1.25gal  
(4.75 Litres)**

**Provita Eurotech Limited,**  
21 Bankmore Road, Omagh, Co. Tyrone,  
Northern Ireland, BT79 0EU  
**Provita Animal Health LLC**  
4500 140TH Avenue North, Suite 101  
Clearwater, FL 33762  
Tel: + (1) 727 431 9511

Email: [info@provita-animalhealth.com](mailto:info@provita-animalhealth.com)

[www.provita-animalhealth.com](http://www.provita-animalhealth.com)

## **PRINCIPAL DISPLAY PANEL - 992 Litre Drum Label**

### **Provita**

Animal Health Naturally

### **NEW**

### **Hoofsure**

Endurance **XL**

A footbath solution for healthy hooves  
and to aid in the control of footrot

Makes

26,200

Gallons

**NEW**

# Hoofsure Endurance XL

A footbath solution for healthy hooves  
and to aid in the control of footrot



Makes  
**26,200**  
Gallons

829-205-01-01



Hoofsure Endurance is a scientifically proven proprietary blend of organic acids, essential oils and wetting agents specifically designed and formulated to both clean and care for hooves. It does not contain copper, formaldehyde or antibiotics. Hoofsure Endurance is intended for use as part of a hoof maintenance program in conjunction with your veterinarian. Hoof health is dependent on good nutrition, hygiene, management and herd health care. Footbathing is a control measure and not a treatment. To optimize hoof health, a treat and control protocol is recommended. Lamé cows should be identified, footbathed regularly and treated with an appropriate product such as Provita Konquest gel and Provita Combat spray.

**Ingredients:** Organic Acids (Acetic and Formic), Water, Ethanol, Alkoxylated Cetyl Alcohol, Laureth-4, Tea-tree Oil, E124, E133

**Disposal:** Hoofsure Endurance is not subject to bioaccumulation. After use, spent footbath can be disposed of by landfill or flushing to a slurry lagoon in accordance with local regulations.

#### Danger

Flammable liquid and vapour. Harmful if swallowed. Causes severe skin burns and eye damage. Keep away from heat/sparks/open flames/hot surfaces – No smoking. Do not breathe dust / fume / gas / mist / vapours / spray.

Wear protective gloves/ protective clothing/eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing. If symptoms persist, immediately call a POISON

#### Directions for Use

##### Dairy Cattle

**For footbath use:** For optimum results footbath at every milking, every day. Mix Hoofsure Endurance 1:100 (equivalent to a 1% solution - e.g. half gallon of Hoofsure Endurance with 50 gal clean water in a 50 gal footbath). When required, a 2% or above dilution rate may be used. Place footbath in return alley, not in parlor. Wash dirt and manure off feet prior to walking through the footbath. Ideally, use a pre-wash bath.

Number of cow passes before filling fresh footbath (approximate):

| Footbath Capacity | Number of Cow Passes* |
|-------------------|-----------------------|
| 25 gals           | up to 250             |
| 50 gals           | up to 500             |
| 100 gals          | up to 1000            |

\*Ensure footbath solution is at 5" depth or above at all times. Check depth of solution every 200 cows and top up, as necessary, using a top up solution (mix ½ gallon of Hoofsure Endurance with 5 gallons of water and add to the footbath. Use of heavily soiled footbaths can become a source of infection or re-infection.

**For topical application:** After inspection or trimming, administer a 25% solution of Hoofsure Endurance (i.e. 4 oz Provita Hoofsure Endurance mixed with 20 oz of clean water). Using a sprayer, apply to the hoof once per day for up to 3 weeks.

##### Beef cattle

**For footbath use:** Footbath every 4-6 weeks. Mix Hoofsure Endurance 5:100 (equivalent to a 5% solution - e.g. 5 gallons of Hoofsure Endurance with 100 gal clean water in a 100 gal footbath). Wash dirt and manure off feet prior to walking through the footbath. A 100 gal footbath can have 1000 cow passes before needing filled fresh.

\*Ensure footbath solution is at 5" depth or above at all times. Check depth of solution every 200 cows and top up, as necessary, using a top up solution (mix ½ gallon of Hoofsure Endurance with 5 gallons of water and add to the footbath. Use of heavily soiled footbaths can become a source of infection or re-infection.

**For topical application:** After inspection or trimming, administer a 25% solution of Hoofsure Endurance (i.e. 4 oz Provita Hoofsure Endurance mixed





423-170-01-01

symptoms persist, immediately call a POISON CENTER or doctor/physician. In case of fire: Use water, carbon dioxide (CO2), foam, dry powder for extinction. Store in a well-ventilated place. Keep cool. Keep out of reach of children. For animal use only. Do not use in galvanised footbaths.



Batch No: 26268  
Best Before: Jun 2020

**262gal**  
(992 Litres)

640 301-01-01

**Provita Eurotech Limited.**  
21 Bankmore Road, Omagh, Co. Tyrone,  
Northern Ireland, BT79 0EU

**Provita Animal Health LLC**  
4500 140TH Avenue North, Suite 101  
Clearwater, FL 33762  
Tel: + (1) 727 431 9511  
Email: info@provita-animalhealth.com  
www.provita-animalhealth.com

with 20 oz of clean water). Using a sprayer, apply to the hoof.

**Sheep**

**For footbath use:** Footbath every 2-4 weeks. Mix Hoofsure Endurance 1:100 (equivalent to a 1% solution - e.g. half gallon of Hoofsure Endurance with 50 gal clean water in a 50 gal footbath). When required, a 2% dilution rate may be used. Walk sheep through footbath 3 times or allow sheep to stand in the solution for a short period. A 50 gal footbath can have up to 1000 sheep passes before needing filled fresh.

| Number of sheep passes before filling fresh footbath (approximate): |                         |
|---|-------------------------|
| Footbath Capacity   | Number of Sheep Passes* |
| 25 gal  | up to 500               |
| 50 gal  | up to 1000              |

\*Ensure footbath solution is at 3" depth or above at all times. Check depth of solution every 100 sheep and top up, as necessary, using a top up solution (mix ½ gallon of Hoofsure Endurance with 5 gallons of water and add to the footbath).

**For topical application:** After inspection or trimming, administer a 25% solution of Hoofsure Endurance (i.e. 4 oz Provita Hoofsure Endurance mixed with 20 oz of clean water). Using sprayer, apply to the hoof.

# PROVITA HOFSURE ENDURANCE XL

formic acid solution, concentrate

## Product Information

|                                |                 |                           |               |
|--------------------------------|-----------------|---------------------------|---------------|
| <b>Product Type</b>            | OTC ANIMAL DRUG | <b>Item Code (Source)</b> | NDC:16371-106 |
| <b>Route of Administration</b> | TOPICAL         |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| FORMIC ACID (UNII: 0YW783RG1) (FORMIC ACID - UNII:0YW783RG1) | FORMIC ACID       | 608 g in 1 L |

## Inactive Ingredients

| Ingredient Name                  | Strength |
|----------------------------------|----------|
| CETYL ALCOHOL (UNII: 936JST6JCN) |          |
| LAURETH-4 (UNII: 6HQ855798J)     |          |

## Product Characteristics

|                 |      |                     |  |
|-----------------|------|---------------------|--|
| <b>Color</b>    | BLUE | <b>Score</b>        |  |
| <b>Shape</b>    |      | <b>Size</b>         |  |
| <b>Flavor</b>   |      | <b>Imprint Code</b> |  |
| <b>Contains</b> |      |                     |  |

## Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:16371-106-01 | 4.75 L in 1 DRUM    |                      |                    |
| 2 | NDC:16371-106-02 | 19 L in 1 DRUM      |                      |                    |
| 3 | NDC:16371-106-03 | 57 L in 1 DRUM      |                      |                    |
| 4 | NDC:16371-106-04 | 114 L in 1 DRUM     |                      |                    |
| 5 | NDC:16371-106-05 | 209 L in 1 DRUM     |                      |                    |
| 6 | NDC:16371-106-07 | 992 L in 1 DRUM     |                      |                    |

## Marketing Information

| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| UNAPPROVED DRUG OTHER |  | 01/04/2004           |                    |

**Labeler** - Provita Eurotech Ltd (238318232)

## Establishment

| Name                 | Address | ID/FEI    | Business Operations                                 |
|----------------------|---------|-----------|---|
| Provita Eurotech Ltd |         | 220688192 | MANUFACTURE, PACK, LABEL, ANALYSIS, API MANUFACTURE |

Revised: 10/2018

Provita Eurotech Ltd