

HEADACHE RELIEF TO GO- aspirin and caffeine powder **Breakthrough Products Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Headache Relief to Go™

Drug Facts

Active Ingredients (per powder)	Purpose
Aspirin 325 mg (NSAID)*	Pain reliever
Caffeine 30 mg	Pain reliever aid

* nonsteroidal anti-inflammatory drug

Uses

- temporarily relieves
- muscle pain
- minor arthritis pain
- headache
- pain and fever of colds

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chickenpox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for longer than directed

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

When using this product limit use of caffeine containing drugs, foods, or drinks, because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat

Stop use and ask a doctor if

- an allergic reaction occurs (seek medical help right away)
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- fever lasts more than 3 days
- new symptoms occur
- ringing in the ears or a loss of hearing occurs
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over

- see instructions above for opening packet
- place 1-2 powders on the tongue and swallow with or without water
- repeat every 4-6 hours, while symptoms persist
- do not take more than 8 powders in 24 hours
- children under 12 years: Ask a doctor

Inactive ingredients

acesulfame potassium, citric acid, flavor, glucose, sucralose

Questions?

1-888-99-URGENT (Mon-Fri 9AM-5PM MDT)

**Do not use if pouch
is torn or open**

distributed by
URGENT Rx®
Breakthrough Products, Inc.
Denver, CO 80202

PRINCIPAL DISPLAY PANEL - Pouch Label

New!

**RIGHT
NOW
RELIEF™**

No Liquid Required
FAST POWDERS™
Pour Directly In Mouth

SEE OPENING INSTRUCTIONS ON BACK PANEL

**HEAD
ACHE**

URGENT Rx®

**RELIEF
TO-GO™**

ASPIRIN (NSAID) + CAFFEINE / PAIN RELIEVER + ADJUVANT

lemon-lime

distributed by UrgentRx
1 POWDER PACK

New!

RIGHT NOW RELIEF.



SEE OPENING INSTRUCTIONS ON BACK PANEL

HEADACHE



RELIEF TO-GO

ASPIRIN (NSAID) + CAFFEINE / PAIN RELIEVER + ADJUVANT

lemon-lime

distributed by UrgentRx

1 POWDER PACK

www.urgentRx.com

Do not use if pouch is torn or open

Headache Relief to Go

distributed by URGENT RX®

Breakthrough Products, Inc. Denver, CO 80202

US Pat. No 8,376,140



Fold Top and Store in Purse or Wallet

Drug Facts

Active Ingredients (per powder)

Aspirin 325 mg (NSAID)* Pain reliever
Caffeine 30 mg Pain reliever aid

*nonsteroidal anti-inflammatory drug

Uses temporarily relieves muscle pain minor arthritis pain headache pain and fever of colds

Warnings Reye's syndrome: Children and teenagers who have or are recovering from chickenpox or flu-like symptoms should not use this product.

When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include: hives facial swelling asthma (wheezing) shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older have had stomach ulcers or bleeding problems take a blood thinning (anticoagulant) or steroid drug take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) have 3 or more alcoholic drinks every day while using this product take more or for longer than directed

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer Ask a doctor before use if stomach bleeding warning applies to you you have a history of stomach problems, such as heartburn you have high blood pressure, heart disease, liver cirrhosis, or kidney disease you are taking a diuretic you have asthma Ask a doctor or pharmacist before use if you are taking a prescription drug for gout diabetes arthritis

When using this product limit use of caffeine containing drugs, foods, or drinks, because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat Stop use and ask a doctor if an allergic reaction occurs (seek medical help right away) pain gets worse or lasts more than 10 days redness or swelling is present fever lasts more than 3 days new symptoms occur ringing in the ears or a loss of hearing occurs you experience any of the following signs of stomach bleeding: feel faint vomit blood have bloody or black stools have stomach pain that does not get better

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions adults and children 12 years and over see instructions above for opening packet Place 1-2 powders on the tongue and swallow with or without water Repeat every 4-6 hours, while symptoms persist Do not take more than 8 powders in 24 hours children under 12 years: Ask a doctor

Inactive ingredients acetic acid, citric acid, flavor, glucose, sucralose

Questions? 1-888-99-URGENT (Mon-Fri 9AM-5PM MDT)

TO OPEN 1) FOLD ON LINE TO EXPOSE NOTCH 2) WHILE FOLDED, TEAR AT NOTCH (or use scissors)

HEADACHE RELIEF TO GO

aspirin and caffeine powder

Product Information

Table with 4 columns: Product Type, Route of Administration, Item Code (Source), NDC:51596-007

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
aspirin (UNII: R16CO5Y76E) (aspirin - UNII:R16CO5Y76E)	aspirin	325 mg
caffeine (UNII: 3G6A5W338E) (caffeine - UNII:3G6A5W338E)	caffeine	30 mg

Inactive Ingredients

Ingredient Name	Strength
acesulfame potassium (UNII: 23OV73Q5G9)	
anhydrous citric acid (UNII: XF417D3PSL)	
dextrose (UNII: IY9XDZ35W2)	
sucralose (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor	LEMON (Lemon-Lime)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51596-007-05	5 in 1 BOX		
1	NDC:51596-007-01	1 in 1 POUCH		
2	NDC:51596-007-12	12 in 1 BOX		
2	NDC:51596-007-01	1 in 1 POUCH		
3	NDC:51596-007-24	24 in 1 BOX		
3	NDC:51596-007-01	1 in 1 POUCH		
4	NDC:51596-007-01	1 in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	10/01/2012	

Labeler - Breakthrough Products Inc. (962008251)

Revised: 11/2013

Breakthrough Products Inc.