

MEDERMA- avobenzone, octocrylene, and oxybenzone cream
Merz Pharmaceuticals, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mederma®
CREAM

Mederma® Cream should be evenly applied and gently rubbed into the scar 3 times daily for 8 weeks on new scars, and 3 times daily for 3-6 months on existing scars. Also apply Mederma® Cream to the scar before sun exposure.

Children under 6 months of age: ask a doctor.

Active Ingredients

AVOBENZONE 3%, OCTOCRYLENE 10%, OXYBENZONE 6%

Inactive Ingredients

WATER, ALLIUM CEPA (ONION) BULB EXTRACT, C12-15 ALKYL BENZOATE, DICAPRYLYL CARBONATE, HYDROGENATED LECITHIN, CAPRYLIC/CAPRIC TRIGLYCERIDE, PANTHENOL, PENTYLENE GLYCOL, PHENOXYETHANOL, BUTYROSPERMUM PARKII (SHEA BUTTER), GLYCERIN, AMMONIUM ACRYLOYL-DIMETHYLTAURATE/VP COPOLYMER, FRAGRANCE, SQUALANE, METHYLPARABEN, XANTHAN GUM, DISODIUM EDTA, CERAMIDE 3, SODIUM HYALURONATE, BUTYLPARABEN, ETHYLPARABEN, PROPYLPARABEN, ISOBUTYLPARABEN.

Warnings

For external use only.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

Do not use on open wounds.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Store at room temperature.

For more information call 1-888-925-8989 or visit www.mederma.com

**Manufactured for Merz Pharmaceuticals, Greensboro, NC 27410
Made in Germany © 2007 Merz Pharmaceuticals**

PRINCIPAL DISPLAY PANEL - 20 g Tube Carton

SKIN CARE FOR SCARS™

MEDERMA®

+SPF 30

SCAR

CREAM

NET WT. 0.70 OZ. (20g)

MERZ

#1 DOCTOR & PHARMACIST
RECOMMENDED BRAND FOR SCARS

+SPF 30
SUNSCREEN

REDUCES THE APPEARANCE OF
OLD & NEW SCARS

Clinically shown to improve the softness,
texture and appearance of scars resulting from:
INJURY | SURGERY | BURNS | ACNE


501552
Rev. 12/12
Regular

SKIN CARE FOR SCARS™
MEDERMA®
+SPF 30 SCAR
CREAM

NET WT. 0.70 OZ. (20g)



SKIN CARE FOR SCARS™
MEDERMA®
+SPF 30 SCAR
CREAM



MN 59723
MC 1039
MZ 998



Manufactured for Merz Pharmaceuticals, LLC, Greensboro, NC 27410. Made in Germany ©2012 Merz Pharmaceuticals, LLC. Sign up for e-alerts, email, or text reminders at mederma.com/reminders



*Actual results using original Mederma® Gel.



ACTUAL
PHOTOS

AFTER

BEFORE

Drug Facts
Active Ingredients: Avobenzone 5%, Octocrylene 10%, Oxybenzone 6%, Sunscreen
Uses: Helps prevent sunburn.
Warnings: Skin cancer/ skin aging: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown to help prevent sunburn, not skin cancer or early skin aging.
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
Directions: For sunscreen use: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. Use a water resistant sunscreen if swimming or sweating.
Other Information: Store at room temperature. Protect this product from excessive heat and direct sun.

FOR SCARS: Helps reduce the appearance of scars. Apply evenly and gently rub into the scar at least 3 times daily for 8 weeks on new scars, and at least 3 times daily for 3-6 months on existing scars.

GUARANTEED RESULTS OR YOUR MONEY BACK

MEDERMA

avobenzone, octocrylene, and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0259-3192
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	60 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ONION (UNII: 492225Q21H)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PANTHENOL (UNII: WW9CM0067Z)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SHEA BUTTER (UNII: K49155WL9Y)	
GLYCERIN (UNII: PDC6A3C0OX)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
SQUALANE (UNII: GW89575KF9)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CERAMIDE NP (UNII: 4370DF050B)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
ETHYLPARABEN (UNII: 14255EXE39)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
C12-15 ALCOHOLS (UNII: 2C8M6XLB5C)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0259-3192-05	0.5 g in 1 PACKET; Type 0: Not a Combination Product	12/01/2007	08/31/2023
2	NDC:0259-3192-20	1 in 1 CARTON	12/01/2007	08/31/2023
2		20 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0259-3192-50	1 in 1 CARTON	12/01/2007	08/31/2023
3		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2007	08/31/2023

Labeler - Merz Pharmaceuticals, LLC (126209282)

Revised: 2/2022

Merz Pharmaceuticals, LLC