ALLERGY RELIEF- diphenhydramine hcl tablet, film coated Walgreen Company

Walgreens 44-329 Allergy Relief

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and	1 to 2
over	tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number
- protect from moisture

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

NDC 0363-3291-12

Walgreens

Compare to the active ingredient in Benadryl® Allergy ULTRATAB® Tablets^{††}

WALGREENS PHARMACIST RECOMMENDED[†]

Relieves allergy symptoms

Allergy Relief

DIPHENHYDRAMINE HCl 25 mg / ANTIHISTAMINE

• Relief of runny nose, sneezing, itchy throat & itchy, watery eyes

100

COATED MINI TABS

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets.
50844 ORG072132912

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
© 2021 Walgreen Co.



Relieves allergy symptoms

Allergy Relief

DIPHENHYDRAMINE HCI 25 mg / ANTIHISTAMINE

 Relief of runny nose, sneezing, itchy throat & itchy, watery eyes







©2021 Walgreen Co.

walgreens.com

100% SATISFACTION GUARANTEED

200 WILMOT RD., DEERFIELD, IL 60015

DISTRIBUTED BY: WALGREEN CO.


ORG072132912

11This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryle Allergy ULTRATRE Tablets.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.



W30RG0821-F2



microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stesric scid, talc, titanium dioxide phosphate dihydrate, magnesium stearate, D&C red #27 aluminum lake, dibasic calcium Inactive ingredients com starch,

Drug Facts (continued)

number protect from moisture ■ see end flap for expiration date and lot ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ esch tablet contains: calcium 30 mg Other information

children under 6 years	asu fon ob
years	(2000)
Children 6 to under 12	1 tablet
years and over	
adults and children 12	to 2 tablets

Drug Facts (continued)

■ do not take more than 6 times in 24 hours

■ take every 4 to 6 hours, or as directed by a ■ do not take more than directed Directions

Poison Control Center right away. overdose, get medical help or contact a Keep out of reach of children. In case of

professional before use. If pregnant or breast-feeding, ask a health

- excitability may occur, especially in or operating machinery
- nee cention when driving a motor vehicle increase drowsiness
- alcohol, sedatives, and tranquilizers may
 - avoid alcoholic beverages marked drowsiness may occur When using this product

are taking sedatives or tranquilizers. Ask a doctor or pharmacist before use if you

Drug Facts (continued)

the prostate gland qitticulty in urination due to enlargement of

or chronic bronchitis

glaucoma ■ s preathing problem such as emphysema Ask a doctor before use if you have

diphenhydramine, even one used on skin ■ with any other product containing ■ to wake a child sleepy Do not use Warnings

> ■ Lunny nose ■ sneezing to the common onto:

- temporarily relieves these symptoms due
- itching of the nose or throat Buizaans ■ ■ itchy, watery eyes ■ runny nose respiratory allergies: symptoms due to hay fever or other upper

USes = temporarily relieves these

enimstsirlitnA...

Drug Facts

Diphenhydramine HCI 25 mg. (in each tablet) Purpose Active ingredient

No print/No varnish Lot & Exp date



Walgreens 44-329

ALLERGY RELIEF

diphenhydramine hcl tablet, film coated

Drodi	ict	Infoi	rmation	ı
FIUUI	466		IIIaliui	

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-3291

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHI ORIDE	25 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics				
Color	pink	Score	no score	
Shape	OVAL	Size	11mm	
Flavor		Imprint Code	44;329	
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:0363- 3291-08	2 in 1 CARTON	09/27/2021				
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product					

2	NDC:0363- 3291-22	4 in 1 CARTON	09/27/2021	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363- 3291-12	1 in 1 CARTON	09/27/2021	
3		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	09/27/2021			

Labeler - Walgreen Company (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-3291)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-3291) , pack(0363-3291)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-3291)

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		868734088	manufacture(0363-3291)		

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		967626305	pack(0363-3291)		

Revised: 9/2023 Walgreen Company