

**EQUATE SUPHEDRINE PE- phenylephrine hydrochloride tablet**  
**Wal-Mart Stores Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Wal-Mart Suphedrine PE Drug Facts**

**Active ingredient (in each tablet)**

Phenylephrine HCl 10 mg

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- diabetes

**When using this product**

do not exceed recommended dosage

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 1 tablet every 4 hours</li><li>• do not take more than 6 tablets in 24 hours</li></ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)
- do not use if blister unit is broken or torn

**Inactive ingredients**

anhydrous dibasic calcium phosphate, carnauba wax, FD&C red no. 40 aluminum lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

**Questions or comments?**

1-888-287-1915

**Principal Display Panel**

Compare to Sudafed PE® Congestion Active Ingredient

Congestion

Suphedrine PE

Phenylephrine HCl Tablets, 10 mg

Nasal Decongestant

Non-Drowsy

Relieves:

Sinus Pressure

Congestion

Maximum Strength

10 mg

24 TABLETS

Actual Size

**equate™**

**Congestion**  
**Suphedrine PE**  
Phenylephrine HCl Tablets, 10mg  
Nasal Decongestant

NDC 48035-131-62

**equate™**

**Compare to Sudafed PE® Congestion Active Ingredient\***

**Congestion**

**Suphedrine PE**

Phenylephrine HCl Tablets, 10 mg  
Nasal Decongestant

**Non-Drowsy**

**Relieves:**

- Sinus Pressure
- Congestion

**Maximum Strength**

**10 mg** **24 TABLETS**



Actual Size



Important: Read all product information before using. Keep this box for important information.

**Drug Facts**

**Active Ingredient (in each tablet)** Purpose  
Phenylephrine HCl 10 mg..... Nasal decongestant

**Uses**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever, or other upper respiratory allergies

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dosage

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**

**Directions**

- |                                       |   |
|---------------------------------------|---|
| adults and children 12 years and over | ■ take 1 tablet every 4 hours                 |
|                                       | ■ do not take more than 6 tablets in 24 hours |
| children under 12 years               | ask a doctor                                  |

**Other Information**

- store at 20-25 °C (68-77 °F)
- do not use if blister unit is broken or torn

**Inactive Ingredients** anhydrous dibasic calcium phosphate, camber wax, FD&C red no. 40 aluminum lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

**Questions or comments?** 1-888-287-1915

**Gluten-Free**

DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Sudafed PE® Congestion.

0942221

Code Area

OPEN OTHER END

CONVENIENT RE-CLOSING TAB

Satisfaction guaranteed - Or we'll replace it or

164152





give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.



## EQUATE SUPHEDRINE PE

phenylephrine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-131
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	

### Product Characteristics

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	L7
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-131-89	18 in 1 CARTON	03/21/2014	03/14/2018
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:49035-131-68	36 in 1 CARTON	03/21/2014	03/14/2018
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:49035-131-62	24 in 1 CARTON	07/19/2016	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/21/2014	

**Labeler** - Wal-Mart Stores Inc (051957769)

Revised: 10/2016

Wal-Mart Stores Inc