

**OXYGEN- oxygen gas**  
**TECH AIR OF CALIFORNIA, INC.**

-----  
**oxygen**

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID

UN1073

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.**

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials.

Keep and store away from clothing and other combustible materials.

Keep valves and fittings free from grease and oil.

Use and store only outdoors or in a well-ventilated place.

Wear cold insulating gloves, face shield, and eye protection.

In case of fire: Stop leak if safe to do so.

Use a back flow preventive device in the piping.

Use only with equipment of compatible materials of construction and rated for cylinder pressure.

Use only with equipment cleaned for oxygen service.

DO NOT change or force fit connections.

Avoid spills. Do not walk on or roll equipment over spills.

Close valve after each use and when empty.

Always keep container in upright position.

Read and follow the Safety Data Sheet (SDS) before use.


**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

**DO NOT REMOVE THIS PRODUCT LABEL.**

Techair

50 MILL PLAIN RD  
DANBURY, CT 06811  
800-949-5157



## OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

Techair

50 MILL PLAIN RD  
DANBURY, CT 06811  
800-949-5157



<b>OXYGEN</b>				
oxygen gas				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:72318-001	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	900 mL in 1 L	
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72318-001-01	102 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
2	NDC:72318-001-02	141 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
3	NDC:72318-001-03	149 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
4	NDC:72318-001-04	178 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
5	NDC:72318-001-05	234 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
6	NDC:72318-001-06	387 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
	NDC:72318-001			

7	NDC:72318-001-07	643 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
8	NDC:72318-001-08	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
9	NDC:72318-001-09	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
10	NDC:72318-001-10	3540 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
11	NDC:72318-001-11	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
12	NDC:72318-001-12	4361 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
13	NDC:72318-001-13	7100 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
14	NDC:72318-001-14	9401 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
15	NDC:72318-001-15	141159 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
16	NDC:72318-001-16	145973 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	
17	NDC:72318-001-17	137053 L in 1 CYLINDER; Type 0: Not a Combination Product	04/11/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206023	04/11/2018	

**Labeler** - TECH AIR OF CALIFORNIA, INC. (088425067)

**Registrant** - TECH AIR OF CALIFORNIA, INC. (088425067)

## Establishment

Name	Address	ID/FEI	Business Operations
TECH AIR OF CALIFORNIA, INC.		088425067	manufacture(72318-001)

## Establishment

Name	Address	ID/FEI	Business Operations
Alliance Welding Supply dba TECH AIR OF NORTHERN CALIFORNIA LLC		961655144	manufacture(72318-001)

Revised: 12/2018

TECH AIR OF CALIFORNIA, INC.