

**BARYTA IODATA- barium iodide pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Baryta iodata 30C**

Baryta iodata 30C HPUS

Less than 10<sup>-12</sup> mg barium per pellet

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Relieves sore throat worsened by cold and wet weather \*

Uses: See symptoms on front panel.

**Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

**BoironUSA.com Info@boiron.com**

**1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Baryta iodata

30<sup>c</sup>

Relieves sore throat worsened by cold and wet weather\*

BOIRON®

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-0789-41

Less than 10<sup>-12</sup> mg barium per pellet

Do not use if pellet dispenser seal is broken

	LOT	EXP
3	06960	10413
1		

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

Baryta iodata 30<sup>c</sup>

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

### Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

### Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

**Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

Baryta iodata

30<sup>c</sup>

Sore throat worsened by cold and wet weather\*

BOIRON®  
HOMEOPATHIC MEDICINE Made in France

HPUS NDC 0220-0789-41

Less than 10<sup>-12</sup> mg barium per pellet

Baryta iodata 30<sup>c</sup>

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Do not use if pellet dispenser seal is broken

0 c



LOT:

EXP:

3

06960

10413

13

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

MEOPATHIC PRACTICE,  
NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

**Questions or comments?**

BoironUSA.com Info@Boiron.com



1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see  
BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to  
dispense pellets?



Turn tube upside  
down.



Twist until 5 pellets  
are dispensed  
into cap.



Carefully remove cap  
and use it to pour pellets  
under the tongue.

**Baryta iodata**

**30<sup>c</sup>**

HPUS NDC 0220-0789-41

 **BOIRON®**  
**HOMEOPATHIC MEDICINE** Made in France

**Sore throat worsened by cold and wet  
weather.\***



Lot:

Exp:

3

06960

10413

1

Contains approx. 80 pellets.

US

**Peel for Drugs Facts and instructions for use.**

Baryta iodata 30 c

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,  
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## **Drug Facts**

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients:** lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com


1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073





**BARYTA IODATA**

barium iodide pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-0789
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BARIUM IODIDE (UNII: WKC4T7680A) (BARIUM CATION - UNII:V645272HLN)	BARIUM IODIDE	30 [hp_C] in 30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-0789-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	05/03/1983	

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
unapproved homeopathic		05/03/1983	

**Labeler -** Boiron (282560473)

**Registrant -** Boiron Inc. (014892269)

**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-0789)