

WAL-FINATE D- chlorpheniramine maleate, pseudoephedrine tablet
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-382

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg
Pseudoephedrine HCl 60 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms associated with the common cold, hay fever or other upper respiratory allergies:
 - runny nose
 - nasal congestion
 - sneezing
 - itchy, watery eyes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the taking the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- glaucoma
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dose**
- drowsiness may occur
- avoid alcoholic drinks

- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful with driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.
- children under 12 years: do not use this product in children under 12 years of age

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous lactose, corn starch, FD&C blue #1 aluminum lake, fumed silica gel, magnesium stearate, microcrystalline cellulose, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

Well at

Walgreens

WALGREENS PHARMACIST RECOMMENDED[®]

NDC 0363-0382-22

MAXIMUM STRENGTH

Wal-Finate™ D

4 Hour Allergy

Decongestant

Pseudoephedrine HCl 60 mg / Nasal Decongestant

Chlorpheniramine Maleate 4 mg / Antihistamine

- Relief of runny nose, sneezing, itchy nose or throat, nasal congestion & itchy, watery eyes due to hay fever or other respiratory allergies

48 TABLETS

Actual Size

4 HOUR

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens

100%

SATISFACTION

GUARANTEED

walgreens.com ©2013 Walgreen Co.
ITEM 618970

▣Walgreens Pharmacist Survey Study,
November 2010.

50844 ORG061238222

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Walgreens Pharmacist Survey Study
November 2010
50844 ORG061238222

ITEM 618970
1191704297

100% SATISFACTION
Walgreens
200 WILMOT RD., DEERFIELD, IL 60015
walgreens.com ©2013 Walgreen Co.

OMIT B

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Drug Facts
RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each tablet)
Chlorpheniramine maleate 4 mg, Pseudoephedrine HCl 60 mg, Nasal decongestant

Purpose
Antihistamine
Nasal decongestant

Uses
temporarily relieves these symptoms associated with the common cold, hay fever or other upper respiratory allergies: runny nose, nasal congestion, sneezing, itchy, watery eyes

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have heart disease, high blood pressure, diabetes, glaucoma, enlarged prostate gland, or thyroid disease.
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
When using this product do not exceed recommended dose
excitability may occur, especially in children
alcohol, sedatives and tranquilizers may increase drowsiness

Drug Facts (continued)
Be careful when driving a motor vehicle or operating machinery.
Stop use and ask a doctor if nervousness, dizziness, or sleeplessness occur
Symptoms do not improve within 7 days or occur with a fever
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
adults and children 12 years and over: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.
children under 12 years: do not use this product in children under 12 years of age

Other information
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number

Inactive ingredients
anhydrous lactose, corn starch, FD&C blue #1 aluminum lake, ferric silicate, magnesium stearate, microcrystalline cellulose, stearic acid

(Questions or comments?) 1-800-426-9391

B-2201-382-22-R
ORG061238222

MAXIMUM STRENGTH
Wal-Finate™ D
4 Hour Allergy Decongestant

Well at Walgreens
WALGREENS PHARMACIST RECOMMENDED*

ORG1212-F

MAXIMUM STRENGTH
Wal-Finate™ D
4 Hour Allergy Decongestant

Well at Walgreens
WALGREENS PHARMACIST RECOMMENDED*

NDC 0383-0382-22

Pseudoephedrine HCl 60 mg / Nasal Decongestant
Chlorpheniramine Maleate 4 mg / Antihistamine

- Relief of runny nose, sneezing, itchy nose or throat, nasal congestion & itchy, watery eyes due to hay fever or other respiratory allergies

48 TABLETS Actual Size 4 HOUR

LEBG31 30

Walgreen 44-382

WAL-FINATE D

chlorpheniramine maleate, pseudoephedrine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0382
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DD19F)	PSEUDOEPHEDRINE HYDROCHLORIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	BLUE	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;382
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0382-22	4 in 1 CARTON	05/21/2001	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	05/21/2001	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(0363-0382)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(0363-0382)

Revised: 9/2017

Walgreen Company