

**SENNA S- sennosides and docusate sodium tablet, coated**  
**Medline Industries, LP**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**989 Senna S Sennosides 8.6mg and Docusate Sodium 50mg**

***Active ingredient (in each tablet)***

- Docusate sodium 50 mg
- Sennosides 8.6 mg

***Purpose***

Stool softener laxative

Stimulant laxative

***Uses***

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6 -12 hours

***Warnings***

**Do not use**

- this product if you are presently taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- a sudden change in bowel movements that persists over 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- take preferably at bedtime or as directed by a doctor
- if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed maximum dosage) or decrease dose until you are comfortable

<b>age</b>	<b>starting dosage</b>	<b>maximum dosage</b>
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

### **Other information**

- **each tablet contains:** calcium 20 mg, sodium 6 mg (VERY LOW SODIUM)
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### **Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, D&C yellow#10 aluminum lake, FD&C yellow#6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

### **Questions or comments?**

Call toll free **1-800-MEDLINE (633-5463)**  
Monday-Friday 9AM-5PM CST

### **Manufacturing Information**

Manufactured for:  
Medline Industries, LP  
Three Lakes Drive, Northfield, IL 60093 USA  
Made in USA with domestic and foreign materials  
www.medline.com  
1-800-MEDLINE (633-5463)  
REF: OTCM00011  
V1 RE22HND

### **Package Label**

**Drug Facts**

**Active ingredients (in each tablet)**  
 Docusate sodium 50 mg..... Stool softener laxative  
 Senosides 8.6 mg..... Stimulant laxative


**Purposes**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces a bowel movement in 6 -12 hours

**Uses**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces a bowel movement in 6 -12 hours

**Warnings**  
 Do not use ■ this product if you are presently taking mineral oil, unless directed by a doctor  
 ■ laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**  
 ■ stomach pain ■ nausea ■ vomiting  
 ■ a sudden change in bowel movements that persists over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.



NDC: 53329-989-62

\*Compare to the active ingredient in Senokot-S\*

## Senna S

Natural Vegetable Stimulant Laxative & Stool Softener Laxative  
 Docusate Sodium, 50 mg  
 Senosides, 8.6 mg

● Gently relieves constipation overnight

**60** Tablets

8 2769607 7 88277 8

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

www.medline.com Made in the USA with U.S. and Foreign Components. Manufactured by Medline Industries, L.P., Three Lakes, Drive, Itasca, IL 60143 USA  
 \*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot-S\*

REF: OTCM00011

PEEL HERE

Hinge Area

**Drug Facts (continued)**  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ take preferably at bedtime or as directed by a doctor  
 ■ if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed maximum dosage) or decrease dose until you are comfortable.

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 20 mg, sodium 6 mg (VERY LOW SODIUM)  
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

**Questions or comments?**  
 Call toll free 1-800-MEDLINE (633-5463)  
 Monday-Friday 9AM-5PM CST

## SENNAS

sennosides and docusate sodium tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53329-989
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	

<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I3O)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	score with uneven pieces
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL;081
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-989-62	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/22/2018	



### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part334	05/22/2018	

**Labeler** - Medline Industries, LP (025460908)

**Registrant** - Medline Industries, LP (025460908)

Revised: 12/2022

Medline Industries, LP