FIRST AID VALUE PACK - 77 PIECES - bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine, isopropyl alcohol, benzalkonium chloride Ready America, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

First Aid Value Pack 77 Pieces

Active Ingredients

Active Ingredient:Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Purpose

Triple Antibiotic

Uses: To help prevent infection in:

minor cuts; scrapes; burns

Warnings

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

Inactive Ingredient

water

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Triple Antibiotic Ointment 10pcs

Net wt. 0.9g (1/32oz)

100

Triple Antibiotic

Active Ingredients

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

Purpose

Purpose: First aid antiseptic, external analgesic

Uses

First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Do not use:

in the eyes or apply over large areas of the body. longer than 1 week unless directed by a doctor. in large quantities, particularly over raw surfaces or blistered areas.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

When using this product, avoid contact with the eyes.

Stop use and ask a doctor if condition worsens symptoms persist for more than 7 days condition clears up and occurs again within a few days

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older

clean affected area.

apply a small amount of this product on the area 1 to 3 times daily.

may be covered with a sterile bandage

children under 2 years of age: consult a doctor

Other Information:

Store at room temperature (do not freeze).

Taper evident sealed packets.

Do not use packet if opened or torn.

Inactive Ingredients

Aloe vera, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, irolamine

LOT/EXP: Made in CHINA

20130301

GFA Production Xiamen Co., Ltd No. 20 Huli Industrial Park, Meixi Road, Tong'an, Xiamen, Fujian, China 361100 Tel: 86-592-7269515 Fax: 86-592-7269528 Http://www.gfaproduction.com

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Active Ingredient

Active Ingredient:

Isopropyl Alcohol, 70% v/v

Purpose

Antiseptic

Use

For preparation of skin before injection.

Warnings

For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Directions

Wipe Injection site vigorously and discard.

Inactive Ingredient

Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

100 Alcohol cleansing pads

Reorder GFAP-39-02

Active Ingredient

Active Ingredient:

Benzalkonium Chloride 0.40%

Purpose

Antiseptic

Use

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredients

Inactive Ingredient: Purified water

LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

First Aid Value Pack

77 pieces (for wound care)

Big Value

77 Pieces

Includes critical supplies (for wound care) not found in other kits

Be prepared away from home

Recommended by Health Care Professionals

Ready America

The disaster supply professionals

REORDER AST-001

Antiseptic Towelette

Toallitas Antisepticas



Genuine First Aid LLC, Clearwater FL 33755 www.GenuineFirstAid.com





GENUINE FIRST AID.



HER

DRUG FACTS - Antiseptic Towelette

Active Ingredient: Purpose:

Benzalkonium Chloride 0.40%..First Aid Antiseptic
Use: For Professional and Hospital use. Helps
prevent infection. Antiseptic cleansing of face,
hands and body without soap and water.

hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use. Inactive ingredient: Purified water

Made in CHINA

LOT/EXP:

Reorder BC-001

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

ACTIVE INGREDIENTS:
Benzalkonium
Chloride 0.13%
Lidocaine HCL 0.5%

Net Wt 0.9g · (1/32 oz)



Drug Facts First aid antiseptic, Purpose: external analgesic Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with: • minor cuts scrapes • burns Warnings: For external use only Do not use • in eyes • in large quantities • over raw blistered areas, or on deep puncture wounds, animal bites or serious burns • for more than one week Keep out of reach of children. If ingested, contact a Poison Control Center right away. Directions: • clean affected area apply small amount not more than 3 times daily • may be covered with a sterile bandage Other information: Store at room temperature LOT/EXP:

REORDER ACP-001

Alcohol Cleansing Pad

Toallitas Humedas con Alcohol



Genuine First Aid LLC, Clearwater FL 33755 www.GenuineFirstAid.com





GENUINE FIRST AID.



DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient: Purpose: Isopropyl Alcohol, 70% v/v Antiseptic I Use: For preparation of the skin before injection. Warnings: For external use only. Flammable - keep away from fire or flame. Do not use: with electrocautery, in the eyes Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Wipe injection site vigorously and Other information: Store at room temperature 15°-30° C (59°-86° F) Inactive ingredient: Purified water.

LOT/EXP:

Made in CHINA

Reorder TAO-001

Genuine Triple Antibiotic

First Aid Ointment To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt 0.5g · (1/64 oz)



Drug Facts

Uses: To help prevent infection in • minor cuts • scrapes • burns Warnings:

For external use only
Do not use • in eyes • over large
areas of the body • if allergic to
any of the ingredients • for more
than one week unless directed
by a physician

Stop use and consult a doctor
• if the condition persists or gets
worse • a rash or other allergic
reaction develops
Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.
Directions: • clean affected area
• apply small amount of this product
(an amount equal to the surface
area of the tip of a finger) on the

area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage Other information:

Store at room temperature LOT/EXP:

First Aid Value Pack

Botiquin de Primeros Auxilios Paquete Economico











- Includes Critical Supplies (for wound care) not found in other kits
- Be prepared away from home
- Recommended by

 Health Care Professionals





- Incluye artículos críticos para el cuidado de heridas que no se encuentran en otros equipos
- Estar preparados fuera de casa
- Recomendado por profesionales de la salud

First Aid Value Pack

Botiquin de Primeros Auxilios Paquete Economico

77 pieces 77_{piezas}

74012	First Aid Value Pack
Qty	Item Description
12	Adhesive Bandage Fabric 1" x 3
6	Adhesive Bandage 1" x 3"
12	Adhesive Bandage 3" x 3/4"
6	Adhesive Bandage 1 3/4" x 3/8"
3	X-Large Strip
2	Knuckle Bandage
2	Fingertip Bandage
2	Butterfly Closure
1	Moleskin 2" x 2"
1	Tape Ro
1	Triangular Bandage
1	Trauma Pad (5x9)
1	Eye Pad
4	Gauze Pad 2" x 2"

74012	First Aid Value Pack
Qty	Item Description
2	Gauze Pad 3" x 3"
1	Gauze Roll 2"
2	Examination Gloves
1	Instant Cold Pack
1	Tweezer
2	Antibiotic Ointment
2	Burn Cream
6	Alcohol Pads
3	Antiseptic Towelettes
1	Safety Pin
1	First Aid Guide
1	Case w/Label
77	# of Pieces

74012 Bollquin de Primeros Austilos Pagusto Economico
Day Descripción de Articulos
13. Vende Adhesiva de Teja 1" x 3"
9 Venda Adheshu 1" x 3"
13 Venda Adhestva 3" x 3M"
6 Venda Adhesiya 1 2H" x 3/6"
3 Danda Extra Large
2 Venda Para Madillo
 Vendule para las puntas de los dedos
2 Cleme de Maripona
1 Vends and amport 2" x 2"
1 Rollo de Cinta
1 Vendade Treingular
1 Americado e de Trauma (SXII)
1 Amohad a para os Ojes
4 Gases 2" x 2"
2 Gange 3' x 3'
1 Reillo de Gana 2"
2 Guartes de Examen
1 Compress Fris Instantines.
Pinces
2 Pomada Artibistica
2 Crema para Quemaduras
E Top Bas de Acobo
2 Too Ban Artinoptions
1 mperilie
1 Guila de Primeros Aux los
1 Cala con etiqueta
T7 f of Pieces



FIRST AID VALUE PACK - 77 PIECES

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine, isopropyl alcohol, benzalkonium chloride kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:76007-012

Packaging

11.0				
1	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:76007-012-77	1 in 1 KIT		

Quantity of Parts

Quantity of Lutto		
Part #	Package Quantity	Total Product Quantity
Part 1	2 TUBE	1.0 g
Part 2	2 PACKET	1.8 g
Part 3	6 PACKET	3.0 mL
Part 4	3 PACKAGE	2.4 mL

Part 1 of 4

GENUINE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Item Code (Source) NDC:52124-0003

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO 52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 ND	C:52124-0003-1	0.5 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/04/2011	

Part 2 of 4

GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

Product Information	
Item Code (Source)	NDC:52124-0004
Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7) (BENZALKO NIUM - UNII:7N6 JUD5X6 Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g	
LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE	0.5 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)		
GLYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
MINERAL OIL (UNII: T5L8T28FGP)		
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
STEARIC ACID (UNII: 4ELV7Z65AP)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0004-1	0.9 g in 1 PACKET		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part333A	02/04/2011			

Part 3 of 4

ALCOHOL CLEANSING PAD

isopropyl alcohol liquid

Product Information

Item Code (Source) NDC:52124-0002

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

Packaging

	1 ucing mg					
#	tem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:52124-0002-1	0.5 mL in 1 PACKET				

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	02/04/2011	

Part 4 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride swab

Product Information

Item Code (Source) NDC:52124-0001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7) (BENZALKO NIUM -	BENZALKONIUM	0.40 mL
UNII:7N6 JUD5X6 Y)	CHLORIDE	in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:52124-0001-1	0.8 mL in 1 PACKAGE				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part333A	02/04/2011			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part333A	02/04/2011			

Labeler - Ready America, Inc. (794644286)

Revised: 2/2011 Ready America, Inc.