

RITE AID FAST RELIEF LAXATIVE- bisacodyl suppository suppository
Rite Aid Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite-Aid® Bisacodyl Suppositories 8 ct.

Active Ingredient (in each Suppository)

Active Ingredient (in each Suppository)	Purpose
Bisacodyl, 10 mg.....	Stimulant Laxative

Uses

Uses - For relief of occasional constipation -This product generally produces bowel movement in 15 minutes to 1 hour

Warnings

For rectal use only.

Ask a doctor before use if you have

Ask a doctor before use if you have

-Stomach pain, nausea or vomiting -A sudden change in bowel habits lasting more than 2 weeks

-Already used a laxative more than 1 week

When using this product

When using this product it may cause abdominal discomfort, faintness, rectal burning and mild cramps

Stop use and ask a doctor

Stop use and ask a doctor if -you have rectal bleeding -fail to have bowel movement after using a laxative. This may indicate a serious condition.

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older

One suppository once daily

Children 6 to 12 years

1/2 suppository once daily

Children under 6

Ask doctor

-Detach one suppository from the strip and remove from foil - Carefully insert one suppository well into the rectum

-Do not use more than once per day

Other information

Other information - Store at room temperature: 15 ° - 30 °C (59 ° - 86 °F). Do not exceed 30 °C (86 °F) - Individually sealed for your protection. Do not use if foil is torn or open

Inactive ingredient

Inactive ingredient hydrogenated vegetable oil

Purpose

Active Ingredient (in each Suppository)	Purpose
Bisacodyl, 10 mg.....	Stimulant Laxative

Product Label

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	10 mg in 2000 mg

Inactive Ingredients

Ingredient Name	Strength
PALM KERNEL OIL (UNII: B0S90M0233)	1990 mg in 2000 mg

Product Characteristics

Color	white	Score	
Shape	BULLET	Size	32mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-4600-9	2 in 1 PACKAGE	10/01/2014	
1	NDC:11822-4600-8	40 mg in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	10/01/2014	

Labeler - Rite Aid Pharmacy (014578892)**Establishment**

Name	Address	ID/FEI	Business Operations
Unipack, Inc.		009248480	manufacture(11822-4600)

Revised: 12/2021

Rite Aid Pharmacy