

## **LEADER EXTRA MOISTURIZING NASAL- oxymetazoline hydrochloride spray**

### **Cardinal Health**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

#### **Active Ingredient**

#### **Purpose**

Oxymetazoline HCL 0.05%.....Nasal Decongestant

#### **Uses**

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- sinusitis
- shrinks swollen nasal membranes so you can breathe more freely

#### **Warnings**

##### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

##### **When using this product**

- **do not use more than directed**
- do not use more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.
- use of this container by more than one person may spread infection.

##### **Stop use and ask a doctor if symptoms persist**

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- adults and children 6 to 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor
- Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides in a counterclockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after each use and snap cap back onto the bottle.

#### **Other information**

- store between 20° and 25°C (68° and 77°F)
- retain carton for future reference on full labeling

**Inactive ingredients**

benzalkonium chloride, benzyl alcohol, dibasic sodium phosphate, disodium EDTA, distilled water, monobasic sodium phosphate, PEG 1450, PVP K30

**Distributed By:**

Cardinal Health

Dublin, Ohio 43017

Made in Korea



## LEADER EXTRA MOISTURIZING NASAL

oxymetazoline hydrochloride spray

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:49781-042
Route of Administration		NASAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)			OXYMETAZOLINE HYDROCHLORIDE	0.05 mg in 100 mg
Inactive Ingredients				
Ingredient Name				Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
WATER (UNII: 059QF0KO0R)				
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)				
POLYETHYLENE GLYCOL 1450 (UNII: OJ4Z5Z32L4)				
POVIDONE K30 (UNII: U725QWY32X)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49781-042-01	1 in 1 CARTON	11/07/2016	
1		30 mg in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part341	08/29/2013	

**Labeler** - Cardinal Health (097537435)

Revised: 11/2016

Cardinal Health