

**ORIGINAL NO DRIP NASAL- oxymetazoline hydrochloride - 0.05% liquid  
Rite Aid**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient**

**Purpose**

Oxymetazoline Hydrochloride - 0.05% Nazal Decongestant

**Uses**

**Uses**

For the temporary relief of nasal congestion due to the common cold • hay fever • other upper respiratory allergies.

**Warnings**

**Do not use** this product if you have heart disease • high blood pressure • thyroid disease • diabetes • or difficulty in urination due to enlargement of the prostate gland

**When using this product** • Do not exceed recommended dosage. • This product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge. • The use of this container by more than one person may spread infection. • **Do not use** for more than 3 days. Use only as directed. • Frequent or prolonged use may cause nasal congestion to recur or worsen.

**Stop use and ask doctor if** symptoms persist, consult a doctor

**Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away**

**Direction**

Shake well before use. Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril Fully depress rim with a firm, even stroke and sniff deeply.

Wipe nozzle clean after each use.

• adults and children 6 to under 12 years of age (with

adult supervision): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

- children under 6 years of age: consult a doctor

**Other information**

- store at room temperature

**Inactive ingredients**

Benzalkonium Chloride  
Benzyl Alcohol  
Cellulose Gum  
Disodium EDTA  
Disodium Phosphate  
Flavor  
Microcrystalline Cellulose  
PEG-12  
Povidone  
Sodium Phosphate  
Water



nasal relief  
NO DRIP PUMP SPRAY

# nasal spray

oxymetazoline hydrochloride 0.05%



**\*Compare to the active ingredient in Afrin® No-Drip®**

nasal relief  
NO DRIP PUMP SPRAY

# nasal spray

oxymetazoline  
hydrochloride 0.05%

NASAL DECONGESTANT

**12 HOUR**

long lasting

fast powerful  
congestion relief

1 FL OZ (30 mL)

### CAP REMOVAL INSTRUCTIONS:

To remove cap squeeze cap at base on opposite sides on the two smooth impressions with fingers. While squeezing, twist cap counterclockwise to remove. Refer to directions on top of cap.

To reapply cap turn cap on pump clockwise until it locks.

DISTRIBUTED BY:  
RITE AID  
30 HUNTER LANE  
CAMP HILL, PA 17011



ACTUAL SIZE



nasal relief  
NO DRIP PUMP SPRAY

# nasal spray

oxymetazoline hydrochloride 0.05%

NASAL DECONGESTANT

**DO NOT USE IF PRINTED SEAL OVER  
CAP IS TORN OR MISSING**

### Drug Facts

**Active Ingredient** Oxymetazoline hydrochloride 0.05%.....**Purpose** Nasal decongestant

### Uses

For the temporary relief of nasal congestion due to the common cold • hay fever • other upper respiratory allergies.

### Warnings

**Do not use this product if you have** heart disease • high blood pressure • thyroid disease • diabetes • or difficulty in urination due to enlargement of the prostate gland

**When using this product** • Do not exceed recommended dosage. • This product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge. • The use of this container by more than one person may spread infection. • Do not use for more than 3 days. Use only as directed. • Frequent or prolonged use may cause nasal congestion to recur or worsen.

**Stop use and ask doctor** if symptoms persist, consult a doctor.

**Keep out of reach of children. If product is swallowed,** get medical help or contact a PoisonControl Center right away.

### Directions

**Shake well before use.** Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. ▶



nasal relief  
NO DRIP PUMP SPRAY

# nasal spray

oxymetazoline hydrochloride 0.05%

NASAL DECONGESTANT

### Drug Facts (continued)

Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after each use.  
• **adults and children 6 to under 12 years of age** (with adult supervision): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.  
• **children under 6 years of age:** consult a doctor

### Other information

• store at room temperature

### Inactive ingredients

Benzalkonium Chloride, Benzyl Alcohol, Cellulose Gum, Disodium EDTA, Disodium Phosphate, Flavor, Microcrystalline Cellulose, PEG-12, Povidone, Sodium Phosphate, Water.

\*This product is not manufactured or distributed by MSD Consumer Care, the distributor of Afrin® No Drip®.

**IMPORTANT:  
KEEP THIS CARTON  
FOR FUTURE REFERENCE  
ON FULL LABELING**

## ORIGINAL NO DRIP NASAL

oxymetazoline hydrochloride - 0.05% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-1231
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
Oxymetazoline Hydrochloride (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		Oxymetazoline Hydrochloride	0.05 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
Benzalkonium Chloride (UNII: F5UM2KM3W7)				
Benzyl Alcohol (UNII: LKG8494WBH)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL 600 (UNII: NL4J9F21N9)				
Povidone (UNII: FZ989GH94E)				
Sodium Phosphate (UNII: SE337SVY37)				
water (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1231-1	1 in 1 CARTON	05/09/2014	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	05/09/2014		

**Labeler** - Rite Aid (014578892)

**Registrant** - Product Quest Mfg. (927768135)

### Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg.		927768135	manufacture(11822-1231) , label(11822-1231)

Revised: 6/2018

Rite Aid