SOLUBLE FIBER - methylcellulose tablet Supervalu Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equaline soluble fiber caplets

ACTIVE INGREDIENT (in each caplet)

Methylcellulose 500 mg

PURPOSE

Bulk-forming laxative

USE(S)

- relieves occasional constipation to help restore and maintain regularity
- generally produces a bowel movement in 12-72 hours

WARNINGS

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

ASK A DOCTOR BEFORE USE IF YOU HAVE

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

WHEN USING THIS PRODUCT

- do not use laxative products for a period longer than one week unless directed by a doctor.
- do not use if you are on a low salt diet unless directed by a doctor.

STOP USE AND ASK DOCTOR IF

- rectal bleeding occurs
- you fail to have a bowel movement after use

These could be signs of a serious condition

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away

DIRECTIONS

This product generally produces effect in 12-72 hours

- take this product (child or adult) dose with atleast 8 ounces (a full glass) of water or other fluid
- taking this product without enough liquid may cause choking, see choking warning.

AGE	DOSE	MAXIMUM DOSE
adults & children 12 years & over	2 caplets	up to 6 times daily
children 6 to 11 years	1 caplet	up to 6 times daily
children under 6 years	ask a doctor	ask a doctor

OTHER INFORMATION

- each caplet contains: sodium 10 mg
- store below 25°C (77°F)
- protect contents from moisture
- keep tightly closed

INACTIVE INGREDIENTS

citric acid, colloidal silicon dioxide, crospovidone, FD&C yellow no.6 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium bicarbonate, sodium chloride, sodium lauryl sulfate.

PRINCIPAL DISPLAY PANEL

NDC 41163-288-16 Compare to Citrucel Caplets active ingredient* EQUALINE soluble fiber caplets methylcellulose 500 mg bulk forming laxative

• gently relieves constipation

100 Caplets



compare to Citrucel® Caplets active ingredient*

EQUALINE®

soluble fiber

methylcellulose 500 mg bulk forming laxative

gently relieves constipation

100 caplets

Facts Drug

Active ingredient (in each caplet) Methylcellulose 500 mg **Ises** relieves occasional constipation to help restore and maintain ■ generally produces a bowel movement in 12-72 hours

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing.

Ask a doctor before use if you have abdominal pain, nausea or vomiting

a sudden change in bowel habits that persists over a period of 2 weeks

do not use laxative products for a period longer than one week unless directed by a doctor When using this product

■ do not use if you are on a low salt diet unless

you fail to have a bowel movement after use These could be signs of a serious condition Stop use and ask a doctor if

Keep out of reach of children. In case of overdose medical help or contact a Poison Control Center right away

DISTRIBUTED BY SUPERVALU ING. Eden Prairie, mn 55344 usa Gluten free

EXP.

Drug Facts (continued)

take this product (child or adult) dose with at least 8 ounces (a ful glass) of water or other fluid This product generally produces effect in 12-72 hours

Directions

taking this product without enough liquid may cause choking, see choking warning.

MAXIMUM DOSE up to 6 times daily up to 6 times dail 2 capets adults & children 12 years & over children 6 to 11 years

sodium 10 mg
store below 25°C (77°F)
protect contents from Other information seach caplet contains:

ask a doctor

children under 6 years

*ingredient*s citric acid, caloidal silicon dioxide &C yellow no. 6 aluminum lake, magnesium stearaf Inactive

This product is not manufactured or distributed by GlaxoSmithKline the distributor of CITRUCEL® Caplets

supervaluprivatebrands.com That's our quality promise. Like it or let us make it righ 877-932-7948 100% Quality GUARANTEED

STOP PEELING HERE

SOLUBLE FIBER

methylcellulose tablet

Product Information

HUMAN OTC DRUG NDC:41163-288 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength METHYLCELLULOSE (4000 CPS) (UNII: MRJ667KA5E) (METHYLCELLULOSE (4000 METHYLCELLULOSE 500 mg CPS) - UNII:MRJ667KA5E) (4000 CPS)

Inactive Ingredients

Ingredient Name	Strength
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)	
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Product Characteristics			
Color	ORANGE	Score	no score
Shape	CAPSULE	Size	18 mm
Flavor		Imprint Code	G188
Contains			

l	Packaging					
l	# I	tem Code	Package Description	Marketing Start Date	Marketing End Date	
l	1 NDC	:41163-288-16	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/24/2018		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	08/24/2018	

Labeler - Supervalu Inc. (006961411)

Revised: 8/2018 Supervalu Inc.