

**MEDI-FIRST STING RELIEF- benzocaine 6%, isopropyl alcohol 60% swab**  
**Unifirst First Aid Corporation**

-----  
**Medi-First Sting Relief Wipes**

***Drug Facts***

***Active ingredient***

Benzocaine 6% w/v

Isopropyl alcohol 60% w/v

***Purpose***

Topical anesthetic

Antiseptic

***Uses***

For temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

***Warnings***

**For external use only.**

**Flammable**, keep away from fire or flame.

**Do not use**

- in the eyes. If contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if**

- irritation, redness or other symptoms develop
- the condition persists or gets worse

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**Adults and children 2 years of age and older:** Apply to affected area 3-4 times daily.

**Children under 2 years:** Consult physician.

**Other information**

- store at room temperature 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients**

purified water

**Questions or comments?**

1-800-634-7680

**Medi-First Sting Relief Wipes Label**

Medi-First®

Sting Relief Wipes

Benzocaine/ Isopropyl Alcohol

Topical Anesthetic/ Antiseptic

Product # 23112

NET CONTENTS: 10 wipes per box

The image shows the product box for Medi-First Sting Relief Wipes. The box is white with green accents. The text on the box includes 'MEDI-FIRST®', 'Sting Relief Wipes', 'Benzocaine / Isopropyl Alcohol', 'Topical Anesthetic / Antiseptic', 'Product # 23112', and 'NET CONTENTS: 10 wipes per box'. To the right of the box is a 'Drug Facts' label with the following information:

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Benzocaine 6% w/v	Topical anesthetic
Isopropyl alcohol 60% w/v	Antiseptic
<b>Uses</b> For temporary relief of pain and itching associated with minor burns, scrapes and insect bites.	
<b>Warnings</b>	
For external use only. Flammable, keep away from fire or flame.	
Do not use in the eyes. If contact occurs, flush eyes thoroughly with water.	
Stop use and ask a doctor if irritation, redness or other symptoms develop the condition persists or gets worse	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Adults and children 2 years of age and older: Apply to affected area 3-4 times daily. Children under 2 years: Consult a physician.	
<b>Other information</b> ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper evident sealed packets ■ do not use any open or torn packets	
<b>Inactive ingredients</b> purified water	<b>Questions or comments?</b> 1-800-634-7680

<b>MEDI-FIRST STING RELIEF</b>			
benzocaine 6%, isopropyl alcohol 60% swab			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-234
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>

<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	0.6 mg in 1 mL		
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.6 mL in 1 mL		
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>		<b>Strength</b>		
WATER (UNII: 059QF0KO0R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-234-99	0.6 mL in 1 PACKET; Type 0: Not a Combination Product	07/02/2018	
2	NDC:47682-234-12	10 in 1 BOX	07/02/2018	
2		0.6 mL in 1 PACKET; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	07/02/2018		

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation