DUAL ACTION COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable Meijer Distribution Inc

Meijer Distribution, Inc. Dual Action Complete Drug Facts

Active ingredients (in each chewable tablet)

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

Purposes

Acid reducer

Antacid

Use

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- do not swallow tablet whole: chew completely
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- each tablet contains: calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

Inactive ingredients

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Pepcid Complete® active ingredients dual action complete

Famotidine 10 mg | Calcium Carbonate 800 mg

Magnesium Hydroxide 165 mg Tablets (Chewable)

Acid Reducer + Antacid

SEE NEW WARNINGS

HEARTBURN RELIEF | Just One Tablet!

Relieves Heartburn Due to Acid Indigestion

50 Chewable Tablets | actual size

Berry Flavor





DUAL ACTION COMPLETE

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:41250-284 |
| Route of Administration | ORAL | | |
| | | | |

| Active Ingredient/Active Moiety | | | |
|--|------------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8) | FAMOTIDINE | 10 mg | |
| MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P) | MAGNESIUM HYDROXIDE | 165 mg | |
| CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ50PE7D, CALCIUM CATION - UNII:2M83C4R6ZB) | CALCIUM CARBONATE | 800 mg | |

| Inactive Ingredients | | |
|---|----------|--|
| Ingredient Name | Strength | |
| ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK) | | |
| ASPARTAME (UNII: Z0H242BBR1) | | |
| D&C RED NO. 7 (UNII: ECW0LZ41X8) | | |
| DEXTRATES (UNII: G263MI44RU) | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | | |
| GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4) | | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | | |
| POLYSORBATE 80 (UNII: 60ZP39ZG8H) | | |
| POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) | | |
| TALC (UNII: 7SEV7J4R1U) | | |

| Product Characteristics | | | |
|-------------------------|--------------------|--------------|----------|
| Color | PINK (mottled) | Score | no score |
| Shape | ROUND (bi-layered) | Size | 17mm |
| Flavor | BERRY | Imprint Code | L321 |
| Contains | | | |

| Packaging | | | |
|------------------|---|-------------------------|-----------------------|
| # Item Code | Package Description | Marketing Start Date | Marketing End Date |
| NDC:41250-284-71 | 50 in 1 BOTTLE; Type 0: Not a Combination Product | 01/26/2016 | |

| Marketing Information | | | |
|-----------------------|--|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA077355 | 01/26/2016 | |
| | | | |

Revised: 7/2022 Meijer Distribution Inc