

**CONNECTIVE TISSUE - arsenicum alb., baptisia, berber. aqui., calc. fluor., capsicum, cinchona, iodium, kali carb., lachesis, mag. carb., merc.viv., nat. carb., nat. mur., natrum sulphuricum, phosphorus, phytolacca, secale, thymus serpyllum, thuja occ., thyroidinum, verbascum, carduus mar., echinacea, solidago, taraxacum pellet
Newton Laboratories, Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Connective Tissue

INDICATIONS & USAGE SECTION

Connective Tissue Formulated for symptoms associated with lupus, rheumatoid arthritis, fibromyalgia, neuralgia, scleroderma and other immune-related conditions.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets orally (ages 6 to 11, give 3 pellets) one to four times daily or as directed by a healthcare professional.

ACTIVE INGREDIENT SECTION

Arsenicum alb. 15x, Baptisia 15x, Berber. aqui. 15x, Calc. fluor. 15x, Capsicum 15x, Cinchona 15x, Iodium 15x, Kali carb. 15x, Lachesis 15x, Mag. carb. 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. mur. 15x, Natrum sulphuricum 15x, Phosphorus 15x, Phytolacca 15x, Secale 15x, Thymus serpyllum 15x, Thuja occ. 15x, Thyroidinum 15x, Verbascum 15x, Carduus mar. 3x, Echinacea 3x, Solidago 3x, Taraxacum 3x.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

PURPOSE SECTION

Formulated for symptoms associated with lupus, rheumatoid arthritis, fibromyalgia, neuralgia, scleroderma and other immune-related conditions.

QUESTIONS? SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for

more than a few days.

KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL.

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warnings: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics **PRO**
NDC# 55714-4565-1 *Nurturing Naturally Since 1987™*

Connective Tissue

Formulated for symptoms associated with lupus, rheumatoid arthritis, fibromyalgia, neuralgia, scleroderma and other immune-related conditions.

1 oz (28.35 g)

Dispensed by healthcare professionals only.
Not for over-the-counter sale.
Directions: Ages 12 and up, take 6 pellets orally (ages 6 to 11, give 3 pellets) one to four times daily or as directed by a healthcare professional.
Active Ingredients: Arsenicum alb. 15x, Baptisia 15x, Berber. aqu. 15x, Calc. fluor. 15x, Capsicum 15x, Cinchona 15x, Iodium 15x, Kali carb. 15x, Lachesis 15x, Mag. carb. 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. mur. 15x, Natrum sulphuricum 15x, Phosphorus 15x, Phytolacca 15x, Secale 15x, Thymus serpyllum 15x, Thuja occ. 15x, Thyroidinum 15x, Verbascum 15x, Carduus mar. 3x, Echinacea 3x, Solidago 3x, Taraxacum 3x.
Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# R083 Lot#

CONNECTIVE TISSUE

arsenicum alb., baptisia, berber. aqu., calc. fluor., capsicum, cinchona, iodium, kali carb., lachesis, mag. carb., merc.viv., nat. carb., nat. mur., natrum sulphuricum, phosphorus, phytolacca, secale, thymus serpyllum, thuja occ., thyroidinum, verbascum, carduus mar., echinacea, solidago, taraxacum pellet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:55714-4565
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 g
Baptisia Tinctoria (UNII: 5K1UO2888Y) (Baptisia Tinctoria - UNII:5K1UO2888Y)	Baptisia Tinctoria	15 [hp_X] in 1 g
Mahonia Aquifolium Root Bark (UNII: VZJ9F3C3SB) (Mahonia Aquifolium Root Bark - UNII:VZJ9F3C3SB)	Mahonia Aquifolium Root Bark	15 [hp_X] in 1 g
Calcium Fluoride (UNII: O3B55K4YKI) (Fluoride Ion - UNII:Q80VPU408O)	Calcium Fluoride	15 [hp_X] in 1 g

Capsicum (UNII: 00UK7646FG) (Capsicum - UNII:00UK7646FG)	Capsicum	15 [hp_X] in 1 g
Iodine (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	15 [hp_X] in 1 g
Potassium Carbonate (UNII: BQN1B9B9HA) (Carbonate Ion - UNII:7UJQ5OPE7D)	Potassium Carbonate	15 [hp_X] in 1 g
Lachesis Muta Venom (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	15 [hp_X] in 1 g
Magnesium Carbonate (UNII: 0E53J927NA) (Carbonate Ion - UNII:7UJQ5OPE7D)	Magnesium Carbonate	15 [hp_X] in 1 g
Mercury (UNII: FXS1BY2PGL) (Mercury - UNII:FXS1BY2PGL)	Mercury	15 [hp_X] in 1 g
Sodium Carbonate (UNII: 45P3261C7T) (Carbonate Ion - UNII:7UJQ5OPE7D)	Sodium Carbonate	15 [hp_X] in 1 g
Sodium Chloride (UNII: 451W47IQ8X) (Chloride Ion - UNII:Q32ZN48698)	Sodium Chloride	15 [hp_X] in 1 g
Sodium Sulfate (UNII: 0YPR65R21J) (Sodium Sulfate Anhydrous - UNII:36KCS0R750)	Sodium Sulfate	15 [hp_X] in 1 g
Phosphorus (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	15 [hp_X] in 1 g
Phytolacca Americana Root (UNII: 11E6VI8VEG) (Phytolacca Americana Root - UNII:11E6VI8VEG)	Phytolacca Americana Root	15 [hp_X] in 1 g
Claviceps Purpurea Sclerotium (UNII: 01G9XEA93N) (Claviceps Purpurea Sclerotium - UNII:01G9XEA93N)	Claviceps Purpurea Sclerotium	15 [hp_X] in 1 g
Thuja Occidentalis Leafy Twig (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja Occidentalis Leafy Twig	15 [hp_X] in 1 g
Thymus Serpyllum (UNII: 86H4S6K51N) (Thymus Serpyllum - UNII:86H4S6K51N)	Thymus Serpyllum	15 [hp_X] in 1 g
Thyroid, Unspecified (UNII: 0B4FDL9I6P) (Thyroid, Unspecified - UNII:0B4FDL9I6P)	Thyroid, Unspecified	15 [hp_X] in 1 g
Verbascum Thapsus (UNII: C9TD27U172) (Verbascum Thapsus - UNII:C9TD27U172)	Verbascum Thapsus	15 [hp_X] in 1 g
Silybum Marianum Seed (UNII: U946SH95EE) (Silybum Marianum Seed - UNII:U946SH95EE)	Silybum Marianum Seed	3 [hp_X] in 1 g
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 g
Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	3 [hp_X] in 1 g
Taraxacum Officinale (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)	Taraxacum Officinale	3 [hp_X] in 1 g
Cinchona Bark (UNII: 292E43P4I9) (Cinchona Bark - UNII:292E43P4I9)	Cinchona Bark	15 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4565-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-4565-2	56.7 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4565)

Revised: 6/2011

Newton Laboratories, Inc.