# DAYTIME COLD AND FLU RELIEF- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled Family Dollar (FAMILY WELLNESS)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

## Active ingredients (in each softgel) Acetaminophen 325 mg

Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

#### **Purpose**

#### Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

#### Uses

- temporarily relieves common cold and flu symptoms
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - fever
  - cough due to minor throat and bronchial irritation

## **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

## Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

## When using this product,

do not exceed recommended dosage.

## Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occurs
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

#### Other information

- store between 15-30°C (59-86°F)
- avoid excessive heat

### **Inactive ingredients**

butylated hydroxyanisole, butylated hydroxytoluene, FD&C red #40\*, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide\*, white ink

\*contains one or more of these ingredients

### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS IN VICKS  $^{\circ}$  DAYQUIL  $^{\circ}$  COLD & FLU LIQUICAPS  $^{\circ}$ 

Non-Drowsy,

Daytime Multi-Symptom

Cold & Flu Relief

## Acetaminophen

Dextromethorphan

Phenylephrine

For Relief of:

- aches
- Fever
- Sore Throat
- Cough
- Nasal Congestion

#### **SOFTGELS**

#### LIQUID-FILLED SOFTGELS

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks \$, DayQuil\$, and LiquiCaps \$ are registered trademarks of The Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**DISTRIBUTED BY: MIDWOOD BRANDS, LLC** 

10611 MONROE RD., MATTHEWS, NC 28105

**Product Label** 

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST Questions or comments?

> contains one or more of these ingredients DIOXIDE,' MUICE IUK

glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium Inactive ingredients butylated hydroxyanisole\*, butylated hydroxytoluene\*, FD&C red #40\*, FD&C yellow #6, gelatin, glycerin, polyethylene

> store between 15-30°C (59-86°F) ■ avoid excessive heat попъттот тэлто

label to ensure correct dosing

- when using other Daytime or Mighttime products, carefully read each ■ children under 12 years: do not use
  - swallow whole; do not crush, chew, or dissolve
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- do not take more than 4 doses in 24 hours

DIRECTIONS 

do not take more than directed (see Overdose warning)

even if you do not notice any signs or symptoms. right away. Quick medical attention is cribcal for adults as well as for children damage. In case of overdose, get medical help or contact a Poison Control Center Overdose warning: Taking more than the recommended dose can cause liver Keep out of reach of children.

If pregnant or breast-feeding, ask a health professional before use.

- signs of a serious condition.
- cough comes back or occurs with rash or headache that lasts. These could be
  - redness or swelling is present
     new symptoms occur
    - fever gets worse or lasts more than 3 days
    - uervousness, dizziness, or sleeplessness occur
  - pain, cough, or nasal congestion gets worse or lasts more than 7 days Stop use and ask a doctor if

nund racts (continued)

When using this product, do not exceed recommended dosage.

- Ask a doctor or pharmacist before use if you are taking the blood
  - condp that occurs with too much phiegm (mucus) ешьуузета
- becarageut of chronic cough such as occurs with smoking, astrima, of ■ trouble unnating due to an enlarged prostate gland
- heart disease thyroid disease high blood pressure Ask a doctor before use if you have I liver disease I diabetes

bysumsciet before taking this product.

- not know if your prescription drug contains an MAOI, ask a doctor or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do (certain drugs for depression, psychiatric, or emotional conditions, or
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) sak a doctor or pharmacist.
- nonprescription). If you are not sure whether a drug contains acetaminophen, ■ with any other drug containing acetaminophen (prescription or

cousnit a doctor promptly.

accompanied or followed by fever, headache, rash, nausea, or vomiting, Sore throat warning: It sore throat is severe, persists for more than 2 days, is If a skin reaction occurs, stop use and seek medical help right away. may include: 

skin reddening 

blisters 

rash

- Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms
  - 3 or more alcoholic drinks every day while using this product
    - with other drugs containing acetaminophen
    - more than 4,000 mg of acetaminophen in 24 hours
      - occnr if you take:

Liver warning: This product contains acetaminophen. Severe liver damage may Warnings

nund racts (continued)

■ cough due to minor throat and bronchial irritation ■ usasi congestion 19V9f

■ minor aches and pains
■ headache
■ sore throat

■ remporarily relieves common cold and flu symptoms səsn

Drug Facts (continued)

Nasal decongestant Phenylephrine HCl 5 mg. Congh suppressant Dextromethorphan HBr 10 mg. ain reliever/tever reducer Асетатіпорнел 325 тд

Səsodina

Active ingredients (in each softgel)

Drug Facts

COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® DAYQUIL® COLD & FLU LIQUICAPS®† FAMILY ■ Wellness™

NDC 55319-742-16

## Non-Drowsy Daytime Multi-Symptom PRYOURMONEY BA Cold & Flu Relief

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl

For Relief of:

- Aches
   Fever
   Sore Throat
- Cough Nasal Congestion



AMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING. KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

## DISTRIBUTED BY: MIDWOOD BRANDS, LLC 10611 MONROE RD., MATTHEWS, NC 28105

NOT 100% SATISFIED? Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

†This product is not manufactured or distributed by The Procter & Gamble Company, Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

PLD-F40R FC005161



FAMILY WELLNESS Non-Drowsy Daytime Multi-Symptom Cold & Flu Relief

### **DAYTIME COLD AND FLU RELIEF**

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-742
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients	
Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ 989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	orange (red)	Score	no score
Shape	CAPSULE	Size	20mm

Flavor	Imprint	Code	P19;95A512;AP016
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-742- 16	16 in 1 CARTON	07/31/2018	07/26/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/31/2018	07/26/2024

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 9/2022 Family Dollar (FAMILY WELLNESS)