

DR. BRANDT SUN SHIELD SPF 50- zinc oxide liquid

Dr. Brandt

Dr. BRANDT LIQUID SUN SHIELD™

Drug Facts

Active Ingredient

Zinc Oxide 17%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures, **(See Directions)** decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously and evenly 15 minutes before sun exposure
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses.
 - Reapply at least every 2 hours
 - Use a water resistant sunscreen if swimming or sweating.

Other Information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water, Isododecane, Polyglyceryl-6 Polyricinoleate, Propanediol, Dimethicone, Caprylic/Capric Triglyceride, Trimethylsiloxysilicate, Butyloctyl Salicylate, Coco-Caprylate/Caprates, Isoamyl Laurate, Neopentyl Glycol Diheptanoate, Polyglyceryl-10 Dioleate, Lecithin, Polyhydroxystearic Acid, Ectoin, Polymethylsilsesquioxane, Polysilicone-11, Distearidimonium Hectorite, Butyrospermum Parkii (Shea) Butter, Glycerin, Phenoxyethanol, Propylene Carbonate, Aminomethyl Propanol, Citrus Aurantium Dulcis (Orange) Peel Oil, Ethylhexylglycerin, Polysorbate 20, Sclareolide, Tocopheryl Acetate, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Linalool, Linalyl Acetate, Plankton Extract, Lavandula Angustifolia (Lavender) Oil, Lavandula Hybrid Oil, Decyl Glucoside, Sodium Ascorbate, Caprylyl Glycol, Hexylene Glycol, Tocopherol.

INTEGRATIVE DERMATOLOGY

SPF 50 UVA/UVB PROTECTION BROAD SPECTRUM

BRIGHT THIS WAY

100% MINERAL SUNSCREEN

NON-NANO ZINC OXIDE + ECTOIN + PLANKTON EXTRACT COMPLEX + CLARY SAGE FERMENT

LIQUID SUN SHIELD™

Protect - Brighten - Moisturize

This lightweight, 100% mineral sunscreen formulated with non-nano zinc oxide and brightening agents not only defends against UVA/UVB rays with an SPF 50 but also features extremolyte technology which helps protect skin from HEV/blue light from devices, infrared radiation, and pollution. Clary Sage and Plankton extract help protect against hyperpigmentation, reduce the look of existing age spots and even skin tone for a brighter, more youthful looking appearance.

DIRECTIONS: Shake well before use. Apply daily to face, neck and chest, as the last step in your skincare routine. **CAUTION:** For external use only. Keep out of reach of children. Avoid contact with eyes. Apply sunscreen before you go out in the sun. Repeat the application frequently to maintain the protection, especially after sweating, swimming or wiping yourself. Do not stay in the sun too long, even if you use a sunscreen product. Do not expose babies and young children directly to the sun.

Dermatologist tested on all skin types and tones. Clinically proven efficacy / Non comedogenic

drbrandtskincare.com

DARE TO CARE

Cosmetic Dermatology LLC, Miami, FL 33172

In the US call 800-234-1066

BIORIUS / EU: Wavre, BE

UK: London WC2H 9JQ, GB
Made in U.S.A.

Packaging

DARE
TO
CARE

Drug Facts

Active Ingredient Purpose
Zinc Oxide 17% Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures, (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously and evenly 15 minutes before sun exposure
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including
- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other Information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water, Isododecane, Polyglyceryl-6 Polyricinoleate, Propanediol, Dimethicone, Caprylic/Capric Triglyceride, Trimethylsiloxysulfate, Butylcetyl Salicylate, Coco-Caprylate/Caprate, Isoamyl Laurate, Neopentyl Glycol Diheptanoate, Polyglyceryl-10 Dikolaol, Lecithin, Polyhydroxystyrene Acid, Ectoin, Polymethylsiloquinoxane, Polysiloxane-11, Distearidimonium Hectorite, Butyrospermum Parkii (Shea) Butter, Glycerin, Phenoxethanol, Propylene Carbonate, Aminomethyl Propanol, Citrus Aurantium Dulcis (Orange) Peel Oil, Ethylhexylglycerin, Polysorbate 20, Sclarethol, Tocopheryl Acetate, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Linalool, Linalyl Acetate, Plankton Extract, Lavandula Angustifolia (Lavender) Oil, Lavandula Hybrid Oil, Decyl Glucoside, Sodium Ascorbate, Caprylyl Glycol, Hexylene Glycol, Tocopherol.

LIQUID SUN SHIELD™

Protéger - Illuminer - Hidrater

Este ligero protector solar mineral al 100%, formulado con óxido de zinc no nano y agentes iluminadores, no solo protege contra los rayos UVA/UVB con FPS 50, sino que también incluye tecnología extremolyte que ayuda a proteger la piel contra la luz HEV/azul de los dispositivos, la radiación infrarroja y la contaminación. La salvia sclarea y el extracto de plancton ayudan a proteger contra la hiperpigmentación, reducen la apariencia de manchas de la edad existentes e igualan el tono para conseguir una piel de apariencia más luminosa y juvenil.

MODO DE USO: Agitar bien antes de usar. Aplicar diariamente en el rostro, cuello y escote como el último paso en su rutina de belleza. **PRECAUCIÓN:** Solo para uso externo. Manténgase fuera del alcance de los niños. Evitar el contacto con los ojos. Aplicar el protector solar antes de la exposición al sol. Repetir la aplicación a menudo para mantener la protección, especialmente después de sudar, nadar o secarse. No se debe permanecer al sol demasiado tiempo, incluso si se utiliza un producto de protección solar. No exponer a bebés ni a niños pequeños a la luz solar directa.

Probado por dermatólogos en todo tipo y tono de piel. Eficacia clínicamente probada / No comedogénico

LIQUID SUN SHIELD™

保护 - 提亮 - 保湿

这款轻盈100%矿物防晒乳采用非纳米氧化锌和亮白剂配制而成，其SPF50成分不仅可以抵御UVA/UVB射线，而且还具有极强的电解质技术，可帮助保护肌肤免受手机、电脑等电子设备发出的蓝光、红外线辐射及污染物的侵害。鼠尾草和浮游植物提取物有助于防止色素沉着，减淡现有老年斑，均匀肤色，使肌肤看起来更亮白、更年轻。

使用方法: 使用前请摇匀。作为日常肌肤保养的最后一步，每天涂抹于面部、颈部和胸部。
注意: 仅限于外用。存放在孩童拿不到之处。避免接触眼睛。在外出行前使用防晒产品。经常重复使用以保持防护，尤其在流汗、游泳或擦拭之后。即使擦了防晒产品也不要再在阳光下停留太久。别让婴儿和幼儿直接暴露在阳光下。经皮肤科医生测试，所有肌肤类型及肤色适用。临床证实功效 / 无致痘

Dr. BRANDT
INTEGRATIVE DERMATOLOGY

BRIGHT
THIS WAY

LIQUID
SUN SHIELD™
ÉCRAN SOLAIRE
LIQUIDE

100% MINERAL SUNSCREEN
CRÈME SOLAIRE 100% MINÉRALE



NON-NANO ZINC OXIDE + ECTOIN +
PLANKTON EXTRACT COMPLEX +
CLARY SAGE FERMENT

net 1.7 fl.oz. - 50 ml

LIQUID SUN SHIELD™

Protect - Brighten - Moisturize

This lightweight, 100% mineral sunscreen formulated with non-nano zinc oxide and brightening agents not only defends against UVA/UVB rays with an SPF 50 but also features extremolyte technology which helps protect skin from HEV/blue light from devices, infrared radiation, and pollution. Clary Sage and Plankton extract help protect against hyperpigmentation, reduce the look of existing age spots and even skin tone for a brighter, more youthful looking appearance.

DIRECTIONS: Shake well before use. Apply daily to face, neck and chest, as the last step in your skincare routine. **CAUTION:** For external use only. Keep out of reach of children. Avoid contact with eyes. Apply sunscreen before you go out in the sun. Repeat the application frequently to maintain the protection, especially after sweating, swimming or wiping yourself. Do not stay in the sun too long, even if you use a sunscreen product. Do not expose babies and young children directly to the sun. Dermatologist tested on all skin types and tones. Clinically proven efficacy / Non comedogenic

LIQUID SUN SHIELD™

Protéger - Éclaircir - Hydrater

Cet écran solaire léger, 100 % minéral composé d'oxyde de zinc sous forme non-nano et d'agents éclaircissants protège non seulement contre les rayons UVA/UVB grâce à un SPF 50 mais par l'utilisation de la technologie extremolyte, il protège aussi la peau contre la lumière HEV ou bleue émise par les appareils électroniques, la radiation infrarouge et la pollution. Les extraits de sauge scariée et de plancton aident à protéger contre l'hyperpigmentation, à diminuer l'apparence des taches de vieillesse existantes et à unifier le teint pour donner une apparence plus lumineuse et plus jeune.

CONSEILS D'UTILISATION : Bien secouer le flacon avant usage. Appliquer l'écran tous les jours sur le visage, le cou et le décolleté en fin de votre programme de soins. **ATTENTION :** Pour usage externe seulement. Tenir hors de portée des enfants. Éviter tout contact avec les yeux. Appliquez le produit de protection solaire avant de vous exposer au soleil ; Renouvelez fréquemment l'application pour maintenir la protection, surtout après avoir transpiré, avoir nagé ou vous être essuyé. Ne restez pas trop longtemps au soleil, même si vous utilisez un produit de protection solaire ; N'exposez pas les bébés et les jeunes enfants directement

au soleil.
Testé dermatologiquement sur tous types et carnations de peau. Efficacité clinique prouvée / Non comédogène

Discover More



En savoir plus

drbrandtskincare.com

Cosmetic Dermatology LLC, Miami, FL 33172
In the US call 800-234-1066
BJORJUS / EU: Wavre, BE
UK: London WC2H 9JQ, GB
Made in U.S.A. • Fabriqué aux E.U.



N° DE LOT

Dr. **BRANDT**


INTEGRATIVE DERMATOLOGY



**BRIGHT
THIS WAY**

**LIQUID
SUN SHIELD™
ÉCRAN SOLAIRE
LIQUIDE**

**100% MINERAL SUNSCREEN
CRÈME SOLAIRE 100% MINÉRALE**



**NON-NANO ZINC OXIDE + ECTOIN +
PLANKTON EXTRACT COMPLEX +
CLARY SAGE FERMENT**

Dr. **BRANDT**

INTEGRATIVE DERMATOLOGY



**LIQUID
SUN SHIELD™
ÉCRAN SOLAIRE
LIQUIDE**

**100% MINERAL SUNSCREEN
CRÈME SOLAIRE 100% MINÉRALE**



net 1.7 fl.oz. - 50 ml

DR. BRANDT SUN SHIELD SPF 50

zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81568-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	17 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)	
ISOAMYL LAURATE (UNII: M1SLX00M3M)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
POLYGLYCERYL-10 DIOLEATE (UNII: 598RES7AXX)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ECTOINE (UNII: 7GXZ3858RY)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SHEA BUTTER (UNII: K49155WL9Y)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
ORANGE OIL, COLD PRESSED (UNII: AKN3KSD11B)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
SCLAREOLIDE (UNII: 37W4O006E6)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DIMETHICONOL (600000 CST) (UNII: RKI3S914RT)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
LINALYL ACETATE (UNII: 5K47SSQ51G)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
LAVENDER OIL (UNII: ZBP1YXW0H8)
LAVANDIN OIL (UNII: 9RES347CKG)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
SODIUM ASCORBATE (UNII: S033EH8359)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
TOCOPHEROL (UNII: ROZB2556P8)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81568-101-50	1 in 1 BOX	02/15/2021	
1		50 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/15/2021	

Labeler - Dr. Brandt (361999386)