# MECLIZINE HCL 25 MG- meclizine hydrochloride tablet, chewable NuCare Pharmceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Meclizine HCI 25 mg Chewable Tablets

# Active ingredient (in each chewable tablet)

Meclizine HCl, USP 25 mg

# **Purpose**

**Antiemetic** 

#### Uses

prevents and treats nausea, vomiting or dizziness due to motion sickness

# Warnings

**Do not use** in children under 12 years of age unless directed by a doctor.

# Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

If pregnant or breast-feeding, ask a health professional before use Keep out of reach of children.

In case of overdose, get medical help or contact the poison control center immediately.

#### **Directions**

- Dosage should be taken one hour before travel starts.
- Adults and children 12 years of age and older: Chew 1-2 tablets once daily or as directed by a doctor
- **Children under 12 years:** do not give this product to children under 12 years of age unless directed by a doctor.

#### Other information

- store at room temperature
- Phenylketonurics: Contains phenylalanine 0.28 mg per tablet
- Do not use if imprinted safety seal under cap is broken or missing

## Inactive ingredients

aspartame, croscarmellose sodium, dextrose, FD&C Red #40 Lake, magnesium stearate, maltodextrin, microcrystalline cellulose, natural and artificial flavors, silicon dioxide, sodium sulfate, sugar, tricalcium phosphate.

#### Questions or comments?

If you have any questions or comments or to report an adverse event, please contact (800) 795-9775.

Distributed by: Plus Pharma, Commack, NY 11725

\*Plus Pharma is not affiliated with the owner of the registered trademark Bonine®.

# When using this product

- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery



# MECLIZINE HCL 25 MG meclizine hydrochloride tablet, chewable Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:68071-2178(NDC:51645-994) Route of Administration ORAL

| Active Ingredient/Active Moiety  |                             |          |  |
|--|-----------------------------|----------|--|
| Ingredient Name  | <b>Basis of Strength</b>    | Strength |  |
| MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) | MECLIZ INE<br>HYDROCHLORIDE | 25 mg    |  |

| Inactive Ingredients                           |          |  |
|--|----------|--|
| Ingredient Name                                | Strength |  |
| ASPARTAME (UNII: Z0H242BBR1)                   |          |  |
| SUCROSE (UNII: C151H8M554)                     |          |  |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)       |          |  |
| DEXTROSE (UNII: IY9XDZ 35W2)                   |          |  |
| FD&C RED NO. 40 (UNII: WZB9127XOA)             |          |  |
| MAGNESIUM STEARATE (UNII: 70097M6I30)          |          |  |
| MALTODEXTRIN (UNII: 7CVR7L4A2D)                |          |  |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) |          |  |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)             |          |  |
| SODIUM SULFATE (UNII: 0YPR65R21J)              |          |  |
| TRICALCIUM PHOSPHATE (UNII: K4C08XP666)        |          |  |

| Product Characteristics |                  |              |          |
|-------------------------|------------------|--------------|----------|
| Color                   | pink (Uncoated)  | Score        | 2 pieces |
| Shape                   | ROUND (Biconvex) | Size         | 8mm      |
| Flavor                  | RASPBERRY        | Imprint Code | 21G      |
| Contains                |                  |              |          |

| Packaging |                      |   |                         |                       |
|-----------|----------------------|---|-------------------------|-----------------------|
| #         | Item Code            | Package Description                               | Marketing Start<br>Date | Marketing End<br>Date |
| 1         | NDC:68071-<br>2178-2 | 20 in 1 BOTTLE; Type 0: Not a Combination Product | 06/26/2018              |                       |
| 2         | NDC:68071-<br>2178-3 | 30 in 1 BOTTLE; Type 0: Not a Combination Product | 06/26/2018              |                       |
| 3         | NDC:68071-<br>2178-4 | 40 in 1 BOTTLE; Type 0: Not a Combination Product | 06/26/2018              |                       |
| 4         | NDC:68071-<br>2178-6 | 60 in 1 BOTTLE; Type 0: Not a Combination Product | 06/26/2018              |                       |
|           |                      |   |                         |                       |



| Marketing Information                                       |         |                         |                       |  |
|---|---------|-------------------------|-----------------------|--|
| Marketing Application Number or Monograph Category Citation |         | Marketing Start<br>Date | Marketing End<br>Date |  |
| OTC monograph final   | part336 | 10/15/2015              |                       |  |
|   |         |                         |                       |  |

# Labeler - NuCare Pharmceuticals,Inc. (010632300)

| Establishment                |         |           |                            |  |
|------------------------------|---------|-----------|----------------------------|--|
| Name                         | Address | ID/FEI    | <b>Business Operations</b> |  |
| NuCare Pharmaceuticals, Inc. |         | 010632300 | repack(68071-2178)         |  |

Revised: 2/2021 NuCare Pharmceuticals,Inc.