

**CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid**  
**Discount Drug Mart**

-----

**Drug Facts**

**Active ingredient (in each 5 mL teaspoonful)**

Diphenhydramine HCL 12.5 mg

**Purpose**

Antihistamine

**Keep out of reach of children.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Uses**

- temporarily relieves these symptoms due to hay fever or other respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy watery eyes
- temporarily relieves these symptoms due to the common cold:
- sneezing
- runny nose

**Warnings**

**Do not use**

**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- glaucoma
- a breathing problem such as chronic bronchitis

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

**Directions**

- if needed, take every 4-6 hours
- do not take more than 6 doses in 24 hours

---

Children under 4 years of age:	do not use
Children 4 to under 6 years of age:	do not use unless directed by a doctor
Children 6 to under 12 years of age:	1 to 2 teaspoonfuls (12.5 mg to 25 mg)

---

**Other information**

- **keep carton for full directions for use**
- each teaspoonful contains: sodium 10 mg
- store at 20°-25°C (68°-77°F)
- dosage cup provided

**Inactive ingredients**

Citric acid, D and C Red # 33, FD and C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

**Questions or comments?**

Call weekdays from 9:30 AM to 4:30 PM EST at **1-877-798-5944**.

**DISCOUNT drug mart FOOD FAIR CHILDREN'S ALLERGY product label**

**\* COMPARE TO THE ACTIVE INGREDIENT IN BENADRYL® ALLERGY LIQUID**

**DISCOUNT drug mart**

**FOOD FAIR**

**CHILDREN'S ALLERGY**

Diphenhydramine

Hydrochloride

Antihistamine

Relieves: Sneezing

Runny Nose,

Itchy Water Eyes,

Itchy Throat

Alcohol-Free

Cherry Flavor

8 FL OZ (237 mL)

\* This product is not manufactured or distributed by McNeil-PPC, Inc., distributor of Benadryl® Allergy Liquid.

**BX-038**

## SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO THE STORE WHERE PURCHASED. IF UNABLE TO RETURN TO THE STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE MEDINNA, OHIO 44256

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

<b>Drug Facts</b>	
<b>Active ingredient</b> (in each 5 mL teaspoonful) Diphenhydramine HCl 12.5mg.....	<b>Purpose</b> Antihistamine
<b>Uses</b>	
■ temporarily relieves these symptoms due to hay fever or other respiratory allergies:	
■ sneezing	
■ itching of the nose or throat	
■ runny nose	
■ itchy watery eyes	
■ temporarily relieves these symptoms due to the common cold:	
■ sneezing	
■ runny nose	
<b>Warnings</b>	
Do not use ■ with any other product containing diphenhydramine, even one used on skin	
■ to make a child sleepy	
Ask a doctor before use if the child has	
■ glaucoma	
■ a breathing problem such as chronic bronchitis	
Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers	
<b>When using this product</b>	
■ marked drowsiness may occur	
■ excitability may occur, especially in children	
■ sedatives and tranquilizers may increase drowsiness	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ if needed, take every 4-6 hours	
■ do not take more than 6 doses in 24 hours	
Children under 4 years of age:	do not use
Children 4 to under 6 years of age:	do not use unless directed by a doctor
Children 6 to under 12 years of age:	1 to 2 teaspoonfuls (12.5 mg to 25 mg)
<b>Other Information</b>	
■ Keep carton for full directions for use	
■ each teaspoonful contains: sodium 10 mg	
■ store at 20° - 25° C (68° - 77° F)	
■ dosage cup provided	
<b>Inactive ingredients</b>	
Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose	
<b>Questions or comments?</b>	
Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944.	



\*COMPARE TO THE ACTIVE INGREDIENT IN BENADRYL® ALLERGY LIQUID



\*COMPARE TO THE ACTIVE INGREDIENT IN BENADRYL® ALLERGY LIQUID

## CHILDREN'S ALLERGY

Diphenhydramine Hydrochloride Antihistamine

## CHILDREN'S ALLERGY

Diphenhydramine Hydrochloride Antihistamine

SATISFACTION GUARANTEED  
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

Relieves: Sneezing, Runny Nose, Itchy Water Eyes, Itchy Throat

Alcohol-Free  
Cherry Flavor

8 FL OZ (237 mL)

\*This product is not manufactured or distributed by McNeil-PPC, Inc., distributor of Benadryl® Allergy Liquid.

BX-038



<b>Drug Facts</b>	
<b>Active ingredient (in each 5 mL teaspoonful)</b> Diphenhydramine HCl 12.5mg	<b>Purpose</b> Antihistamine
<b>Uses</b> ■ temporarily relieves these symptoms due to hay fever or other respiratory allergies: ▶ sneezing ▶ itching of the nose or throat ▶ runny nose ▶ itchy watery eyes ■ temporarily relieves these symptoms due to the common cold: ▶ sneezing ▶ itchy nose	
<b>Warnings</b> Do not use ■ with any other product containing diphenhydramine, even one used on skin ■ to make a child sleepy <b>Ask a doctor before use if the child has</b> ■ glaucoma ■ a breathing problem such as chronic bronchitis <b>Ask a doctor or pharmacist before use if the child is taking</b> sedatives or tranquilizers	
<b>When using this product</b> ■ marked drowsiness may occur ■ excitability may occur, especially in children ■ sedatives and tranquilizers may increase drowsiness	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ if needed, take every 4-6 hours ■ do not take more than 6 doses in 24 hours	
Children under 4 years of age	do not use
Children 4 to under 6 years of age	do not use unless directed by a doctor
Children 6 to under 12 years of age	1 to 2 teaspoonfuls (12.5 mg to 25 mg)
<b>Other information</b> ■ each teaspoonful contains: sodium 10 mg ■ store at 20° - 25° C (68° - 77° F) ■ dosage cup provided	
<b>Inactive ingredients</b> Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose	
<b>Questions or comments?</b> Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944. *This product is not manufactured or distributed by McKel-PPC, Inc., distributor of Benadryl® Allergy Liquid.	
	LP-068
	LOT: EXP:
<b>SATISFACTION GUARANTEED</b> IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 2111 COMMERCIAL DRIVE, MEDINA, OHIO 44256	

res

## CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-505
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLOXAMER 407</b> (UNII: TUF21VW3M2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	<b>Score</b>
--------------	--------------

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY (cherry)	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-505-26	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/12/2015	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/12/2015	

**Labeler** - Discount Drug Mart (047741335)

Revised: 12/2023

Discount Drug Mart