

**ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream**

**TARGET Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Antibiotic Plus Pain Relief**

**Drug Facts**

<b>Active ingredients (each gram contains)</b>	<b>Purpose</b>
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years of age: ask a doctor

#### **Other information**

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

#### **Inactive ingredients**

emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

#### **Questions?**

Call **1-800-910-6874**

Dist. by Target Corp.  
Mpls., MN 55403

#### **PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**

up & up

maximum strength

antibiotic cream + pain relief

neomycin sulfate, polymyxin b sulfate, pramoxine HCl

first aid antibiotic / pain relieving cream

helps prevent infection in minor cuts, scrapes and burns plus  
maximum strength pain relief

NET WT 0.5 OZ (14.2 g)

NDC 11673-393-01



Compare to active ingredients in Neosporin® + Pain Relief\*

maximum strength  
**antibiotic cream + pain relief**  
neomycin sulfate, polymyxin b sulfate, pramoxine HCl  
**first aid antibiotic / pain relieving cream**

5213029  
1020  
17



maximum strength  
**antibiotic cream + pain relief**  
neomycin sulfate, polymyxin b sulfate, pramoxine HCl  
**first aid antibiotic / pain relieving cream**  
helps prevent infection in minor cuts, scrapes and burns plus  
maximum strength pain relief

NET WT 0.5 OZ (14.2 g)



C-001472-074  
245 07 0071 00000-0X  
11673 39301 2

T27

**Drug Facts (continued)**  
**Other information**  
• store at 20° to 25°C (68° to 77°F)  
• see carton or tube crimp for lot number and expiration date  
**Inactive ingredients** emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum  
**Questions?** Call 1-800-910-8774

NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief.  
Dkt. by Target Corp., Mpls., MN 55403  
Made in Canada  
TM & ©2021 Target Brands, Inc.

**Drug Facts (each gram contains)**  
**Purpose**  
Neomycin sulfate 3.5 mg.....First aid antibiotic  
Polymyxin B sulfate 10,000 units.....First aid antibiotic  
Pramoxine hydrochloride 10 mg.....External analgesic  
**Uses**  
first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:  
• cuts • scrapes • burns  
**Warnings**  
For external use only.  
**Do not use** • in the eyes • over large areas of the body  
• if you are allergic to any of the ingredients  
**Ask a doctor before use if you have**  
• deep or puncture wounds • animal bites • serious burns  
**Stop use and ask a doctor if**  
• condition persists or gets worse • you need to use longer than 1 week  
• symptoms persist for more than 1 week, or clear up and occur again within a few days  
• rash or other allergic reaction develops  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
Children under 2 years of age: ask a doctor.  
**Warnings**  
For external use only.  
**Do not use** • in the eyes • over large areas of the body  
• if you are allergic to any of the ingredients  
**Ask a doctor before use if you have**  
• deep or puncture wounds • animal bites • serious burns  
**Stop use and ask a doctor if**  
• condition persists or gets worse • you need to use longer than 1 week  
• symptoms persist for more than 1 week, or clear up and occur again within a few days  
• rash or other allergic reaction develops  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
Children under 2 years of age: ask a doctor.

# ANTIBIOTIC PLUS PAIN RELIEF

neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-393
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin sulfate	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
<b>Pramoxine hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>mineral oil</b> (UNII: T5L8T28FGP)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11673-393-01	1 in 1 CARTON	10/16/2020	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part333B	10/16/2020	

**Labeler** - TARGET Corporation (006961700)

Revised: 12/2020

TARGET Corporation