

**OHTAS ISAN ANTACID - magnesium aluminosilicate, calcium carbonate, sodium bicarbonate tablet**

**OHTA'S ISAN CO., LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

***Active Ingredients (in each tablet)***

Magnesium aluminometasilicate	125mg
Precipitated calcium carbonate	200mg
Sodium bicarbonate	200mg

***Purpose***

Magnesium aluminometasilicate .....	Antacid
Precipitated calcium carbonate .....	Antacid
Sodium bicarbonate .....	Antacid

***Uses***

relieves: ■ heartburn ■ acid indigestion ■ sour stomach ■ upset stomach due to these symptoms

***Warnings***

**Do not use** more than 6 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor or pharmacist before use if you are**

- presently taking a prescription drug. Antacids may interact with certain prescription drugs,
- on a sodium-restricted diet

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

***Direction***

chew 2 tablets, 3 times daily.

***Other Information***

each tablet contains: sodium 55 mg.

**Inactive ingredients**

cinnamon bark, cinnamon oil, citrus unshiu peel, clove, fennel, fennel oil, gentian, lemon oil, menthol, magnesium stearate, microcrystalline cellulose, nutmeg, powdered picrasma wood.

**PRINCIPAL DISPLAY PANEL**

NDC 49631-182-11

**Ohta's Isan**

**ANTACID TABLETS**

Herb Flavored Antacid for the relief of heartburn, sour stomach, acid indigestion and upset stomach associated with these symptoms.

40 CHEWABLE TABLETS IN FOIL PACKET

**Manufactured by**

**OHTA'S ISAN CO., LTD.**

3-2, SENGOKU 2-CHOME, BUNKYO-KU,  
TOKYO 112-0011, JAPAN

DO NOT USE IF A CARTON IS DAMAGED OR FOIL PACK EACH TABLET SEALED IN IS  
BROKEN

PRODUCT OF JAPAN



Manufactured by OHTA'S ISAN CO., LTD.  
3-2, SENGOKU 2-CHOME, BUNKYO-KU, TOKYO 112-0011, JAPAN

DO NOT USE IF A CARTON IS  
DAMAGED OR FOIL PACK EACH  
TABLET SEALED IN IS BROKEN.

NDG 49631-182-11

# Ohta's Isan

ANTACID TABLETS

太田胃散 (錠剤)



Herb Flavored Antacid for the relief of heartburn, sour stomach, acid indigestion and upset stomach associated with these symptoms.



Ohta's Isan

40 CHEWABLE TABLETS  
IN FOIL PACKET

太田胃散 (錠剤)

Ohta's Isan  
ANTACID TABLETS



製造：株式会社 太田胃散 日本・東京

## Drug Facts

**Active Ingredients (in each tablet) Purpose**  
Magnesium aluminosilicate 125 mg ..... Antacid  
Precipitated calcium carbonate 200 mg ..... Antacid  
Sodium bicarbonate 200 mg ..... Antacid

### Uses

relieves: ■heartburn ■acid indigestion ■sour stomach  
■upset stomach due to these symptoms

### Warnings

Do not use more than 6 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor or pharmacist before use if you are  
■presently taking a prescription drug. Antacids may interact with certain prescription drugs.  
■on a sodium-restricted diet.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.

## Drug Facts (continued)

### Direction

chew 2 tablets, 3 times daily.

### Other information

each tablet contains: sodium 55 mg.

### Inactive ingredients

cinnamon bark, cinnamon oil, citrus unshiu peel, clove, fennel, fennel oil, gentian, lemon oil, menthol, magnesium stearate, microcrystalline cellulose, nutmeg, powdered picrasma wood.



Manufactured by  
OHTA'S ISAN CO., LTD.  
3-2, SENGOKU 2-CHOME, BUNKYO-KU,  
TOKYO 112-0011, JAPAN

PRODUCT OF JAPAN.

003311 255  
EXP 02/04

## OHTAS ISAN ANTACID

magnesium aluminosilicate, calcium carbonate, sodium bicarbonate tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDG:49631-182
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Product of

Ingredient Name	Basis of Strength	Strength
<b>Almasilate</b> (UNII: OZQ8O62H53) (Almasilate - UNII:OZQ8O62H53)	Almasilate	125 mg
<b>Calcium Carbonate</b> (UNII: H0G9379FGK) (Calcium Cation - UNII:2M83C4R6ZB, Carbonate Ion - UNII:7UJQ5OPE7D)	Calcium Carbonate	200 mg
<b>Sodium Bicarbonate</b> (UNII: 8MDF5V39QO) (Bicarbonate Ion - UNII:HN1ZRA3Q20)	Sodium Bicarbonate	200 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>Cinnamon</b> (UNII: 5S29HWU6QB)	
<b>Cinnamon Oil</b> (UNII: E5GY4I6YCZ)	
<b>Tangerine</b> (UNII: KH3E3096OO)	
<b>Clove</b> (UNII: K48IKT5321)	
<b>Clove Oil</b> (UNII: 578389D6D0)	
<b>Fennel</b> (UNII: 557II4LLC3)	
<b>Fennel Oil</b> (UNII: 59AAO5F6HT)	
<b>Gentiana Lutea Root</b> (UNII: S72O3284MS)	
<b>Lemon Oil</b> (UNII: I9GRO824LL)	
<b>Menthol</b> (UNII: L7T10EIP3A)	
<b>Magnesium Stearate</b> (UNII: 70097M6I30)	
<b>Cellulose, Microcrystalline</b> (UNII: OP1R32D61U)	
<b>Nutmeg</b> (UNII: AEE24M3MQ9)	
<b>Picrasma Quassioides Wood</b> (UNII: 75EIV4LX7W)	

### Product Characteristics

<b>Color</b>	BROWN (Sand Color)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	OHTA
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49631-182-11	1 in 1 CARTON		
1		40 in 1 PACKAGE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	11/16/2000	

**Labeler** - OHTA'S ISAN CO., LTD (690771738)