HALFDYNE- iodine teat dip liquid Tetradyne LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Halfdyne

USE DIRECTIONS:

Use at full strength, do not dilute.

For pre-dipping: Make sure udder and teats are visibly clean of any soil. Forestrip each quarter and dip with **HALFDYNE** solution. Wipe teat with towel and then attach milking unit.

For post-dipping: Dip entire teat in **HALFDYNE**.

Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **HALFDYNE** at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING

IF FROZEN: SHAKE

VIGOROUSLY AFTER THAWING

WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

OBSERVE LABEL DIRECTIONS.

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

HALFDYNE

SANITIZING IODINE TEAT DIP FORMULATED
WITH EMOLLIENTS TO ENHANCE SKIN CONDITIONING

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient	0.50% Available Iodine (provides 5,000 ppr	m titratable iodine)
pH	Minimum 4.0	
Fmollients	5% Glycerin	

Lot#:	· · · · · · · · · · · · · · · · · · ·	
Exp. Date:		_
Net Contents:		

Manufactured For:Tetradyne LLC PO Box 17003 Reno, NV 89511

HALFDYNE

USE DIRECTIONS:

Use at full strength, do not dilute.

For Pre-Dip: Make sure udder and teats are visibly clean of any soil. Forestrip each quarter and dip with HALFDYNE solution. Wipe teat with towel and then attach milking unit.

For Post-Dip: Dip entire teat in HALF-DYNE. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with HALFDYNE at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING
IF FROZEN: SHAKE
VIGOROUSLY AFTER THAWING

SANITIZING IODINE TEAT DIP FORMULATED WITH EMOLLIENTS TO ENHANCE SKIN CONDITIONING

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient 0.50% Available Iodine

	(Provides 5,000 ppm titratable iodine) Minimum 4.0 5% Glycerin
Lot #:	
Exp. Date:	
Net Contents:	





WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

Manufactured For: Tetradyne LLC PO Box 17003 Reno, NV 89511

HALFDYNE

iodine teat dip liquid

Product Information Product Type OTC ANIMAL DRUG Item Code (Source) NDC:66399-080 Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.5 g in 1 L

Inactive Ingredients			
Ingredient Name	Strength		
GLYCERIN (UNII: PDC6A3C0OX)	5.0 g in 1 L		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-080- 01	3.78 L in 1 JUG		
	NDC:66399-080- 02	18.9 L in 1 PAIL		
3	NDC:66399-080- 03	56.7 L in 1 DRUM		
4	NDC:66399-080- 04	113.4 L in 1 DRUM		
5	NDC:66399-080- 05	207.9 L in 1 DRUM		
6	NDC:66399-080- 06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-080- 07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/10/2001	

Labeler - Tetradyne LLC (130969293)

Revised: 11/2013 Tetradyne LLC