

QUARTERMATE PLUS- iodine solution
WestAgro, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

WESTAGRO QUARTERMATE/PLUS

SANITIZING TEAT DIP WITH / Io-MaXX
pH ADJUSTED HIGH "FREE" IODINE TECHNOLOGY

Sellador De Pezones Desinfectante Con Glicerina

ACTIVE INGREDIENT:

Iodine 0.1%

From Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex

ACT

ADVANCED CONDITIONING TECHNOLOGY

U.S. Patent No.

5,368,868

NPE FREE Formula

Io-MaXX

pH ADJUSTED HIGH "FREE" IODINE TECHNOLOGY

U.S. Patent No. 5,643,608

Manufactured by:

WESTAGRO

11100 N. Congress Ave. Kansas City, MO

64153-1296

PRODUCT BENEFITS

- **Pre-dip, post-dip, the only dip you need.**
- **Elevated *free iodine* for fast kill of mastitis causing organisms.**
- **Unique pH-balanced formula has glycerin plus cosmetic-grade complexors for excellent skin conditioning.**
- **University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.**
- **Contains food grade ingredients to eliminate residue concerns.**

DIRECTIONS FOR USE:

GENERAL INSTRUCTIONS

- Use at full strength (Do not dilute).
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use Quarter Mate teat dip for cleaning or sanitizing equipment.

PRE-DIPPING

- Make sure udder and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with Quarter Mate teat dip.
- Allow 15 to 30 seconds contact time.
- Dry cow's teats with a single service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, dip or spray cow's teats with Quarter Mate teat dip. Do not wipe.
- If outside temperature is below freezing, allow Quarter Mate teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with single service paper towel.

Failure to follow these directions may result in frozen teats and injured animals.

Color added to indicate contact with the animal.

Made in U.S.A.

0128-10506

Copyright 2006, West Agro, Inc.

NOW WITH

Io-MaXX

pH ADJUSTED "FREE" IODINE TECHNOLOGY

0128

NDC 33392-128

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

! CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

FIRST AID

Contact with product can cause irritation to eyes. Keep out of eyes.

Eye Contact: Flush with water. Remove contact lenses, if present, after the first five minutes. Then continue flushing.

If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your West Agro dealer.

CHEMTREC EMERGENCY NO. 1-800-424-9300

NET CONTENTS:

LOT NO:

EXPIRATION DATE:

PRODUCT BENEFITS

- Pre-dip, post-dip, the only dip you need.
- Elevated free iodine for fast kill of mastitis causing organisms.
- Unique pH-balanced formula has glycerin plus cosmetic-grade complexors for excellent skin conditioning.
- University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.
- Contains food grade ingredients to eliminate residue concerns.

DIRECTIONS FOR USE:
GENERAL INSTRUCTIONS

- Use at full strength (Do not dilute).
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use Quarter Mate® teat dip for cleaning or sanitizing equipment.

PRE-DIPPING

- Make sure udders and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with Quarter Mate® teat dip.
- Allow 15 to 30 seconds contact time.
- Dry cow's teats with a single service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, dip or spray cow's teats with Quarter Mate® teat dip. Do not wipe.
- If outside temperature is below freezing, allow Quarter Mate® teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats for one minute, then dry teats with a single service paper towel.

Failure to follow these directions may result in frozen teats and injured animals.
Color added to indicate contact with the animal.

**CHEMTREC EMERGENCY # :
1-800-424-9300**

Made in USA
0128-L1215



WESTAGRO®

Quarter Mate®/Plus

SANITIZING TEAT DIP WITH *Io-Maxx*

Sellador De Pezones Desinfectante
Con Glicerina

ACTIVE INGREDIENT:
Iodine *0.1%
* From Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex




U.S. Patent No. 5,368,868

Io-Maxx

BY ADJUSTED HIGH FREE RINGING TECHNOLOGY
U.S. Patent No. 5,643,608

Manufactured by:
WESTAGRO®
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 816-891-7700
© Copyright 2015, Made in USA

0128

NDC# 33392-128

KEEP OUT OF REACH OF CHILDREN

⚠ CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

⚠ CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA,
POR FAVOR PIDA A ALGUIEN MAS QUE SE LA
LEA ANTES DE USAR ESTE PRODUCTO

NOT FOR HUMAN USE

FIRST AID:
Contact with product can cause irritation to eyes. Keep out of eyes.
If in Eyes: Flush with water. Remove contact lenses, if present, after the first five minutes. Then continue flushing.
If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL:
THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN.
Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.
Read and understand all directions before using this product. For additional information refer to the Safety Data Sheet (SDS) available from your West Agro dealer.

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:



7 320461 021660 >

QUARTERMATE PLUS

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-128
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Iodine (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	0.1 kg in 100 kg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POLOXAMER 335 (UNII: G6DQL26D50)	
GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLOXAMER 403 (UNII: 2E9U4Y94DB)	
water (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
SODIUM IODIDE (UNII: F5WR8N145C)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
SODIUM IODATE (UNII: U558PCS5Z9)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-128-08	19.1 kg in 1 PAIL		
2	NDC:33392-128-02	57.3 kg in 1 DRUM		
3	NDC:33392-128-01	210 kg in 1 DRUM		
4	NDC:33392-128-27	1050 kg in 1 TANK		
5	NDC:33392-128-23	18927 kg in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/01/2011	

Labeler - WestAgro, Inc. (069288728)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		00222368	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
JBZ Dairy Advantage Inc		016914287	repack

Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		014157770	repack

Establishment

Name	Address	ID/FEI	Business Operations
Noble Road Milking Equipment LLC		828991521	repack

Establishment

Name	Address	ID/FEI	Business Operations
Joe's Refrigeration, Inc.		074783069	repack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label

Establishment

Name	Address	ID/FEI	Business Operations
EDERER DAIRY SUPPLY LLC		076158336	repack

Revised: 9/2023

WestAgro, Inc.