

**SEVERE CONGESTION AND COUGH MULTI-SYMPTOM MAXIMUM STRENGTH-  
dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated  
CVS Pharmacy**

-----  
**CVS 44-648**

***Active ingredients (in each caplet)***

Dextromethorphan HBr 10 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

## **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache.

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

### ***Other information***

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

**50% MORE TABLETS THAN THE**

## **NATIONAL BRAND†**

**♥CVS**  
Health®

Compare to the active ingredients  
in Maximum Strength Mucinex®  
FAST-MAX® Severe Congestion & Cough\*

### **Multi-Symptom**

### **Severe Congestion & Cough**

#### **DEXTROMETHORPHAN HBr**

Cough suppressant

**GUAIFENESIN** - Expectorant

#### **PHENYLEPHRINE HCl**

Nasal decongestant

### **MAXIMUM STRENGTH**

#### **Relieves:**

Nasal & chest congestion

Controls cough

Thins & loosens mucus

#### **For Ages 12+**

Actual Size

**30** COATED CAPLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by RB Health (US)  
LLC, owner of the registered trademark  
Maximum Strength Mucinex® FAST-MAX®  
Severe Congestion & Cough.

50844 REV0423D64801

†50% more tablets than Maximum Strength  
Mucinex® FAST-MAX® Severe Congestion  
& Cough 20 count package.

#### **Distributed by:**

**CVS Pharmacy, Inc.**

**One CVS Drive**

**Woonsocket, RI 02895**

**© 2023 CVS/pharmacy**

**CVS.com®**

**1-800-SHOP CVS**

**V-19849**

100% money back  
guaranteed.

CVS.com/returnpolicy

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**

**Active ingredients (in each caplet)** **Purpose**

Dextromethorphan HBr 10 mg..... Cough suppressant

Guaifenesin 200 mg.....Expectorant

Phenylephrine HCl 5 mg.....Nasal decongestant

**Uses** ■ temporarily relieves:

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- nasal congestion due to a cold
- the impulse to cough to help you get to sleep
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** ■ high blood pressure ■ heart disease ■ diabetes ■ difficulty in urination due to enlargement of the prostate gland ■ thyroid disease ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ do not take more than directed

- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and over: take 2 caplets every 4 hours
- children under 12 years: do not use

**Other information** ■ each caplet contains: sodium 3 mg

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

how2recycle.info



PAPER MULTILAYER BOX

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® FAST-MAX® Severe Congestion & Cough. 150% more tablets than Maximum Strength Mucinex® FAST-MAX® Severe Congestion & Cough, 20 count package.

**Drug Facts (continued)**

**Inactive ingredients** com starch, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, malibondrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Questions or comments?** 1-800-426-9991

**CVS Health.**

Multi-Symptom  
**Severe Congestion & Cough**

**50% MORE TABLETS THAN THE NATIONAL BRAND†**

**CVS Health.** Compare to the active ingredients in Maximum Strength Mucinex® FAST-MAX® Severe Congestion & Cough\*

Multi-Symptom  
**Severe Congestion & Cough**

DEXTROMETHORPHAN HBr  
Cough suppressant

GUAIFENESIN - Expectorant

PHENYLEPHRINE HCl  
Nasal decongestant

**MAXIMUM STRENGTH**

**Relieves:**  
Nasal & chest congestion  
Controls cough  
Thins & loosens mucus

**For Ages 12+**



Actual Size

**30 COATED CAPLETS**

**PARENTS:**  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org

Distributed by:  
CVS Pharmacy, Inc.  
One CVS Drive  
Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com®  
1-800-SHOP CVS  
V-19849

**100% money back guaranteed.**  
CVS.com/returnpolicy

B-0231-648-01-H  
REV0423D64801

#972449 FPO 80%  
UPC# 050428393789  
X XXXXXX XXXXXX X

No print/No varnish Area  
Lot & Expiry date 50844 REV0423D64801

**CVS 44-648**

## SEVERE CONGESTION AND COUGH MULTI-SYMPTOM MAXIMUM STRENGTH

dextromethorphan hbr, guaifenesin, phenylephrine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-648
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients	
Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>FD&amp;C BLUE NO. 2--ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

Product Characteristics			
<b>Color</b>	red (maroon)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	44;648
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-648-95	3 in 1 CARTON	07/19/2023	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59779-648-01	3 in 1 PACKAGE	07/20/2015	07/19/2023
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M012	07/20/2015	
--------------------	------	------------	--

**Labeler** - CVS Pharmacy (062312574)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(59779-648) , pack(59779-648)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(59779-648)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(59779-648)

Revised: 7/2024

CVS Pharmacy