MUCINEX DM- guaifenesin and dextromethorphan hydrobromide tablet, extended release RB Health (US) LLC

Mucinex® DM

Drug Facts

Active ingredients (in each extended-release bi-layer tablet)	Purposes
Dextromethorphan HBr 30 mg	Cough suppressant
Guaifenesin 600 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

do not use more than directed

Stop use and ask a doctor if

• cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

store at 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US) Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 20 Tablet Blister Pack Carton

NDC 63824-056-32

Mucinex ® DM

600 mg guaifenesin & 30 mg dextromethorphan HBr extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT

12 HOUR_®

- ✓ Controls Cough
- ✓ Thins and Loosens Mucus
- ✓ Immediate and Extended Release

20 EXTENDED-RELEASE BI-LAYER TABLETS

MucinexDM

Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.

EXTENDED-RELEASE BI-LAYER TABLETS

NDC 63824-056-32

Mucinexida

600 mg guaifenesin & 30 mg dextromethorphan HBr extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT



- ✓ Controls Cough
- ✓ Thins and Loosens Mucus
- ✓ Immediate and Extended Release
- 20 EXTENDED-RELEASE BI-LAYER TABLETS

Choose from the MUCINEX® line of products to treat your sympton

www.StopMedicineAbuse.org

63824 05620

3077437

Pharma Code

Glue Line

600 mg guaifenesin & 30 mg dextromethorphan HBr extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT

Purposes

Drug Facts

Active ingredients (in each extended-release bi-laver tablet)

Dextromethorphan HBr 30 mg......Cough suppressant Guaifenesin 600 mg....Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

do not use more than directed

Drug Facts (continued)

Stop use and ask a doctor if

 cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.
 These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- m children under 12 years of age: do not use

Other information

■ store at 20-25°C (68-77°F)

Inactive ingredients carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)
You may also report side effects to this phone number.



HEALTH + HYGIENE + HOM

Dist. by: RB Health (US) Parsippany, NJ 07054-0224

Patents: www.rb.com/patents 011119 3077437 © 2019 RB Health Made in England MUCINEXDM

EXPECTOBANT & COUGH SUPPRESSANT

Unique Bi-Layer Tabl
Tablet shown actual size

mmediate-Release Lay

Extended-Rélease



guaifenesin and dextromethorphan hydrobromide tablet, extended release

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-056	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	600 mg	
Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS)	Dextromethorphan Hydrobromide	30 mg	

Inactive Ingredients			
Ingredient Name	Strength		
Carbomer Homopolymer Type B (Allyl Pentaerythritol Crosslinked) (UNII: HHT01ZNK31)			
D&C yellow no. 10 (UNII: 35SW5USQ3G)			
aluminum oxide (UNII: LMI26O6933)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
magnesium stearate (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			

Product Characteristics				
Color	WHITE (yellow and white)	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	Mucinex;600	
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63824- 056-89	4 in 1 CARTON	03/30/2018		
1		17 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:63824- 056-36	1 in 1 CARTON	06/26/2012		
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product			
3	NDC:63824- 056-32	1 in 1 CARTON	06/26/2012		
3		20 in 1 BLISTER PACK; Type 0: Not a Combination Product			
4	NDC:63824- 056-34	2 in 1 CARTON	06/26/2012		
4		20 in 1 BLISTER PACK; Type 0: Not a Combination Product			
	NDC-62024				

5	NDC:03824- 056-69	3 in 1 CARTON	06/26/2012	
5		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		
6	NDC:63824- 056-74	24 in 1 CARTON	06/26/2012	
6	NDC:63824- 056-73	2 in 1 POUCH; Type 0: Not a Combination Product		
7	NDC:63824- 056-72	2 in 1 POUCH; Type 0: Not a Combination Product	06/26/2012	
8	NDC:63824- 056-11	2 in 1 CARTON	06/26/2012	06/15/2022
8		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
9	NDC:63824- 056-01	5 in 1 CARTON	06/26/2012	
9		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		
10	NDC:63824- 056-50	500 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021620	06/26/2012	

Labeler - RB Health (US) LLC (081049410)

Revised: 6/2022 RB Health (US) LLC