

**MUCINEX DM- guaifenesin and dextromethorphan hydrobromide tablet,
extended release
RB Health (US) LLC**

Mucinex®DM

Drug Facts

<i>Active ingredients (in each extended-release bi-layer tablet)</i>	<i>Purposes</i>
Dextromethorphan HBr 30 mg	Cough suppressant
Guaifenesin 600 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 20 Tablet Blister Pack Carton

NDC 63824-056-32

Mucinex®DM

600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT

12

HOUR®

- Controls Cough
- Thins and Loosens Mucus
- Immediate and Extended Release

20

EXTENDED-RELEASE
BI-LAYER TABLETS

Mucinex[®]DM

20

EXTENDED-RELEASE BI-LAYER TABLETS

Tamper evident
Do not use if carton is open or if
printed seal on blister is broken
or missing.

NDC 63824-056-32

Mucinex[®]DM

600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT

Glue Line



- ✓ Controls Cough
- ✓ Thins and Loosens Mucus
- ✓ Immediate and Extended Release

20


EXTENDED-RELEASE
BI-LAYER TABLETS

Choose from the MUCINEX[®] line of products to treat your symptoms
MUCINEX[®] Relieves Chest Congestion • Thins and Loosens Mucus for 12 hours
MUCINEX[®] DM Controls Cough • Thins and Loosens Mucus for 12 hours
MUCINEX[®] D Clears Nasal/Sinus Congestion • Thins and Loosens Mucus for 12 hours
Please visit our website www.mucinex.com

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org



Pharma
Code

3077437

Mucinex[®]DM

600 mg guaifenesin & 30 mg dextromethorphan HBr
extended-release bi-layer tablets

EXPECTORANT & COUGH SUPPRESSANT

Drug Facts

Active ingredients **Purposes**
(in each extended-release
bi-layer tablet)

Dextromethorphan HBr 30 mg.....Cough suppressant
Guaifenesin 600 mg.....Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Drug Facts (continued)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients carbomer homopolymer type B; D&C yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.



HEALTH • HYGIENE • HOME

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Patents:
www.rb.com/patents
011119
3077437

© 2019 RB Health
Made in England



EXPECTORANT & COUGH SUPPRESSANT

Mucinex[®]DM

Tablet shown actual size
Unique Bi-Layer Tablet

Extended-Release Layer



Immediate-Release Layer

guaifenesin and dextromethorphan hydrobromide tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-056
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white (yellow and white)	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	Mucinex;600
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-056-89	4 in 1 CARTON	03/30/2018	
1		17 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63824-056-36	1 in 1 CARTON	06/26/2012	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:63824-056-32	1 in 1 CARTON	06/26/2012	
3		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:63824-056-34	2 in 1 CARTON	06/26/2012	
4		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

5	NDC:63824-056-69	3 in 1 CARTON	06/26/2012	
5		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		
6	NDC:63824-056-74	24 in 1 CARTON	06/26/2012	
6	NDC:63824-056-73	2 in 1 POUCH; Type 0: Not a Combination Product		
7	NDC:63824-056-72	2 in 1 POUCH; Type 0: Not a Combination Product	06/26/2012	
8	NDC:63824-056-11	2 in 1 CARTON	06/26/2012	06/15/2022
8		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
9	NDC:63824-056-01	5 in 1 CARTON	06/26/2012	
9		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		
10	NDC:63824-056-50	500 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2021	
11	NDC:63824-056-80	2 in 1 CARTON	05/01/2024	
11		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021620	06/26/2012	

Labeler - RB Health (US) LLC (081049410)

Revised: 6/2024

RB Health (US) LLC