

**MICONAZOLE 3 COMBINATION PACK- miconazole nitrate
Cardinal Health (Leader) 70000**

Miconazole 3 Combination Pack

Drug Facts

Active ingredients

Miconazole nitrate, USP 200 mg (in each suppository)
Miconazole nitrate, USP 2% (external cream)

Purpose

Vaginal antifungal

Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use

if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are

taking the prescription blood thinning medicine, warfarin, because bleeding and bruising may occur.

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted

diseases (STDs).

- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur.

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling discharge

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product read the enclosed consumer information leaflet for complete directions and information
- **adults and children 12 years of age and over:**
 - **suppositories:** insert 1 suppository into the vagina at bedtime for 3 nights in a row. Wash applicator after each use.
 - **external cream:** Use cap to puncture seal. Squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.
- **children under 12 years of age: ask a doctor**

Other information

- do not use if suppository wrapper is missing or damaged (each suppository is individually wrapped)
- do not use if seal over tube opening has been punctured or is not visible
- do not purchase if carton is open
- store at 20°-25°C (68°-77°F) [see USP Controlled Room Temperature] excursions permitted to 15°-30°C (59°-86°F).

Inactive ingredients

- suppository: hydrogenated vegetable oil
- external cream: benzoic acid, butylated hydroxyanisole, mineral oil, oleoyl polyoxyglycerides, pegoxol 7 stearate, purified water

Questions?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal display panel

COMPARE TO MONISTAT® 3 active ingredient*

Miconazole 3

Combination pack

Miconazole Nitrate Vaginal Suppositories, USP 200 mg

and Miconazole Nitrate Vaginal Cream, USP 2%

Vaginal Antifungal

Cure Most Vaginal Yeast Infections

Relieves Associated External Itching and Irritation

3 Miconazole Nitrate Vaginal Suppositories, USP 200 mg with 3 Disposable Applicators
Plus

1 Tube of Miconazole Nitrate Vaginal cream, USP 2%

*This product is not affiliated with, manufactured by or produced by the makers or owners of Monistat® 3

DISTRIBUTED BY

CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com

Package label

LEADERTM

Miconazole 3 Combination Pack

3 Vaginal Suppositories with Reusable Applicator
Plus External Cream for Itch Relief

COMPARE TO
MONISTAT[®] 3
active ingredient*

100% Money
Back Guarantee



LEADERTM

NDC 70000-0025-1

Miconazole 3 Combination Pack

Miconazole Nitrate Vaginal Suppositories, USP 200 mg
and Miconazole Nitrate Vaginal Cream, USP 2%
Vaginal Antifungal

Cures Most Vaginal Yeast Infections
Relieves Associated External Itching
and Irritation


3 Miconazole Nitrate Vaginal Suppositories, USP 200 mg
with 1 Reusable Applicator Plus
1 Tube of Miconazole Nitrate Vaginal Cream, USP 2%

COMPARE TO
MONISTAT[®] 3
active ingredient*

100% Money
Back Guarantee

NET WT. 0.32 OZ (9g)

3 Suppositories



Actual Size

©2020 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY
CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com
1-800-200-6513
Essential to Care[™] since 1979



✓ All LEADERTM Brand Products Have A
100% Money Back Guarantee

Return to place of purchase if not satisfied.

CIN 5520432 REV. 8/20



PLD-B654A FC007102 VC710317

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Monistat[®] 3.

Questions? Call 1-877-753-3936 Monday-Friday 9AM-5PM EST

external cream, benzoic acid, butylated hydroxyanisole, mineral oil, oleoyl polyoxyglycerides, pegoxol 7 stearate, purified water

	<p>Drug Facts</p> <p>Active ingredients Miconazole nitrate, USP 200 mg (in each suppository), Miconazole nitrate, USP 2% (external cream), Vaginal antifungal Vaginal antifungal</p> <p>Purpose Vaginal antifungal</p> <p>Uses ■ treats vaginal yeast infections ■ relieves external itching and irritation due to a vaginal yeast infection</p> <p>Warnings For vaginal use only Do not use if you have never had a vaginal yeast infection diagnosed by a doctor Ask a doctor before use if you have vaginal itching and discomfort for the first time ■ lower abdominal, back, or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition. ■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system. ■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur. When using this product ■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs). ■ do not have vaginal intercourse ■ mild increase in vaginal burning, itching or irritation may occur Stop use and ask a doctor if ■ symptoms do not get better in 3 days ■ symptoms last more than 7 days ■ you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions ■ before using this product read the enclosed consumer information leaflet for complete directions and information ■ adults and children 12 years of age and over: ■ suppositories: insert 1 suppository into the vagina at bedtime for 3 nights in a row. Wash applicator after each use. ■ external cream: use cap to puncture seal. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days. ■ children under 12 years of age: ask a doctor</p> <p>Other information ■ do not use if suppository wrapper is missing or damaged (each suppository is individually wrapped) ■ do not use if seal over tube opening has been punctured or is not visible ■ do not purchase if carton is open ■ store at 20°-25°C (68°-77°F) [see USP Controlled Room Temperature] excursions permitted to 15°-30°C (59°-86°F)</p> <p>Inactive ingredients suppository: hydrogenated vegetable oil</p>
--	---

LEADER Miconazole 3 Cream and Miconazole Nitrate Vaginal Suppositories

Package label

LEADERTM

Miconazole 3 Combination Pack

3 Vaginal Suppositories with Disposable Applicators
Plus External Cream for Itch Relief

COMPARE TO
MONISTAT[®] 3
active ingredient*

100% Money
Back Guarantee



LEADERTM

NDC 70000-0025-2

Miconazole 3 Combination Pack

Miconazole Nitrate Vaginal Suppositories, USP 200 mg
and Miconazole Nitrate Vaginal Cream, USP 2%
Vaginal Antifungal

Cures Most Vaginal Yeast Infections
Relieves Associated External Itching
and Irritation


3 Miconazole Nitrate Vaginal Suppositories, USP 200 mg
with 3 Disposable Applicators Plus
1 Tube of Miconazole Nitrate Vaginal Cream, USP 2%

COMPARE TO
MONISTAT[®] 3
active ingredient*

100% Money
Back Guarantee

NET WT. 0.32 OZ (9g)

3 Suppositories



Actual Size

©2020 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, ESSENTIAL TO CARE, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY
CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com
1-800-200-6313
Essential to Care[™] since 1979



✓ All LEADER[™] Brand Products Have A
100% Money Back Guarantee

Return to place of purchase if not satisfied.

CIN 5520440 REV. 8/20



PLD-8672A FC007132 VC710318

*This product is not affiliated with, manufactured by, or produced by the makers or owners of Monistat[®] 3.

Questions? Call 1-877-753-3965 Monday-Friday 9AM-6PM EST

suppository: hydrogenated vegetable oil external cream: benzoic acid, butylated hydroxyanisole, mineral oil, oleoyl polyoxyglycerides, pegaxol 7 stearate, purified water

MICONAZOLE 3

miconazole nitrate suppository

Product Information

Route of Administration VAGINAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	200 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED PALM KERNEL OIL (UNII: FM8D1RE2VP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		3 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074926	07/01/2019	

Part 2 of 2

MICONAZOLE 3

miconazole nitrate cream

Product Information

Route of Administration VAGINAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	10 mg in 0.5 g

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
MINERAL OIL (UNII: T5L8T28FGP)	
APRICOT KERNEL OIL PEG-6 ESTERS (UNII: DRG3KJZ1TJ)	
PEGOXOL 7 STEARATE (UNII: 3EW5AXE5X5)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		9 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074926	07/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074926	07/01/2019	

Labeler - Cardinal Health (Leader) 70000 (063997360)

Revised: 11/2024

Cardinal Health (Leader) 70000