

**CELLULAR SWISS UV PROTECTION VEIL SUNSCREEN BROAD SPECTRUM SPF 50 LA PRAIRIE- octinoxate, oxybenzone, titanium dioxide, zinc oxide cream**

**Temmentec Ag**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Cellular Swiss UV Protector Veil Sunscreen Broad Spectrum SPF 50**

Active ingredients	Purpose
Octinoxate 7.5%	Sunscreen
Oxybenzone 5.0%	Sunscreen
Titanium Dioxide 1.9%	Sunscreen
Zinc Oxide 18.6%	Sunscreen

helps prevent sunburn

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Stop use and ask a doctor if rash occurs.

Warnings:

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes

Rinse with water to remove

Directions

apply daily after cleansing and toning

smooth over face & throat

apply liberally 15 minutes before sun exposure

children under 6 months of age: Ask a doctor

reapply at least every 2 hours

use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10 a.m. - 2p.m.

Wear long sleeve shirts, pants, hats and sunglasses

Inactive ingredients: Water(Aqua), C12-15 Alkyl Benzoate, Butylene Glycol, Ethylhexyl Methoxycrylene, Sorbitan Stearate, HDI/Trimethylol Hexylactone Crosspolymer, Polyhydroxystearic Acid, Cetearyl Alcohol, PEG/PPG/Polybutene Glycol-8/5/3 Glycerin, Squalane, Nylon-12, Glycolproteins, Panax Ginseng Root extract, Equisetum Arvense Extract, Polysorbate 80, Glycerin, Caprylyl/Capryl Glucoside, Sodium Hyaluronate, Leontopodium Alpinum Extract, Rosa multiflora Fruit Extract, Glycyrrhiza Glabra (licorice) Root Extract, Sodium Methyl Stearoyl Taurate, Tocopheryl Acetate, Ethylhexylglycerin, Hydroxypropyl Methylcellulose Stearoyl Ether, Xanthan Gum, Hibiscus

Sabdariffa Flower Extract, Morus Alba Bark Extract, Cucumis Sativus (cucumber) seed Extract, Lecithin, Lactobacillus Ferment, Lysophosphatidic Acid, Sacharomyces Cerevisiae Extract, Triethoxycaprylylsilane, Alumina, Methicone, Alcohol, Silica, Citric Acid, BHT, Fragrance (parfum) Linalool, Benzyl Alcohol, Hydroxycitronellal, Citronellol, Alpa-isomethyl ionone, Amyl Cinnamal, Hexyl Cinnamal, Evernia Furfuracea (Treemoss) Extract, Benzyl Benzoate, Geraniolm Butylphenyl Methylpropional, Eugenol, Benzyl Salicylate, Sodium Benzoate, Potassium Sorbate, Phenoxyethanol, Methylparaben, Yellow 5 (CI 19140), Red 40 (CI16035), Yellow 6 (CI 15985)

Cellular Swiss UV Protection Veil

Sunscreen Broad Spectrum SPF 50

La Prairie Switzerland

50 ml/ 1.7 FL. OZ.

ml RB CARTON\_US

NENT # 95790-01219-06

RT # 95790-01212-31

N# 7611773 06335 7



Discover more  
at [laprairie.com](http://laprairie.com)

**Drug Facts**

Active Ingredients	Purpose
Octinoxate 7.5%.....	Sunscreen
Oxybenzone 5.0%.....	
Titanium Dioxide 1.9%.....	
Zinc Oxide 18.6%.....	

**Uses:**

- helps prevent sunburn

**Warnings:**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

- apply daily after cleansing and toning
- smooth over face & throat
- apply liberally 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeve shirts, pants, hats and sunglasses

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzoate, Butylene Glycol, Ethylhexyl Methoxycrylene, Sorbitan Stearate, HDI/Trimethylol Hexyllactone Crosspolymer, Polyhydroxystearic Acid, Cetearyl Alcohol, PEG/PPG/Polylbutylene Glycol-8/5/3 Glycerin, Squalane, Nylon-12, Glycoproteins\*, Panax Ginseng Root Extract\*, Equisetum Arvense Extract\*, Polysorbate 80, Glycerin, Caprylyl/Capryl Glucoside, Sodium Hyaluronate, Leontopodium Alpinum Extract, Rosa Multiflora Fruit Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Sodium Methyl Stearoyl Taurate, Tocopheryl Acetate, Ethylhexylglycerin, Hydroxypropyl Methylcellulose Stearoyl Ether, Xanthan Gum, Hibiscus Sabdariffa Flower Extract, Morus Alba Bark Extract, Cucumis Sativus (Cucumber) Seed Extract, Lecithin, Lactobacillus Ferment, Lysophosphatidic Acid, Saccharomyces Cerevisiae Extract, Triethoxycaprylylsilane, Alumina, Methicone, Alcohol, Silica, Citric Acid, BHT, Fragrance (Parfum), Linalool, Benzyl Alcohol, Hydroxycitronellal, Citronellol, Alpha-Isomethyl Ionone, Amyl Cinnamal, Hexyl Cinnamal, Evernia Furfuracea (Tremoss) Extract, Benzyl Benzoate, Geraniol, Butylphenyl Methylpropional, Eugenol, Benzyl Salicylate, Sodium Benzoate, Potassium Sorbate, ▶

**Drug Facts cont.**

**Inactive Ingredients cont.:**  
 Phenoxyethanol, Methylparaben, Yellow 5 (CI 19140), Red 40 (CI 16035), Yellow 6 (CI 15985) i71

\* New patent pending for La Prairie's exclusive Cellular Complex in addition to US Patent 5,840,309

**Other Information**

- Protect the product in this container from excessive heat and direct sun

**Questions or comments?**

Call toll free 1-800-821-5718 or visit [laprairie.com](http://laprairie.com)

CELLULAR SWISS  
 UV PROTECTION VEIL  
 SUNSCREEN  
 BROAD SPECTRUM  
 SPF 50



50 ml e/ 1.7 FL. OZ.

MADE IN SWITZERLAND - FABRIQUE EN SUISSE

LABORATOIRES LA PRAIRIE S.A.  
 CLARENS/MONTREUX • ZÜRICH  
 D-76530 BADEN-BADEN  
 MILANO • PARIS

LA PRAIRIE, INC., DISTR.  
 NEW YORK, N.Y. 10019



LABORATOIRES LA PRAIRIE S.A.  
 CH-8604 VOLKRETSWIL-ZÜRICH



1212-31

CELLULAR SWISS  
UV PROTECTION VEIL

VOILE PROTECTION UV  
CELLULAIRE SUISSE

SUNSCREEN  
BROAD SPECTRUM

SPF 50

**la prairie**  
SWITZERLAND

Active Ingredients:  
Octinoxate 7.5%, Oxybenzone 5.0%  
Titanium Dioxide 1.9%, Zinc Oxide 18.6%

**Warnings: For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Attention : Pour usage externe seulement. Ne pas utiliser** sur la peau irritée ou abîmée. **Garder ce produit** à l'écart des yeux. Rincer à l'eau pour l'éliminer. **Cesser d'utiliser le produit et consulter un médecin** en cas d'éruption cutanée. **Ne pas laisser à la portée des enfants.** En cas d'absorption, consulter un médecin ou le centre anti-poisons.

MADE IN SWITZERLAND  
FABRIQUE EN SUISSE

LABORATOIRES LA PRAIRIE S.A.  
CLARENS/MONTREUX • ZÜRICH  
D-76530 BADEN-BADEN  
MILANO • PARIS

LA PRAIRIE, INC., DISTR.,  
NEW YORK, N.Y. 10019

laprairie.com



50 ml e / 1.7 FL. OZ.

## CELLULAR SWISS UV PROTECTION VEIL SUNSCREEN BROAD SPECTRUM SPF 50 LA PRAIRIE

octinoxate, oxybenzone, titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68807-324
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 in 100 kg
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5 in 100 kg
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.9 in 100 kg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	18.6 in 100 kg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>GLYCOPROTEIN HORMONES ALPHA CHAIN</b> (UNII: 8YJ68CQ409)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>EQUISETUM ARVENSE BRANCH</b> (UNII: 1L0VKZ185E)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL/CAPRYL OLIGOGLUCOSIDE</b> (UNII: E00JL9G9K0)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>LEONTOPODIUM NIVALE SUBSP. ALPINUM FLOWER</b> (UNII: MWN6IZU3XM)	
<b>ROSA MULTIFLORA FRUIT</b> (UNII: EZ5DSL4T27)	
<b>LICORICE</b> (UNII: 61ZBX54883)	
<b>SODIUM METHYL STEAROYL TAURATE</b> (UNII: JFM219LJ55)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>HIBISCUS SABDARIFFA FLOWER</b> (UNII: 45TGG6IU6M)	
<b>MORUS ALBA BARK</b> (UNII: 7071A48NDP)	
<b>CUCUMBER SEED</b> (UNII: BT3S9L53JK)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>LACTOBACILLUS REUTERI</b> (UNII: 9913I24QEE)	
<b>SACCHAROMYCES CEREVISIAE</b> (UNII: 978D8U419H)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>LINALOOL, (+)-</b> (UNII: F4VNO44C09)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>HYDROXYCITRONELLAL</b> (UNII: 8SQ0VA4YUR)	
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>.ALPHA.-AMYL CINNAMALDEHYDE</b> (UNII: WC51CA3418)	
<b>.ALPHA.-HEXYL CINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>PSEUDEVERNIA FURFURACEA</b> (UNII: 49ZMN09Q0K)	
<b>BENZYL BENZOATE</b> (UNII: N863NB338G)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>BUTYLPHENYL METHYLPROPIONAL</b> (UNII: T7540GJV69)	
<b>EUGENOL</b> (UNII: 3T8H1794QW)	
<b>BENZYL SALICYLATE</b> (UNII: WAO5MKN9TU)	

<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PHENOXYETHANOL</b> (UNII: HE492ZZ3T)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68807-324-11	78.4 kg in 1 DRUM; Type 0: Not a Combination Product	08/12/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/12/2015	

**Labeler** - Temmentec Ag (480586411)

**Registrant** - Temmentec Ag (480586411)

### Establishment

Name	Address	ID/FEI	Business Operations
Temmentec Ag		480586411	manufacture(68807-324)

Revised: 1/2017

Temmentec Ag