

**OFF BITE AND ITCH RELIEF FIRST AID ANTISEPTIC- benzocaine, phenol, camphor solution**  
**S. C. Johnson & Son, Inc.**

-----  
**OFF® Bite and Itch Relief First Aid Antiseptic**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Benzocaine 5%	Analgesic, Anesthetic, Antipruritic
Camphor 3%	Topical Analgesic
Phenol 1.35%	First Aid Antiseptic

**Uses**

First aid to help prevent infection in minor cuts, scrapes, and burns. For temporary relief of pain and itching associated with:

- insect bites
- minor burns
- minor cuts
- skin rashes due to poison ivy, poison oak, and poison sumac.

**Warnings**

For external use only.

**When using this product**

- Do not get in eyes
- Do not apply over large areas of the body
- In case of deep or puncture wounds, animal bites, or serious burns consult a doctor.
- Do not bandage.

**Stop use and ask doctor if** conditions worsen, or symptoms persist for more than 7 days or clear up and occur again within a few days. Do not use longer than one week unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away. If in eyes, flush with water for 15 minutes and call a physician.

**Directions**

- Clean the affected area. Apply a small amount of this product on the affected area while massaging with sponge tip applicator. If itching persists, apply again in 10-15 minutes.
- For ticks and bees, remove tick or stinger before treatment.
- Adults and children 2 years of age and older: Apply to affected area not more than 1-3 times daily. Children under 2 years of age: Consult a doctor.

## **Inactive Ingredients**

Propylene Glycol

## **Questions or Comments?**

**1-800-294-3632**

Distributed by: ©2024 S.C. Johnson & Son, Inc., Racine,  
WI 53403-2236 U.S.A.

## **PRINCIPAL DISPLAY PANEL - 15 mL Bottle Label**

SCJohnson  
A Family Company

Forgot  
Your OFF!®  
Repellent?  
Get Quick  
Relief from  
Bites & Itching.

OFF!®

familycare  
BITE AND ITCH RELIEF

FIRST AID  
ANTISEPTIC

TOUCH FREE NO MESS  
APPLICATION

SOOTHES BITES FROM  
MOSQUITOES AND  
OTHER INSECTS

RELIEVES ITCH FROM  
POISON IVY,  
POISON OAK, AND  
POISON SUMAC

ANTISEPTIC

RELIEVES ITCH

SPONGE TIP  
APPLICATOR

NET 0.5 FL. OZ. (15 mL)



Forgot  
Your OFF!<sup>®</sup>  
Repellent?  
Get Quick  
Relief from  
Bites & Itching.

# OFF!<sup>®</sup> familycare

BITE AND ITCH RELIEF



## FIRST AID ANTISEPTIC

TOUCH FREE NO MESS  
APPLICATION

SOOTHES BITES FROM  
MOSQUITOES AND  
OTHER INSECTS

RELIEVES ITCH FROM  
POISON IVY,  
POISON OAK, AND  
POISON SUMAC



ANTISEPTIC



RELIEVES ITCH



SPONGE TIP  
APPLICATOR

NET 0.5 FL. OZ. (15 mL)

**OFF!** familycare

**bite and itch relief**  
FIRST AID ANTISEPTIC  
EXTERNAL ANALGESIC

A family company since 1886. *Frederick Johnson*

### Drug Facts

Active Ingredients	Purpose
Benzocaine 5%.....	Analgesic, Anesthetic, Antipruritic
Camphor 3% .....	Topical Analgesic
Phenol 1.35%.....	First Aid Antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes, and burns. For temporary relief of pain and itching associated with:  
■ Insect bites ■ minor burns ■ minor cuts ■ skin rashes due to poison ivy, poison oak, and poison sumac.

**Warnings**  
For external use only.

**When using this product**  
■ Do not get in eyes ■ Do not apply over large areas of the body  
■ In case of deep or puncture wounds, animal bites, or serious burns consult a doctor. ■ Do not bandage.

**Stop use and ask doctor** if conditions worsen, or symptoms persist for more than 7 days or clear up and occur again within a few days. Do not use longer than one week unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away. If in eyes, flush with water for 15 minutes and call a physician.

**Directions**  
■ Clean the affected area. Apply a small amount of this product on the affected area while massaging with sponge tip applicator. If itching persists, apply again in 10-15 minutes. ■ For ticks and bees, remove tick or stinger before treatment. ■ Adults and children 2 years of age and older: Apply to affected area not more than 1-3 times daily. Children under 2 years of age: Consult a doctor.

**Inactive Ingredients** Propylene Glycol

**Questions or Comments? 1-800-294-3632**

- Just in case you forgot your OFF!® repellent — quick relief from bites and itching
- Trusted care for the whole family
- Instant relief from mosquito bites, bee stings, ticks, chiggers, fire ants
- Stops pain, relieves itching
- Reduces infection
- Ammonia free

OFF!® familycare Bite and Itch Relief, when applied soon after an insect bite, begins to work immediately to counteract the effects of bites and stings from mosquitoes, bees and wasps, ticks, hornets, ants, fire ants, deerflies, sand fleas, horseflies and chiggers.

**IMPORTANT:** Read all information on this packaging and keep for future reference. This carton contains information not included on the dauber pen.

LOT# / EXP

1231640



Questions? Comments? Call 800-558-5252

Distributed by: ©2024 S.C. Johnson & Son, Inc., Racine,  
WI 53403-2236 U.S.A.



## OFF BITE AND ITCH RELIEF FIRST AID ANTISEPTIC

benzocaine, phenol, camphor solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59397-3310
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	5 mg in 100 mL
<b>PHENOL</b> (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.35 mg in 100 mL
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	3 mg in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59397-3310-1	1 in 1 CARTON	11/01/2013	
1		14.79 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M017	11/01/2013	

**Labeler** - S. C. Johnson & Son, Inc. (006091417)

**Registrant** - Wisconsin Pharmacal Company (800873986)

## Establishment

Name	Address	ID/FEI	Business Operations
Wisconsin Pharmacal Company		800873986	manufacture(59397-3310)

Revised: 6/2024

S. C. Johnson & Son, Inc.