

**ATOMY SUNSCREEN BEIGE BROAD SPECTRUM SPF 50 PLUS- homosalate,
octisalate, titanium dioxide, zinc oxide cream
ATOMY CO., LTD.**

ACTIVE INGREDIENTS

HOMOSALATE 7.50%
OCTISALATE 4.50%
TITANIUM DIOXIDE 2.20%
ZINC OXIDE 12.70%

INACTIVE INGREDIENTS

Aqua/Water/Eau, Cyclopentasiloxane, Dipropylene Glycol, Disiloxane, Lauryl Peg-10 Tris(Trimethylsiloxy)Silylethyl Dimethicone, Glycerin, Niacinamide, Propylheptyl Caprylate, Portulaca Oleracea Extract, Silica, Dimethicone, Disteardimonium Hectorite, Magnesium Sulfate, Dicaprylyl Carbonate, 1,2-Hexanediol, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Synthetic Fluorophlogopite, Triethoxycaprylylsilane, Aluminum Hydroxide, Stearic Acid, Sorbitan Caprylate, Dimethicone/Peg-10/15 Crosspolymer, Fragrance(Parfum), Iron Oxides(CI 77492), Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Caprylate, Ethylhexylglycerin, Adenosine, Iron Oxides(CI 77491), Iron Oxides(CI 77499), Tocopherol, Camellia Sinensis Leaf Extract, Melissa Officinalis Extract, Centella Asiatica Extract, Perilla Ocymoides Leaf Extract

PURPOSE

Sunscreen

WARNINGS

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the

sun

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

Protect this product from excessive heat and direct sun

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

ATOMY SUNSCREEN BEIGE
Broad Spectrum SPF 50+

atom美
ATOMY

ATOMY SUNSCREEN BEIGE
Broad Spectrum SPF 50+

Drug Facts

Active Ingredient	Purpose
Homosalate 7.50%	SUNSCREEN
Octisalate 4.5%	
Titanium Dioxide 2.20%	
Zinc Oxide 12.70%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Imported & Distributed By:

Atomy America Inc.
33801 1st Way South, Suite #301
Federal Way, WA 98003
TEL : +1-253-946-2344
www.atomy.com/us

R&D CENTER
KOLMAR BNH CO., LTD.

MANUFACTURER
KOLMAR KOREA CO., LTD.

See bottom of the container
for lot number and expiration
date.

MADE IN KOREA



8 809258 226581

ATOMY SUNSCREEN
Broad Spectrum SPF 50+

Broad Spectrum Sunscreen
Helps protect skin from UVA/UVB rays

2 FL. OZ. (60 mL)

Drug Facts

(continued)

Other information

- protect this product from excessive heat and direct sun

Inactive Ingredients

1,2-Hexanediol, Adenosine, Aluminum Hydroxide, Aqua/Water/Eau, Camellia Sinensis Leaf Extract, Centella Asiatica Extract, Cyclopentasiloxane, Dicaprylyl Carbonate, Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipropylene Glycol, Disiloxane, Distearidimonium Hectorite, Ethylhexylglycerin, Fragrance(Parfum), Glycerin, Glyceryl Caprylate, Iron Oxides(CI 77491), Iron Oxides(CI 77492), Iron Oxides(CI 77499), Lauryl PEG-10 Tris (Trimethylsiloxy)Silylethyl Dimethicone, Magnesium Sulfate, Melissa Officinalis Extract, Niacinamide, Perilla Ocymoides Leaf Extract, Portulaca Oleracea Extract, Propylheptyl Caprylate, Silica, Sorbitan Caprylate, Stearic Acid, Synthetic Fluorophlogopite, Tocopherol, Triethoxycaprylylsilane, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

US11-060821

ATOMY SUNSCREEN BEIGE
Broad Spectrum SPF 50+

atom美
ATOMY

ATOMY SUNSCREEN BEIGE
Broad Spectrum SPF 50+

Drug Facts

Active Ingredient	Purpose
Homosalate 7.50%	SUNSCREEN
Octisalate 4.5%	
Titanium Dioxide 2.20%	
Zinc Oxide 12.70%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Imported & Distributed By:

Atomy America Inc.
33801 1st Way South, Suite #301
Federal Way, WA 98003
TEL : +1-253-946-2344
www.atomy.com/us

R&D CENTER
KOLMAR BNH CO., LTD.
MANUFACTURER
KOLMAR KOREA CO., LTD.

See bottom of the container for lot number and expiration date.

MADE IN KOREA



8 809258 226581

ATOMY SUNSCREEN
Broad Spectrum SPF 50+

Broad Spectrum Sunscreen
Helps protect skin from UVA/UVB rays

2 FL. OZ. (60 mL)

Drug Facts

(continued)

Other information

- protect this product from excessive heat and direct sun

Inactive Ingredients

1,2-Hexanediol, Adenosine, Aluminum Hydroxide, Aqua/Water/Eau, Camellia Sinensis Leaf Extract, Centella Asiatica Extract, Cyclopentasiloxane, Dicaprylyl Carbonate, Dimethicone, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipropylene Glycol, Disiloxane, Distearidimonium Hectorite, Ethylhexylglycerin, Fragrance(Parfum), Glycerin, Glyceryl Caprylate, Iron Oxides(CI 77491), Iron Oxides(CI 77492), Iron Oxides(CI 77499), Lauryl PEG-10 Tris (Trimethylsiloxy)Silylethyl Dimethicone, Magnesium Sulfate, Melissa Officinalis Extract, Niacinamide, Perilla Ocymoides Leaf Extract, Portulaca Oleracea Extract, Propylheptyl Caprylate, Silica, Sorbitan Caprylate, Stearic Acid, Synthetic Fluorophlogopite, Tocopherol, Triethoxycaprylylsilane, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

US11-060821

ATOMY SUNSCREEN BEIGE BROAD SPECTRUM SPF 50 PLUS

homosalate, octisalate, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52257-1460
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4.5 g in 60 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.7 g in 60 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.32 g in 60 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	7.62 g in 60 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
Dipropylene Glycol (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52257-1460-1	60 mL in 1 CARTON; Type 0: Not a Combination Product	06/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2021	

Labeler - ATOMY CO., LTD. (631154601)

Registrant - ATOMY CO., LTD. (631154601)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co.,LTD. Gwanjeong 2 factory		963271750	manufacture(52257-1460)