

MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable
Amerisource Bergen

Good Neighbor Pharmacy 44-404A

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel - Good Neighbor Pharmacy

**GOOD
NEIGHBOR
PHARMACY®**

***Compare to the active ingredient in Bonine® Chewable Tablets**

NDC 46122-774-51

Motion Sickness Relief

Meclizine HCl 25 mg Chewable Tablets / Antiemetic

Relief for up to 24 hours

Helps Prevent Nausea, Vomiting and Dizziness

due to Motion Sickness for up to 24 hours

Ages 12 Years and Over

**Chew or crush tablets
completely before swallowing.
Do not swallow tablets whole.**

**Raspberry Flavored
Actual Size**

16 Tablets 25 mg Each

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

AmerisourceBergen
1 West First Avenue
Conshohocken, PA 19428
Questions or Concerns?
www.mygnp.com

*This product is not manufactured or distributed by WellSpring
Pharmaceutical Corporation, owner of the registered trademark
Bonine® Chewable Tablets. 50844 ORG082340421



*Compare to the active ingredient in Bonine® Chewable Tablets

Motion Sickness Relief

Meclizine HCl 25 mg Chewable Tablets / Antiemetic



*Compare to the active ingredient in Bonine® Chewable Tablets

NDC 46122-774-51

Motion Sickness Relief

Meclizine HCl 25 mg Chewable Tablets / Antiemetic

Relief for up to 24 hours

Helps Prevent Nausea, Vomiting and Dizziness due to Motion Sickness for up to 24 hours

Ages 12 Years and Over

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

16 Tablets | 25 mg Each

Raspberry Flavored Actual Size



ABC# 10285437 Rev: 01/24



*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets. 50844 ORG082340421

B-0045-404A-21
ORG082340421

Questions or comments? 1-800-426-9391

Inactive ingredients
saccharin sodium, silicon dioxide, stearate, pregelatinized starch, propylene glycol, aluminum lake, flavor, lactose monohydrate, magnesium colloidal silicon dioxide, dextrose, FD&C red #40

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
protect from heat and humidity
see end flap for expiration date and lot number

Directions
do not take more than directed dosage should be taken one hour before travel starts
chew or crush tablets completely before swallowing
do not swallow tablets whole
adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Active ingredient
(in each chewable tablet)
Meclizine HCl 25 mg
Antiemetic

Purpose


Warnings
Do not use for children under 12 years of age unless directed by a doctor.
Ask a doctor before use if you have
■ difficulty in urination due to enlargement of the prostate gland ■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
When using this product ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery
If pregnant or breast-feeding, ask a health professional before use.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Lot/Expiry

Distributed By
AmersourceBergen
1 West First Avenue
Conshohocken, PA 19428
Questions or Concerns?
www.mygnp.com





GNP 44-404A

MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-774
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	9mm
Flavor	RASPBERRY	Imprint Code	44;404
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-774-51	2 in 1 CARTON	03/19/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/19/2024	

Labeler - Amerisource Bergen (007914906)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(46122-774) , pack(46122-774)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(46122-774)

Revised: 3/2024

Amerisource Bergen